

Definitions of Textual Conventions for  
Generalized Multiprotocol Label Switching (GMPLS) Management

Status of This Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

Copyright Notice

Copyright (C) The IETF Trust (2007).

Abstract

This document defines a Management Information Base (MIB) module that contains textual conventions (TCs) to represent commonly used Generalized Multiprotocol Label Switching (GMPLS) management information. The intent is that these textual conventions will be imported and used in GMPLS-related MIB modules that would otherwise define their own representations.

Table of Contents

1. Introduction .....	2
2. The Internet-Standard Management Framework .....	2
3. GMPLS Textual Conventions MIB Definitions .....	3
4. Security Considerations .....	5
5. IANA Considerations .....	6
6. References .....	6
6.1. Normative References .....	6
6.2. Informative References .....	7
7. Acknowledgements .....	7

## 1. Introduction

This document defines a MIB module that contains textual conventions (TCs) for Generalized Multiprotocol Label Switching (GMPLS) networks. These textual conventions should be imported by MIB modules that manage GMPLS networks.

This MIB module supplements the MIB module in [RFC3811] that defines textual conventions for Multiprotocol Label Switching (MPLS) management. [RFC3811] may continue to be used without this MIB module in networks that support only MPLS.

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14, RFC 2119 [RFC2119].

For an introduction to the concepts of GMPLS, see [RFC3945].

## 2. The Internet-Standard Management Framework

For a detailed overview of the documents that describe the current Internet-Standard Management Framework, please refer to [section 7 of RFC 3410](#) [RFC3410].

Managed objects are accessed via a virtual information store, termed the Management Information Base or MIB. MIB objects are generally accessed through the Simple Network Management Protocol (SNMP). Objects in the MIB are defined using the mechanisms defined in the Structure of Management Information (SMI). This memo specifies a MIB module that is compliant to the SMIV2, which is described in STD 58, RFC 2578 [RFC2578], STD 58, RFC 2579 [RFC2579] and STD 58, RFC 2580 [RFC2580].

### 3. GMPLS Textual Conventions MIB Definitions

This MIB module makes reference to the following documents:  
[RFC2578], [RFC2579], [RFC3471], and [RFC3811].

GMPLS-TC-STD-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY

FROM SNMPv2-SMI

-- RFC 2578

TEXTUAL-CONVENTION

FROM SNMPv2-TC

-- RFC 2579

mplsStdMIB

FROM MPLS-TC-STD-MIB

-- RFC 3811

;

gmplsTCStdMIB MODULE-IDENTITY

LAST-UPDATED

"200702280000Z" -- 28 February 2007 00:00:00 GMT

ORGANIZATION

"IETF Common Control and Measurement Plane (CCAMP) Working Group"

CONTACT-INFO

" Thomas D. Nadeau  
Cisco Systems, Inc.  
Email: tnadeau@cisco.com

Adrian Farrel  
Old Dog Consulting  
Email: adrian@olddog.co.uk

Comments about this document should be emailed directly to the  
CCAMP working group mailing list at ccamp@ops.ietf.org"

DESCRIPTION

"Copyright (C) The IETF Trust (2007). This version of  
this MIB module is part of RFC 4801; see the RFC itself for  
full legal notices.

This MIB module defines TEXTUAL-CONVENTIONS for concepts used in  
Generalized Multiprotocol Label Switching (GMPLS) networks."

REVISION

"200702280000Z" -- 28 February 2007 00:00:00 GMT

DESCRIPTION

"Initial version published as part of RFC 4801."

::= { mplsStdMIB 12 }

GmplsFreeformLabelTC ::= TEXTUAL-CONVENTION

STATUS current

DESCRIPTION

"This TEXTUAL-CONVENTION can be used as the syntax of an object that contains any GMPLS Label. Objects with this syntax can be used to represent labels that have label types that are not defined in any RFCs. The freeform GMPLS Label may also be used by systems that do not wish to represent labels that have label types defined in RFCs using type-specific syntaxes."

## REFERENCE

"1. Generalized Multi-Protocol Label Switching (GMPLS) Signaling Functional Description, [RFC 3471, section 3.2](#)."

SYNTAX OCTET STRING (SIZE (0..64))

GmplsLabelTypeTC ::= TEXTUAL-CONVENTION

STATUS current

## DESCRIPTION

"Determines the interpretation that should be applied to an object that encodes a label. The possible types are:

- |                             |  |
|-----------------------------|--|
| gmplsMplsLabel(1)           | - The label is an MPLS Packet, Cell, or Frame Label and is encoded as described for the TEXTUAL-CONVENTION MplsLabel defined in <a href="#">RFC 3811</a> . |
| gmplsPortWavelengthLabel(2) | - The label is a Port or Wavelength Label as defined in <a href="#">RFC 3471</a> .   |
| gmplsFreeformLabel(3)       | - The label is any form of label encoded as an OCTET STRING using the TEXTUAL-CONVENTION GmplsFreeformLabel.   |
| gmplsSonetLabel(4)          | - The label is a Synchronous Optical Network (SONET) Label as defined in <a href="#">RFC 4606</a> .  |
| gmplsSdhLabel(5)            | - The label is a Synchronous Digital Hierarchy (SDH) Label as defined in <a href="#">RFC 4606</a> .  |
| gmplsWavebandLabel(6)       | - The label is a Waveband Label as defined in <a href="#">RFC 3471</a> ."  |

## REFERENCE

- "1. Generalized Multi-Protocol Label Switching (GMPLS) Signaling Functional Description, [RFC 3471, section 3](#).
2. Definition of Textual Conventions and for Multiprotocol Label Switching (MPLS) Management, [RFC 3811, section 3](#).
3. Generalized Multi-Protocol Label Switching (GMPLS) Extensions for Synchronous Optical Network (SONET) and Synchronous

```
        Digital Hierarchy (SDH) Control, RFC 4606."
SYNTAX INTEGER {
    gmplsMplsLabel(1),
    gmplsPortWavelengthLabel(2),
    gmplsFreeformGeneralizedLabel(3),
    gmplsSonetLabel(4),
    gmplsSdhLabel(5),
    gmplsWavebandLabel(6)
}

GmplsSegmentDirectionTC ::= TEXTUAL-CONVENTION
    STATUS         current
    DESCRIPTION
        "The direction of data flow on an Label Switched Path (LSP)
        segment with respect to the head of the LSP.

        Where an LSP is signaled using a conventional signaling
        protocol, the 'head' of the LSP is the source of the signaling
        (also known as the ingress) and the 'tail' is the destination
        (also known as the egress).  For unidirectional LSPs, this
        usually matches the direction of flow of data.

        For manually configured unidirectional LSPs, the direction of
        the LSP segment matches the direction of flow of data.  For
        manually configured bidirectional LSPs, an arbitrary decision
        must be made about which LER is the 'head'."
    SYNTAX INTEGER {
        forward(1),    -- data flows from head-end of LSP toward tail-end
        reverse(2)     -- data flows from tail-end of LSP toward head-end
    }

END
```

#### 4. Security Considerations

This module does not define any management objects. Instead, it defines a set of textual conventions which may be used by other GMPLS MIB modules to define management objects.

Meaningful security considerations can only be written in the MIB modules that define management objects. Therefore, this document has no impact on the security of the Internet.

## 5. IANA Considerations

IANA has rooted MIB objects in this MIB module under the `mplsStdMIB` subtree by assigning an OID to `gmplsTCStdMIB`.

IANA has made the following assignments in the "NETWORK MANAGEMENT PARAMETERS" registry located at <http://www.iana.org/assignments/smi-numbers> in table:

`...mib-2.transmission.mplsStdMIB (1.3.6.1.2.1.10.166)`

Decimal	Name	References
-----	-----	-----
12	GMPLS-TC-STD-MIB	[RFC4801]

In the future, GMPLS-related standards-track MIB modules should be rooted under the `mplsStdMIB` (sic) subtree. IANA has been requested to manage that namespace in the SMI Numbers registry [RFC3811]. New assignments can only be made via a Standards Action as specified in [RFC2434].

## 6. References

### 6.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997.
- [RFC2434] Narten, T. and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", BCP 26, RFC 2434, October 1998.
- [RFC2578] McCloghrie, K., Perkins, D., and J. Schoenwaelder, "Structure of Management Information Version 2 (SMIv2)", STD 58, RFC 2578, April 1999.
- [RFC2579] McCloghrie, K., Perkins, D., and J. Schoenwaelder, "Textual Conventions for SMIv2", STD 58, RFC 2579, April 1999.
- [RFC2580] McCloghrie, K., Perkins, D., and J. Schoenwaelder, "Conformance Statements for SMIv2", STD 58, RFC 2580, April 1999.
- [RFC3471] Berger, L., "Generalized Multi-Protocol Label Switching (GMPLS) Signaling Functional Description", RFC 3471, January 2003.

- [RFC3811] Nadeau, T. and J. Cucchiara, "Definitions of Textual Conventions (TCs) for Multiprotocol Label Switching (MPLS) Management", [RFC 3811](#), June 2004.
- [RFC4606] Mannie, E. and D. Papadimitriou, "Generalized Multi-Protocol Label Switching (GMPLS) Extensions for Synchronous Optical Network (SONET) and Synchronous Digital Hierarchy (SDH) Control", [RFC 4606](#), August 2006.

## 6.2. Informative References

- [RFC3410] Case, J., Mundy, R., Partain, D., and B. Stewart, "Introduction and Applicability Statements for Internet-Standard Management Framework", [RFC 3410](#), December 2002.
- [RFC3945] Mannie, E., "Generalized Multi-Protocol Label Switching (GMPLS) Architecture", [RFC 3945](#), October 2004.

## 7. Acknowledgements

This document is a product of the CCAMP Working Group.

Special thanks to Joan Cucchiara for her help with compilation issues and her very thorough MIB Doctor review. Thanks also to Lars Eggert, David Harrington, Harrie Hazewinkel, Dan Romascanu, and Bert Wijnen for their review comments.

## Contact Information

Thomas D. Nadeau  
Cisco Systems, Inc.  
1414 Massachusetts Ave.  
Boxborough, MA 01719

EMail: tnadeau@cisco.com

Adrian Farrel  
Old Dog Consulting

Phone: +44 1978 860944  
EMail: adrian@olddog.co.uk

Cheenu Srinivasan  
Bloomberg L.P.  
731 Lexington Ave.  
New York, NY 10022

Phone: +1-212-617-3682  
EMail: cheenu@bloomberg.net

Tim Hall  
Data Connection Ltd.  
100 Church Street  
Enfield, Middlesex  
EN2 6BQ, UK

Phone: +44 20 8366 1177  
EMail: tim.hall@dataconnection.com

Ed Harrison  
Data Connection Ltd.  
100 Church Street  
Enfield, Middlesex  
EN2 6BQ, UK

Phone: +44 20 8366 1177  
EMail: ed.harrison@dataconnection.com



## Full Copyright Statement

Copyright (C) The IETF Trust (2007).

This document is subject to the rights, licenses and restrictions contained in [BCP 78](#), and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY, THE IETF TRUST AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

## Intellectual Property

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in [BCP 78](#) and [BCP 79](#).

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at [ietf-ipr@ietf.org](mailto:ietf-ipr@ietf.org).

## Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.