


Pictures & Perspectives



Melphalan Followed by Brachytherapy for Uveal Melanoma

A choroidal melanoma initially measuring 8.7 mm in thickness was managed with globe-preserving therapy combining intra-arterial chemotherapy (IAC) with melphalan, ruthenium-106 (Ru-106) plaque brachytherapy, and transpupillary thermotherapy. Tumor debulking and chemosensitization were achieved with selective ophthalmic artery infusion, resulting in a 2.1-mm reduction in thickness. Four weeks later, Ru-106 brachytherapy was performed, followed by adjuvant transpupillary thermotherapy. At 6-month follow-up, tumor thickness decreased from 8.64 to 4.67 mm, with globe preservation and visual acuity maintained at 20/32. This case highlights anatomical and functional success. The patient is enrolled in a prospective clinical trial (NCT05893654) evaluating this multimodal approach in patients with choroidal melanomas >8 mm in thickness. (Magnified version of the Fig is available online at <https://www.opthalmologyretina.org/>).

GABRIELA MOUSSE DE CARVALHO, MD

MARIEL SOUZA NATIVIDADE, MD

RODRIGO JORGE, MD, PhD

Ophthalmology Division, Ribeirão Preto Medical School, University of São Paulo, Ribeirão Preto, São Paulo, Brazil