
Floggy 2.5

Interface Guide

A visual companion to the Floggy User Guide



Developed by Bill Bowling · Portland, Oregon (PDX) · Draft, October 2026

Contents

1. About This Guide 3

2. The Floggy Window 4

2.1 Workspaces Palette (Nav Tool) 4

2.2 Selecting Rows 5

3. Collect Workspace 6

3.1 Panels 6

3.2 Buttons 6

4. Flt Data Workspace 8

4.1 Panel 8

4.2 Buttons 8

4.3 Display Flts Window 9

5. Calendar Workspaces 10

5.1 Panels 10

5.2 Event-Type Checkboxes 10

6. Cal - ICS Workspace 11

7. Cal - APS Workspace 12

7.1 Display Events Window 12

8. Data Workspace 14

8.1 Panels and Fields 14

8.2 Buttons 15

9. Settings Workspace 16

10. Appearance Gallery 17

10.1 Themes 17

10.2 Button Styles 17

10.3 Visual Effects 18

1. About This Guide

The Floggy User Guide (opened with any ? Help ? button) explains what each feature does and why. This guide shows where things are. Each section covers one screen, with a screenshot and a short tour of its panels and buttons, and ends with a pointer to the matching section of the User Guide.

The screenshots use a different color theme on each screen, so this guide doubles as a theme sampler. Your screens will match whichever theme you choose in Settings.

2. The Floggy Window

Floggy has six workspaces, each dedicated to one job. They all share the same layout:

- **Upper panel** – the main data area: raw parsed data, flight records, calendar events or reference tables, depending on the workspace.
- **Lower panel** – status messages, parse results, warnings and errors (or a second data table on the calendar screens). Check it after every operation.
- **Button bar** – the workspace's action buttons along the bottom. ? Help ? opens the User Guide in your browser.
- **Work Space indicator** – the framed label at the lower right. Click it for a popup menu of all six workspaces, plus Nav Tool.

2.1 Workspaces Palette (Nav Tool)

Choose Nav Tool from the Work Space popup to open the Workspaces palette, a small floating window that stays on screen for one-click switching. It takes on the active theme and can sit anywhere.



Workspaces palette

Button	Goes to
Collect	Import and parse source data from eCrew and Flighty
Flt Data	Review, edit and export your flight records
Cal - ICS	Build portable .ics calendar files
Cal - APS	Write events directly into Apple Calendar
Data	Reference tables and your eCrew name and base
Settings	Font, theme, button style, effects and your data file
Display Flts	Below the divider. Opens the Display Flts window without leaving the current workspace

2.2 Selecting Rows


Most actions work on the rows you select in Flt Data: click one row, Shift-click for a range. The selection carries across workspaces, so select in Flt Data first, then switch to Cal - ICS or Cal - APS to build events. Sort Flights and Unlock Flights are the exceptions; they work on the whole list.

> **Tip:** CMD-Click is used throughout Floggy to unlock fields for editing and to reach extra functions on certain buttons.

Full details: Floggy Help, Sections 6 and 7.

3. Collect Workspace

Collect is where all eCrew and Flighty data comes in. Choose the button that matches the file you saved; Floggy parses it and merges the results into Flt Data.



Collect workspace after Calculate Rig on a pairing (Green theme, the default)

3.1 Panels

- **Data** – a staging area showing the raw content of the file just parsed. No need to touch it; a large block of text here is normal.
- **Output** – the parse summary: flights found, date ranges, warnings and errors. Always check it after a parse.

3.2 Buttons

Control	What it does
Parse Archive or HTML	Reads a saved eCrew Pairing Details page: a Safari .webarchive, a Chrome/Firefox .html page (with its _files folder), or a .flog compact archive. Primary source for leg-by-leg detail.
Parse Schedule	Reads the eCrew schedule export (.csv). Primary source for the month's framework. Files the report in Documents afterward.
Parse LogBook	Reads the eCrew Pilot Logbook report (.csv): landings, Part 121/91, instructor roles, deadhead block time.


Control	What it does
Parse Flighty	Reads a Flighty export (.csv). Asks which year to import. Good for deadhead tails and actual times.
Calculate Rig	Works out TAFB, Duty, CBLK and MDCR rig for one pairing, shows which pays, and lists RainMaker REG buckets by day.
Bypass Dashboard	Checkbox. Parses only the pairing, skipping Dashboard, Crew Data and Training Events. Use it for any pairing outside the current bid month.
? Help ?	Opens the User Guide.

> **Tip:** Open Display Flts from the Workspaces palette while you parse pairings and watch each trip’s blank fields fill in.

Full details: Floggy Help, Section 8, including the What Each Button Imports table.

4. Flt Data Workspace

Flt Data is the central hub: every parsed flight and duty event, one row per leg, newest first. Review records here and start every export.



Flt Data workspace with one trip selected (Arcade theme)

4.1 Panel

- **Flt Data for Export and Calendar** – comma-separated records. The Flt column holds a flight number or a duty code such as DT (Duty Time), DH (Deadhead) or LB (Line Building).

4.2 Buttons

Row 1 works with the data itself; row 2 sends data out or brings updates in.

Button	What it does
Copy Crew Names	Select a range of rows, then choose Down (copies the top row's crew to the rows below) or Up (copies the bottom row's crew to the rows above).
Sort Flights	Opens the Sort Flts dialog: sort by Date, Flight, Dep Stn, Arv Stn, DH/Ground or Flt Type, ascending or descending.
Delete Flights	Permanently removes the selected rows.
Unlock Flights	Unlocks the whole list for typing edits; the button then reads Lock Flights.


Button	What it does
	Press it again to lock and restore row selection.
? Help ?	Opens the User Guide.
LogTen Export	Sends the selected flights to LogTen Pro, with an optional crew People file.
HTML Export	Writes the selected flights to an HTML page with a LogTen import link; handy for an iPad or iPhone.
CSV Export	Writes a CSV with plain-language headers. Asks whether times use colons (HH:MM) or not.
Display Flts	Opens the Display Flts window (4.3).
Flifo	Looks up the selected flights on Alaska's flight status for actual out/in times and tail number (about 3 days back).

> **Tip:** Sort by Flt Type before Copy Crew Names, so deadhead legs don't break up the sequence.

> **Caution:** Delete Flights cannot be undone. Keep DT, DH and reserve rows if you use the calendar; they carry the duty times calendar events need. Sort and select instead of deleting.

4.3 Display Flts Window

Display Flts shows the selected flights (or all, if none are selected) in labeled columns: Date, Flt, DEP, ARV, STD, ATD, STA, ATA, Type, Tail, PIC, SIC, FA, FA2, duty and FDP times. It is read-only and refreshes automatically after each parse, so it is the easiest way to track collection progress. Calculate Rig and Flifo results also appear here while it is open.



Display Flts window beside Flt Data, with the Sort Flts dialog and Workspaces palette open (Eggplant theme)

Full details: Floggy Help, Section 9.

5. Calendar Workspaces

Floggy can put your schedule on a calendar two ways. Both use the same flight selection, the same event-type checkboxes and the same panel layout.

	Cal - ICS vs Cal - APS
How it works	ICS writes a file you import · APS writes straight into Apple Calendar
Steps	ICS: Build, Write, double-click the file · APS: Build, Add Calendar
Duplicates	ICS: protected (UUID) · APS: none; running twice makes duplicates
Other devices	ICS: share or AirDrop the file · APS: this Mac (share via iCloud)
Best for	ICS: first imports, sharing · APS: quick updates on your main Mac

5.1 Panels

- **Formatted Flt Data for Calendar Export** – the events Floggy built: Calendar, Summary, StartDate, EndDate, AllDay, Location, Description. Empty until you build.
- **Calendar Data from Selected Lines of Flt Data** – the flight rows the events came from.

5.2 Event-Type Checkboxes

One set of checkboxes is shared by both screens:

- **Flt Cal** – one event per flight leg.
- **Duty Cal** – one event per duty period.
- **Trip Cal** – one all-day event per pairing.

The field to the right of each checkbox is the target calendar name (defaults Flights, Duty and Trip). CMD-Click it to pick from the calendars on your Mac. Changes take effect the next time you build.


> **Tip:** Duty Cal and Trip Cal need both Parse Schedule and Parse Archive or HTML for a trip. Flt Cal works from either alone.

Full details: Floggy Help, Section 10.

6. Cal - ICS Workspace

Builds standard .ics files for Apple Calendar, Google Calendar or Outlook. Times are written in UTC so events land correctly anywhere; trips are all-day events.

Button	What it does
Build ICS Data	Builds the event preview from the rows selected in Flt Data. Always review it before writing.
Write ICS Files	Saves one .ics file per checked type to the Desktop. Double-click to import.
Display Events	Opens the Cal_Data review window (Section 7.1).
? Help ?	Opens the User Guide.




After Build ICS Data: UTC (Z) times for flights and duty, date-only lines for trips

Full details: Floggy Help, Section 10, Cal – ICS.

7. Cal - APS Workspace

Writes events directly into Apple Calendar with AppleScript, in one step.




Cal - APS workspace, empty (FMS theme)

Button	What it does
Build Events	Builds the event preview from the rows selected in Flt Data.
Add Calendar	Writes the events into Apple Calendar, creating calendars if needed. Set calendar names with CMD-Click first.
Display Events	Opens the Cal_Data review window (7.1).
? Help ?	Opens the User Guide.

> **Caution:** Add Calendar has no duplicate protection; check the preview first. Before using it, turn on Calendar → Settings → Advanced → Time Zone Support and set it to your home base (eCrew Base). Floggy reminds you each time.

7.1 Display Events Window

Display Events shows the built events in a larger window with full descriptions, for checking report times and crew before writing. If it is open, it refreshes after each build or write. It works the same from Cal - ICS.




Cal_Data window opened with Display Events from Cal - ICS (Dark theme)

Full details: Floggy Help, Section 10, Cal – APS.

8. Data Workspace

The reference tables Floggy uses behind the scenes, plus your eCrew identity. Most users rarely change anything here. All fields can be edited with CMD-Click.



Data workspace (FMS theme)

8.1 Panels and Fields

Panel	Contents
Airport Data	Each airport's IATA code, standard UTC offset and DST transition dates. Drives all time-zone conversion.
Duty Codes	Category (G, F, R, S or X), eCrew code, description. Add a row for any new eCrew code.
eCrew Pilot Logbook Data	Data from Parse LogBook. Empty until it has been run.
Crew Data	Links crew to flights by date, route and seat (PIC, SIC, FA, FA2). Used by Copy Crew Names.
Crew Names	Crew roster with LogTen People IDs, airline and last-seen date, for clean LogTen crew links.
eCrew Name	Your name as eCrew shows it, last name first. Filled in on first parse.
eCrew Base	Your home base (e.g. PDX). Filled in on first parse; used for time zones.

Line 1 of Airport Data and Duty Codes is a version tag (Floggy Version 2.5). Leave it in place; it stops an older data file from overwriting newer tables.

8.2 Buttons


- **Import User Data** – load a .flgy data file, with a summary to confirm before it replaces your current data.
- **Export User Data** – save your data to a file. Option-click to export a single year.
- **Reset User Data** – clear flights, crew data, Crew Names and your eCrew Name and Base to start fresh. Airport Data and Duty Codes are kept.

> **Caution:** Reset User Data cannot be undone. Export a backup first.

Full details: Floggy Help, Section 11.

9. Settings Workspace

Appearance settings and your data file. Nothing here affects flight data or exports; changes apply instantly and save automatically.



Settings workspace with the Workspaces palette open (Blue theme)

Control	What it does
Click Here to Select Field Font	Every monospaced font on your Mac, with a sample. Click one to apply it to the data panels.
Selected Field Font	The current font. CMD-Click to reset to the default.
Theme	Color theme menu (Section 10.1).
Button Style	Button look menu (10.2).
Visual effects	Workspace transition menu (10.3).
Export / Import / Reset User Data	Same as in the Data workspace.
? Help ?	Opens the User Guide.
File Path For User Data	Footer. Shows your .flgy file. Click for New File, Load Existing or Later.

Full details: Floggy Help, Section 12.

10. Appearance Gallery

10.1 Themes

Floggy 2.5 has ten themes. Six appear in this guide's screenshots:

Theme	Description · shown in
Auto	Follows macOS: Light in light mode, Dark in dark mode
Blue	Deep blue with light blue and white text · Settings (9)
Green	Dark green with light text; the default · Collect (3)
Gray	Medium gray, neutral
Dark	Dark gray with light text · Display Events (7.1)
Light	Light gray with dark text
FMS	Dark with amber labels and green text, like an FMS display · Data (8), Cal - APS (7)
Arcade	High-contrast dark blue with bright green and yellow · Flt Data (4)
White	Bright white variant of Light
Eggplant	Deep plum with lavender text · Display Flts (4.3)

10.2 Button Styles

The same button bar in each of the six styles:

Standard



Shadow



Rectangle



RoundRect



Opaque




Transparent



10.3 Visual Effects

The transition played when switching workspaces: dissolve, iris, zoom, wipe or scroll variants. Purely cosmetic; choose None if switching feels slow.



Visual effects menu

Full details: Floggy Help, Section 12.