

TABLE I

WHAT EACH COMPARED METHOD USES, OUTPUTS AND GUARANTEES.

Method	Fam.	Bud.	Typ.	Task	Exp.	Tr.	Guar.
R-Match, R-Block [1], [2]	RB	✗	✓	✗	✓	✗	✗
L-Forest, L-Boost [3], [4]	LB	✓	✗	✗	✗	✗	✗
D-Pair [5]	DM	✓	✓	✗	✗	✓	✗
D-Graph [6]	DM	✗	✓	✗	✗	✓	✗
P-Zero, P-Few [7], [8]	LLM	✗	✓	✗	✓	✓	✗
OurSys		✓	✓	✓	✓	✓	✓

TABLE II

THE DATASETS WITH THEIR TASK, ERROR TYPES AND SIZE, AND THE METRIC REPORTED ON EACH.

Dataset	Task	Error types	Records	Pairs	Metric
Shop [9]	DD	T/M/F	2,000	1.9M	F1
Songs [10]	DD	T/F	9,800	48M	F1
Clinic [11]	SM	M/F	640	0.2M	F1
Fleet [12]	SM	T/M/F/D	1,250	0.8M	F1
Ledger [13]	EL	T/D	15,400	0.4M	F1
Wiki [14]	EL	T/M	22,100	1.2M	F1

TABLE III

RESULTS OF ALL METHODS WHEN EACH RECEIVES THE SAME LABELING BUDGET AND ONLY OURSYS ALLOCATES IT BY DOWNSTREAM FEEDBACK.

Task / Dataset		Duplicate detection (DD)			Schema matching (SM)				Entity linking (EL)		
Rank	Method	Shop↑	Songs↑	Papers↑	Clinic↑	Fleet↑	Grid↑	Atlas↑	Ledger↑	News↑	Wiki↑
Rule-based											
9	R-Match	0.578	0.536	0.656	0.517	0.629	0.588	0.514	0.622	0.509	0.604
8	R-Block	0.517	0.522	0.602	0.698	0.530	0.554	0.651	0.727	0.639	0.595
Learning-based											
6	L-Forest	0.854	0.631	0.826	0.690	0.655	0.648	0.694	0.816	0.663	0.760
7	L-Boost	0.773	0.709	0.751	0.635	0.634	0.669	0.783	0.723	0.695	0.761
Deep matching											
2	D-Pair	0.779	0.742	0.861	0.838	0.729	0.808	0.796	0.880	0.845	0.739
4	D-Graph	0.905	0.698	0.770	0.852	0.706	0.787	0.679	0.830	0.853	0.808
LLM-based											
3	P-Zero	0.850	0.715	0.807	0.783	0.779	0.749	0.842	0.867	0.754	0.799
5	P-Few	0.655	0.808	0.795	0.878	0.837	0.708	0.733	0.800	0.645	0.751
1	OurSys	0.919	0.802	0.869	0.925	0.849	0.827	0.832	0.933	0.862	0.838

Demonstration values for fictional methods and datasets. Ranks are the mean of the per-column ranks computed on the printed values, the best value of each column has the dark background and bold type, the second has the light background, and ties share a shade.