

THE COMPLETE BLOOD COUNT SAMPLE REPORT

Different laboratories generate reports that can vary greatly in appearance and in the order and kind of information included. This is one example of what a lab report for a Complete Blood Count may look like. Names and places used have been made up for illustrative purposes only. The numbered key to the right explains a few of the report elements.

1	University Medical Center, Dept. of Pathology				Report Date/Time:	
	123 University Way, City, ST 12345				02/10/2014	16:40 2
3	Name:	Doe, John Q.	Age/Sex:	73/M	DOB:	01/01/1941
4	Patient ID:	987654321		Status:	6	Routine
5	Ordering Dr:	Smith, Peter MD		Physician Copy for:	Smith, Jane MD	
7	SPEC #:	223456	Collection Date/Time:	02/10/14	14:30	10
			Received Date/Time:	02/10/14	15:00	11
8	SPECIMEN:	Whole blood				
9	ORDERED:	Complete Blood Count and White Blood Cell Differential				
	QUERIES:	[Comments and testing instructions]				
12	Test	13	14	15	16	17
		Normal	Abnormal	Flag	Units	Reference Range
COMPLETE BLOOD COUNT						
	White Blood Cell (WBC)	6.9			K/mcL	4.8-10.8
	Red Blood Cell (RBC)		1.8	L	M/mcL	4.7-6.1
	Hemoglobin (HB/Hgb))		6.5	L**	g/dL	14.0-18.0
	Hematocrit (HCT)		19.5	L**	%	42-52
	Mean Cell Volume (MCV)		109.6	H	fL	80-100
	Mean Cell Hemoglobin (MCH)		36.5	H	pg	27.0-32.0
	Mean Cell Hb Conc (MCHC)	33.3			g/dL	32.0-36.0
	Red Cell Dist Width (RDW)		16.0	H	%	11.5-14.5
	Platelet count	180			K/mcL	150-450
	Mean Platelet Volume	7.9			fL	7.5-11.0
WBC Differential						
	Neutrophil (Neut)	50			%	33-73
	Lymphocyte (Lymph)	36			%	13-52
	Monocyte (Mono)	8			%	0-10
	Eosinophil (Eos)	5			%	0-5
	Basophil (Baso)	1			%	0-2
	Neutrophil, Absolute	3.5			K/mcL	1.8-7.8
	Lymphocyte, Absolute	2.5			K/mcL	1.0-4.8
	Monocyte, Absolute	0.6			K/mcL	0-0.8
	Eosinophil, Absolute	0.4			K/mcL	0-0.45
	Basophil, Absolute	0.1			K/mcL	0-0.2
Flag Key: L= Abnormal Low, H= Abnormal High, **= critical value						
Comment: **Hgb of 6.5 and Hct of 19.5 reported to Dr. J Smith at 15:20 on 2/10/14 by M. Peters						18
** END OF REPORT **						

1. Name and address of the lab where the test was performed. Tests may be run in a physician office lab, a lab located in a clinic or hospital, and/or samples may be sent to a reference laboratory for analysis.
2. Date this copy of the report was printed. This date may be different than the date the results were generated, especially on cumulative reports (those that include results of several different tests run on different days).
3. Patient name or identifier. Links results to the correct person.
4. Patient identifier and identification number. Links results to the correct person.
5. Name of doctor. The lab will send the results to the doctor(s) or other healthcare practitioners listed.
6. Status of the test request, such as Routine or STAT (perform test as rapidly as possible).
7. Unique identification number(s). Number(s) assigned to the sample(s) when it arrives at the laboratory.
8. Test requested is a CBC and WBC differential.
9. Information about the person and blood sample. Any pertinent information regarding the patient's test preparation or the condition of specimen may be noted here.
10. The date and time of sample collection
11. The date and time that the laboratory received the sample.
12. A listing of the individual items that are being evaluated. Test names may be abbreviated on lab reports. You can look for these test names or abbreviations in the pull-down menu on the home page of this site or type the name into the search box to find information on specific tests.
13. A listing of the CBC and differential results that are normal.
14. A listing of the CBC and differential results that are abnormal.
15. An 'H' in this column may mean that the result is higher than the reference range. 'L' may mean 'low.' Either represents a result outside the reference range/value.
16. Units of measurement (for quantitative results). The units of measurement that labs use to report your results can vary from lab to lab. Regardless of the units that the lab uses, your results will be interpreted in relation to the reference ranges supplied by the laboratory.
17. Reference intervals (or reference ranges). These are the ranges in which "normal" values are expected to fall. The ranges that appear on your report are validated and supplied by the laboratory that performed your test.
18. Critical results are dangerously abnormal results that must be reported immediately to the responsible person, such as the ordering physician. The laboratory will often draw attention to such results with an asterisk (*) or something similar and will usually note on the report the date and time the responsible person was notified.