SAFETY DATA SHEET

SaniClean

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name:	SaniClean
Unique formula identifier (UFI):	0WG0-E02C-F00P-2P1Q

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:	Cleaning product
Uses advised against :	None known.

1.3. Details of the supplier of the safety data sheet

Company and address:	**Five Star Chemicals & Supply Inc.** 6870 W. 52nd Ave Suite #205 Arvada, CO 80002 USA +1 (303) 287-0186 www.fivestarchemicals.com
Distributor:	**Five Star Chemicals & Supply Inc.** Unit 5 Flanders Industrial Estate SO30 2FZ Hedge End United Kingdom 02039 151 930 www.fivestarchemicals.com
Contact person:	Customer support
E-mail:	support@fivestarchemicals.com
Revision:	22/06/2023
SDS Version:	2.0
Date of previous version:	22/06/2023 (1.0)

1.4. Emergency telephone number

Infotrac +1 (352) 323-3500
Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 “First aid measures”.

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed.
Skin Corr. 1B; H314, Causes severe skin burns and eye damage.
Eye Dam. 1; H318, Causes serious eye damage.
Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s):

Signal word: Danger

Hazard statement(s): Harmful if swallowed. (H302)
Causes severe skin burns and eye damage. (H314)
Harmful to aquatic life with long lasting effects. (H412)

Precautionary statement(s):

General: -

Prevention: Do not breathe vapour/mist. (P260)
Avoid release to the environment. (P273)
Wear eye protection/protective gloves/protective clothing. (P280)

Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage: -

Disposal: Dispose of contents/container in accordance with local regulation. (P501)

▼ *Hazardous substances:* Phosphoric acid

Additional labelling: UFI: 0WG0-E02C-F00P-2P1Q

2.3. Other hazards

Additional warnings: This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Phosphoric acid	CAS No.: 7664-38-2 EC No.: 231-633-2 UK-REACH: Index No.: 015-011-00-6	40-60%	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318	[1]
Isopropanol	CAS No.: 67-63-0 EC No.: 200-661-7 UK-REACH: Index No.: 603-117-00-0	1-3%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
Decyldimethyloctylammonium chloride	CAS No.: 32426-11-2 EC No.: 251-035-5 UK-REACH: Index No.:	<1%	Acute Tox. 4, H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=1)	
Dimethyldioctylammonium chloride	CAS No.: 5538-94-3 EC No.: 226-901-0 UK-REACH: Index No.:	<0.25%	Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
Didecyldimethylammonium chloride	CAS No.: 7173-51-5 EC No.: 230-525-2 UK-REACH: Index No.: 612-131-00-6	<0.25%	EUH071 Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) Aquatic Chronic 2, H411	[4]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.
[4] Substance is listed in Annex I of the Prior Informed Consent Regulation (PIC, Regulation (EU) 649/2012).

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

≥ 30%
· Phosphates
< 5%
· Cationic surfactants
· EDTA and salts thereof

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment. Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
Eye contact:	If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.
Ingestion:	In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.
Burns:	Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.
Hazchem Code: 2R

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.
Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:	Keep only in original packaging.
Storage temperature:	Dry, cool and well ventilated
Incompatible materials:	Strong oxidizing agents Bases

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Phosphoric acid
Long term exposure limit (8 hours) (mg/m³): 1
Short term exposure limit (15 minutes) (mg/m³): 2

Isopropanol
Long term exposure limit (8 hours) (ppm): 400
Long term exposure limit (8 hours) (mg/m³): 999
Short term exposure limit (15 minutes) (ppm): 500
Short term exposure limit (15 minutes) (mg/m³): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Dimethyldioctylammonium chloride

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	1.6 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2.67 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	7.36 mg/m³
Long term – Systemic effects - Workers	Inhalation	18.79 mg/m³
Short term – Systemic effects - General population	Inhalation	7.36 mg/m³
Short term – Systemic effects - Workers	Inhalation	18.79 mg/m³
Long term – Systemic effects - General population	Oral	1.6 mg/kg bw/day
Short term – Systemic effects - General population	Oral	1.6 mg/kg bw/day

Isopropanol

Duration:	Route of exposure:	DNEL:

Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m³
Short term – Systemic effects - General population	Inhalation	178 mg/m³
Short term – Systemic effects - Workers	Inhalation	1000 mg/m³
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day
Short term – Systemic effects - General population	Oral	51 mg/kg bw/day

Phosphoric acid

Duration:	**Route of exposure:**	**DNEL:**
Long term – Local effects - General population	Inhalation	360 µg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³
Long term – Systemic effects - General population	Inhalation	4.57 mg/m³
Long term – Systemic effects - Workers	Inhalation	10.7 mg/m³
Short term – Local effects - Workers	Inhalation	2 mg/m³
Long term – Systemic effects - General population	Oral	100 µg/kgbw/day

PNEC

Didecyldimethylammonium chloride

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		1.1 µg/L
Freshwater sediment		61.86 mg/kg
Intermittent release (freshwater)		210 ng/L
Intermittent release (marine water)		21 ng/L
Marine water		110 ng/L
Marine water sediment		6.186 mg/kg
Sewage treatment plant		140 µg/L
Soil		1.4 mg/kg

Dimethyldioctylammonium chloride

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		1 µg/L
Intermittent release (freshwater)		660 ng/L
Marine water		100 ng/L
Sewage treatment plant		500 µg/L

Isopropanol

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg

Intermittent release (freshwater)		140.9 mg/L
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Predators		160 mg/kg
Sewage treatment plant		2.251 g/L
Soil		28 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures: The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures: In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure: Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally: Use only UKCA marked protective equipment.

Respiratory Equipment:

Type	Class	Colour	Standards	
Respiratory protection is not needed in the event of adequate ventilation.				

Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

Eye protection:

Type	Standards	
Safety glasses	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Clear
Odour / Odour threshold:	Testing not relevant or not possible due to the nature of the product.
pH:	1.03
pH in solution:	1.95 (1%)
Density (g/cm³):	Testing not relevant or not possible due to the nature of the product.
Relative density:	1.4
Kinematic viscosity:	Testing not relevant or not possible due to the nature of the product.
Particle characteristics:	Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C):	Testing not relevant or not possible due to the nature of the product.
Softening point/range (waxes and pastes) (°C):	Does not apply to liquids.
Boiling point (°C):	Testing not relevant or not possible due to the nature of the product.
Vapour pressure:	Testing not relevant or not possible due to the nature of the product.
Relative vapour density:	Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C):	Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C):	Testing not relevant or not possible due to the nature of the product.
Flammability (°C):	The material is not combustible.

Auto-ignition temperature (°C):	Testing not relevant or not possible due to the nature of the product.
Lower and upper explosion limit (% v/v):	Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water:	Testing not relevant or not possible due to the nature of the product.
n-octanol/water coefficient:	Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L):	Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Oxidizing properties:	Testing not relevant or not possible due to the nature of the product.
Other physical and chemical parameters:	No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity
No data available.

10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions
None known.

10.4. Conditions to avoid
None known.

10.5. Incompatible materials
Strong oxidizing agents
Bases

10.6. Hazardous decomposition products
The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance	Phosphoric acid
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	3500 mg/kg

Product/substance	Phosphoric acid
Species:	Rat
Route of exposure:	Dermal

Test:	LD50
Result:	> 1260 mg/kg

Product/substance	Isopropanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	5050 mg/kg

Product/substance	Isopropanol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	4059 mg/kg

Product/substance	Isopropanol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	72.6 mg/L

Product/substance	Decyldimethyloctylammonium chloride
Species:	
Route of exposure:	Dermal
Test:	LD50
Result:	3342 mg/kg

Product/substance	Decyldimethyloctylammonium chloride
Species:	
Route of exposure:	Oral
Test:	LD50
Result:	238 mg/kg

Product/substance	Dimethyldioctylammonium chloride
Species:	
Route of exposure:	Dermal
Test:	LD50
Result:	3342 mg/kg

Product/substance	Dimethyldioctylammonium chloride
Species:	
Route of exposure:	Oral
Test:	LD50
Result:	238 mg/kg

Product/substance	Didecyldimethylammonium chloride
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	> 1000 mg/kg

Product/substance	Didecyldimethylammonium chloride
Species:	Rat
Route of exposure:	Oral
Test:	LD50

Result:	329 mg/kg

Harmful if swallowed.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

Not applicable.

Other information

Isopropanol has been classified by IARC as a group 3 carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Product/substance	Phosphoric acid
Species:	Desmodesmus subspicatus
Duration:	48 hours
Test:	EC50
Result:	> 100 mg/L

Product/substance	Isopropanol
Species:	Fish, Pimephales promelas
Duration:	96 hours
Test:	LC50

Result:	9640 mg/L

Product/substance	Isopropanol
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	13299 mg/L

Product/substance	Decyldimethyloctylammonium chloride
Species:	Fish, Lepomis macrochirus
Duration:	96 hours
Test:	LC50
Result:	0.032 mg/L

Product/substance	Decyldimethyloctylammonium chloride
Species:	Daphnia
Duration:	
Test:	NOEC
Result:	0.01 mg/L

Product/substance	Dimethyldioctylammonium chloride
Species:	Fish, Lepomis macrochirus
Duration:	96 hours
Test:	LC50
Result:	0.032 mg/L

Product/substance	Dimethyldioctylammonium chloride
Species:	Daphnia
Duration:	
Test:	NOEC
Result:	0.01 mg/L

Product/substance	Didecyldimethylammonium chloride
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	0.062 mg/L

Product/substance	Didecyldimethylammonium chloride
Species:	Daphnia
Duration:	48 hours
Test:	LC50
Result:	0.057 mg/L

Product/substance	Didecyldimethylammonium chloride
Species:	Daphnia
Duration:	21 days
Test:	NOEC
Result:	0.021 mg/L

Product/substance	Didecyldimethylammonium chloride
Species:	Fish, Danio rerio
Duration:	96 hours
Test:	LC50
Result:	0.97 mg/L

Product/substance	Didecyldimethylammonium chloride
Species:	Fish, Lepomis macrochirus
Duration:	96 hours
Test:	LC50
Result:	0.032 mg/L

Product/substance	Didecyldimethylammonium chloride
Species:	Daphnia
Duration:	
Test:	NOEC
Result:	0.01 mg/L

12.2. Persistence and degradability
No data available.

12.3. Bioaccumulative potential
No data available.

12.4. Mobility in soil
No data available.

12.5. Results of PBT and vPvB assessment
This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties
Not applicable.

12.7. Other adverse effects
This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.
This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods
Product is covered by the regulations on hazardous waste.
HP 6 - Acute toxicity
HP 8 – Corrosive
HP 14 – Ecotoxic
Dispose of contents/container to an approved waste disposal plant.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code
Not applicable.

Specific labelling

Contaminated packing
Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1805	PHOSPHORIC ACID, SOLUTION	Transport hazard class: 8 Label: 8 Classification code: C1 	III	No	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1805	PHOSPHORIC ACID, SOLUTION	Transport hazard class: 8 Label: 8 Classification code: C1 	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN1805	PHOSPHORIC ACID, SOLUTION	Transport hazard class: 8 Label: 8 Classification code: C1 	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.
IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.
IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.
This product is within scope of the regulations of transport of dangerous goods.
Hazchem Code: 2R

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.
People under the age of 18 shall not be exposed to this product.

Demands for specific education:	No specific requirements.
SEVESO - Categories / dangerous substances:	Not applicable.
Additional information:	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Sources:	The Management of Health and Safety at Work Regulations 1999. The Health and Safety at Work etc. Act 1974 Regulations 2013. Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.
H225, Highly flammable liquid and vapour.
H290, May be corrosive to metals.
H301, Toxic if swallowed.
H302, Harmful if swallowed.
H310, Fatal in contact with skin.
H314, Causes severe skin burns and eye damage.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H336, May cause drowsiness or dizziness.
H400, Very toxic to aquatic life.
H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

▼The safety data sheet is validated by

PurposeBuilt Brands Regulatory Team

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product.
Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en