AMORE++

pre-alpha (active development aiming to release a beta version this summer (2011))

Generated by Doxygen 1.7.4

Wed Jul 20 2011 04:54:19

Contents

Chapter 1

The AMORE++ package

1.1 Introduction

Here you will find the documentation of the C++ component of the AMORE++ R package.

The AMORE++ package is a new version of the publicly available AMORE package for neural network training and simulation under R

1.2 Motivation

Since the release of the previous version of the AMORE many things have changed in the R programming world.

The advent of the Reference Classes and of packages like Rcpp, inline and RUnit compel us to write a better version of the package in order to provide a more useful framework for neural network training and simulation.

1.3 Road Map

This project is currently very active and the development team intends to provide a beta version as soon as this summer (2011)

Chapter 2

Class Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

Chapter 5

Class Documentation

5.1 ActivationFunction Class Reference

class ActivationFunction -

`#include <ActivationFunction.h>`

Inheritance diagram for ActivationFunction:



Public Member Functions

- virtual double f0 ()=0
- virtual double f1 ()=0

Protected Member Functions

- ActivationFunction (NeuronPtr neuronPtr)
- double getInducedLocalField ()

Protected Attributes

- NeuronWeakPtr d_neuron

5.1.1 Detailed Description

class ActivationFunction -

Definition at line 4 of file ActivationFunction.h.

5.1.2 Constructor & Destructor Documentation

5.1.2.1 ActivationFunction::ActivationFunction (NeuronPtr *neuronPtr*) [protected]

Definition at line 11 of file ActivationFunction.cpp.

```
                                                                    :
  d_neuron(neuronPtr)
{
}
```

5.1.3 Member Function Documentation

5.1.3.1 virtual double ActivationFunction::f0 ( ) [pure virtual]

Implemented in ArcTan, Cosine, Elliot, Exponential, Gauss, Identity, Logistic, RadialBasis, Reciprocal, Sine, Square, Tanh, and Threshold.

5.1.3.2 virtual double ActivationFunction::f1 ( ) [pure virtual]

Implemented in ArcTan, Cosine, Elliot, Exponential, Gauss, Identity, Logistic, RadialBasis, Reciprocal, Sine, Square, Tanh, and Threshold.

5.1.3.3 double ActivationFunction::getInducedLocalField ( ) [protected]

Definition at line 17 of file ActivationFunction.cpp.

References d_neuron.

Referenced by Tanh::f0(), Identity::f0(), and Tanh::f1().

```
{
  NeuronPtr neuronPtr(d_neuron.lock());
  return neuronPtr->getInducedLocalField();
}
```

Here is the caller graph for this function:



5.1.4 Member Data Documentation

5.1.4.1 NeuronWeakPtr ActivationFunction::d_neuron [protected]

Definition at line 7 of file ActivationFunction.h.

Referenced by getInducedLocalField().

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/ActivationFunction.h
- pkg/AMORE/src/ActivationFunction.cpp

5.2 AdaptBehavior Class Reference

class AdaptBehavior -

`#include <AdaptBehavior.h>`

Inheritance diagram for AdaptBehavior:



Collaboration diagram for AdaptBehavior:



Public Member Functions

- virtual void adjustParameters ()=0

5.2.1 Detailed Description

class AdaptBehavior -

Definition at line 5 of file AdaptBehavior.h.

5.2.2 Member Function Documentation

5.2.2.1 virtual void AdaptBehavior::adjustParameters ( ) [pure virtual]

Reimplemented from TrainingBehavior.

Implemented in ADAPTgd, and ADAPTgdwm.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/AdaptBehavior.h

5.3 ADAPTgd Class Reference

class ADAPTgd -

`#include <ADAPTgd.h>`

Inheritance diagram for ADAPTgd:



Collaboration diagram for ADAPTgd:



Public Member Functions

- void adjustParameters ()

Private Attributes

- double outputDerivative

5.3.1 Detailed Description

class ADAPTgd -

Definition at line 5 of file ADAPTgd.h.

5.3.2 Member Function Documentation

5.3.2.1 void ADAPTgd::adjustParameters ( ) [virtual]

Implements AdaptBehavior.

5.3.3 Member Data Documentation

5.3.3.1 double ADAPTgd::outputDerivative [private]

Definition at line 8 of file ADAPTgd.h.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/ADAPTgd.h

5.4 ADAPTgdwm Class Reference

class ADAPTgdwm -

`#include <ADAPTgdwm.h>`

Inheritance diagram for ADAPTgdwm:



Collaboration diagram for ADAPTgdwm:



Public Member Functions

- void adjustParameters ()

Private Attributes

- double outputDerivative

5.4.1 Detailed Description

class ADAPTgdwm -

Definition at line 5 of file ADAPTgdwm.h.

5.4.2 Member Function Documentation

5.4.2.1 void ADAPTgdwm::adjustParameters ( ) [virtual]

Implements AdaptBehavior.

5.4.3 Member Data Documentation

5.4.3.1 double ADAPTgdwm::outputDerivative [private]

Definition at line 8 of file ADAPTgdwm.h.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/ADAPTgdwm.h

5.5 ArcTan Class Reference

class ArcTan -

`#include <ArcTan.h>`

Inheritance diagram for ArcTan:



Collaboration diagram for ArcTan:



Public Member Functions

- Arctan (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.5.1 Detailed Description

class ArcTan -

Definition at line 5 of file ArcTan.h.

5.5.2 Member Function Documentation

5.5.2.1 ArcTan::Arctan (NeuronPtr *neuronPtr*)

5.5.2.2 double ArcTan::f0 ( ) [virtual]

Implements ActivationFunction.

5.5.2.3 double ArcTan::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/ArcTan.h

5.6 ArcTanFactory Class Reference

class ArcTanFactory -

`#include <ArcTanFactory.h>`

Inheritance diagram for ArcTanFactory:



Collaboration diagram for ArcTanFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.6.1 Detailed Description

class ArcTanFactory -

Definition at line 5 of file ArcTanFactory.h.

5.6.2 Member Function Documentation

5.6.2.1 ActivationFunctionPtr ArcTanFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/ArcTanFactory.h

5.7 BatchBehavior Class Reference

class BatchBehavior -

`#include <BatchBehavior.h>`

Inheritance diagram for BatchBehavior:



Collaboration diagram for BatchBehavior:



Public Member Functions

- virtual void adjustParameters ()=0

5.7.1 Detailed Description

class BatchBehavior -

Definition at line 5 of file BatchBehavior.h.

5.7.2 Member Function Documentation

5.7.2.1 virtual void BatchBehavior::adjustParameters ( ) [pure virtual]

Reimplemented from TrainingBehavior.

Implemented in BATCHgd, and BATCHgdwm.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/BatchBehavior.h

5.8 BATCHgd Class Reference

class BATCHgd -

`#include <BATCHgd.h>`

Inheritance diagram for BATCHgd:



Collaboration diagram for BATCHgd:



Public Member Functions

- void adjustParameters ()

Private Attributes

- double outputDerivative

5.8.1 Detailed Description

class BATCHgd -

Definition at line 5 of file BATCHgd.h.

5.8.2 Member Function Documentation

5.8.2.1 void BATCHgd::adjustParameters ( ) [virtual]

Implements BatchBehavior.

5.8.3 Member Data Documentation

5.8.3.1 double BATCHgd::outputDerivative [private]

Definition at line 8 of file BATCHgd.h.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/BATCHgd.h

5.9 BATCHgdwm Class Reference

class BATCHgdwm -

`#include <BATCHgdwm.h>`

Inheritance diagram for BATCHgdwm:



Collaboration diagram for BATCHgdwm:



Public Member Functions

- void adjustParameters ()

Private Attributes

- double outputDerivative

5.9.1 Detailed Description

class BATCHgdwm -

Definition at line 5 of file BATCHgdwm.h.

5.9.2 Member Function Documentation

5.9.2.1 void BATCHgdwm::adjustParameters ( ) [virtual]

Implements BatchBehavior.

5.9.3 Member Data Documentation

5.9.3.1 double BATCHgdwm::outputDerivative [private]

Definition at line 8 of file BATCHgdwm.h.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/BATCHgdwm.h

5.10 Con Class Reference

class Con -

`#include <Con.h>`

Public Member Functions

- Con (Neuron &neuron)

  Constructor.
- Con (Neuron &neuron, double weight)

  Constructor.
- Handler Id ()

  A getter of the Id of the Neuron pointed by the from field.
- Neuron & getNeuron ()

  from field accessor.
- void setNeuron (Neuron &neuron)
- double getWeight ()

  weight field accessor.
- void setWeight (double weight)
- void show ()

  Pretty print of the Con information.
- bool validate ()

  Object validator.

Private Attributes

- NeuronRef d_neuron
- double d_weight

5.10.1 Detailed Description

class Con -

Definition at line 3 of file Con.h.

5.10.2 Constructor & Destructor Documentation

5.10.2.1 Con::Con (Neuron & *neuron*)

Constructor.

Definition at line 19 of file Con.cpp.

```
                        :
  d_neuron( boost::ref(neuron) ), d_weight(0)
{
}
```

5.10.2.2 Con::Con (Neuron & *neuron,* double *weight*)

Constructor.

Definition at line 30 of file Con.cpp.

```
                                        :
  d_neuron(boost::ref(neuron)), d_weight(weight)
{
}
```

5.10.3 Member Function Documentation

5.10.3.1 Neuron & Con::getNeuron ( )

from field accessor.

This method allows access to the address stored in the private from field (a pointer to a Neuron object).∗

Returns

A pointer to the Neuron object referred to by the from field.

```
    //================
    //Usage example:
    //================
    // Data set up
                  NeuronPtr ptShNeuron ( new Neuron(1) );         // Neuron
  Id is set 1
                  ConPtr ptShCon( new Con(ptShNeuron) );          // from p
 oints to ptShNeuron and weight is set to 0
```

```
        // Test
                        ptShNeuron = ptShCon->getFrom() ;
                        int result = ptShNeuron->getId();

        // Now, result is equal to 1.
```

See also

getId and the unit test files, e.g., runit.Cpp.Con.R, for further examples.

Definition at line 56 of file Con.cpp.

References d_neuron.

```
{
  return d_neuron;
}
```

5.10.3.2 double Con::getWeight ( )

weight field accessor.

This method allows access to the value stored in the private field weight

Returns

The value of weight (double)

```
  //================
  //Usage example:
  //================
  // Data set up
                        std::vector<double> result;
                        NeuronPtr ptShNeuron ( new Neuron(16) );                /
      / Neuron Id is set to 16
                        ConPtr ptShCon( new Con(ptShNeuron, 12.4) );  // from poi
      nts to ptShNeuron and weight is set to 12.4
        // Test
                        result.push_back( ptShCon->getWeight() );
                        ptShCon->setWeight(2.2);
                        result.push_back( ptShCon->getWeight() );

        // Now, result is a numeric vector that contains the values 12.4 and 2.2
      .
```

See also

setWeight and the unit test files, e.g., runit.Cpp.Con.R, for further examples.

Definition at line 116 of file Con.cpp.

References d_weight.

Referenced by show(), and validate().

```
{
  return d_weight;
}
```

Here is the caller graph for this function:



5.10.3.3 int Con::Id ( )

A getter of the Id of the Neuron pointed by the from field.

This method gets the Id of the Neuron referred to by the from field

Returns

The value of the Id (an integer).

```
//================
//Usage example:
//================
// Data set up
                NeuronPtr ptShNeuron ( new Neuron(16) );        // Neuron I
d is set to 16
                ConPtr ptShCon( new Con(ptShNeuron) );          // from poi
nts to ptShNeuron and weight is set to 0
// Test
                int result = ptShCon->getId();

// Now, result is equal to 16.
```

See also

getFrom, setFrom and the unit test files, e.g., runit.Cpp.Con.R, for further examples.

Definition at line 88 of file Con.cpp.

References d_neuron.

Referenced by show(), and validate().

```
{
  return d_neuron.get().getId();
}
```

Here is the caller graph for this function:



5.10.3.4 void Con::setNeuron (Neuron & *neuron*)

Definition at line 63 of file Con.cpp.

References d_neuron.

```
{
  d_neuron=boost::ref(neuron);
}
```

5.10.3.5 void Con::setWeight (double *weight*)

Definition at line 123 of file Con.cpp.

References d_weight.

```
{
  d_weight=weight;
}
```

5.10.3.6 void Con::show ( )

Pretty print of the Con information.

This method outputs in the R terminal the contents of the Con fields.

Returns

true in case everything works without throwing an exception

See also

setWeight and the unit test files, e.g., runit.Cpp.Con.R, for usage examples.

Definition at line 135 of file Con.cpp.

References getWeight(), and Id().

```
{
  int id = Id();
  if (id == NA_INTEGER)
    {
      Rprintf("From: NA\t Invalid Connection \n");
    }
  else
    {
      Rprintf("From:\t %d \t Weight= \t %lf \n", id , getWeight() );
    }
}
```

Here is the call graph for this function:



5.10.3.7 bool Con::validate ( )

Object validator.

This method checks the object for internal coherence. A try / catch mechanism exits normal execution and returns control to the R terminal in case the contents of the Con object are identified as corrupted.

Returns

true in case the checks are Ok.

Exceptions

An	std::range error if weight or from are not finite.

Definition at line 155 of file Con.cpp.

References getWeight(), and Id().

```
{
```

```
  BEGIN_RCPP
  if (! R_FINITE(getWeight()) ) throw std::range_error("weight is not finite.");
  if (Id() == NA_INTEGER)
    throw std::range_error("fromId is not finite.");
  return (true);
END_RCPP}
```

Here is the call graph for this function:



5.10.4 Member Data Documentation

5.10.4.1 NeuronRef Con::d_neuron [private]

Definition at line 6 of file Con.h.

Referenced by getNeuron(), Id(), and setNeuron().

5.10.4.2 double Con::d_weight [private]

Definition at line 7 of file Con.h.

Referenced by getWeight(), and setWeight().

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/Con.h
- pkg/AMORE/src/Con.cpp

5.11 Container< T > Class Template Reference

class Container -

`#include <Container.h>`

Inheritance diagram for Container< T >:



Public Member Functions

- virtual ~Container ()
- virtual boost::shared_ptr< Iterator< T > > createIterator ()=0
- virtual T at (size_type element)=0
- virtual void push_back (T const &const_reference)=0
- virtual void reserve (int n)=0

- virtual bool empty ()=0
- virtual size_type size ()=0
- virtual void clear ()=0
- virtual void show ()=0
- virtual bool validate ()=0

Protected Member Functions

- Container ()

5.11.1 Detailed Description

template<typename T>class Container< T >

class Container -

Definition at line 5 of file Container.h.

5.11.2 Constructor & Destructor Documentation

5.11.2.1 template<typename T > Container< T >::~Container ( ) [virtual]

Definition at line 20 of file Container.cpp.

```
{
}
```

5.11.2.2 template<typename T > Container< T >::Container ( ) [protected]

Definition at line 14 of file Container.cpp.

```
{
}
```

5.11.3 Member Function Documentation

5.11.3.1 template<typename T > virtual T Container< T >::at (size_type *element*) [pure virtual]

Implemented in SimpleContainer< T >.

5.11.3.2 template<typename T > virtual void Container< T >::clear ( ) [pure virtual]

Implemented in SimpleContainer< T >.

5.11.3.3 template<typename T > virtual boost::shared_ptr< Iterator<T> > Container< T >::createIterator ( ) [pure virtual]

Implemented in SimpleContainer< T >.

5.11.3.4 template<typename T > virtual bool Container< T >::empty ( ) [pure virtual]

Implemented in SimpleContainer< T >.

5.11.3.5 template<typename T > virtual void Container< T >::push_back (T const & *const_reference*) [pure virtual]

Implemented in SimpleContainer< T >.

5.11.3.6 template<typename T > virtual void Container< T >::reserve (int *n*) [pure virtual]

Implemented in SimpleContainer< T >.

5.11.3.7 template<typename T > virtual void Container< T >::show ( ) [pure virtual]

Implemented in SimpleContainer< T >.

5.11.3.8 template<typename T > virtual size_type Container< T >::size ( ) [pure virtual]

Implemented in SimpleContainer< T >.

5.11.3.9 template<typename T > virtual bool Container< T >::validate ( ) [pure virtual]

Implemented in SimpleContainer< T >.

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/Container.h
- pkg/AMORE/src/Container.cpp

5.12 Cosine Class Reference

class Cosine -

`#include <Cosine.h>`

Inheritance diagram for Cosine:



Collaboration diagram for Cosine:



Public Member Functions

- Cosine (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.12.1 Detailed Description

class Cosine -

Definition at line 5 of file Cosine.h.

5.12.2 Constructor & Destructor Documentation

5.12.2.1 Cosine::Cosine (NeuronPtr *neuronPtr*)

5.12.3 Member Function Documentation

5.12.3.1 double Cosine::f0 ( ) [virtual]

Implements ActivationFunction.

5.12.3.2 double Cosine::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/Cosine.h

5.13 CosineFactory Class Reference

class CosineFactory -

`#include <CosineFactory.h>`

Inheritance diagram for CosineFactory:



Collaboration diagram for CosineFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.13.1 Detailed Description

class CosineFactory -

Definition at line 5 of file CosineFactory.h.

5.13.2 Member Function Documentation

5.13.2.1 ActivationFunctionPtr CosineFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/CosineFactory.h

5.14 Elliot Class Reference

class Elliot -

`#include <Elliot.h>`

Inheritance diagram for Elliot:



Collaboration diagram for Elliot:



Public Member Functions

- Elliot (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.14.1 Detailed Description

class Elliot -

Definition at line 5 of file Elliot.h.

5.14.2 Constructor & Destructor Documentation

5.14.2.1 Elliot::Elliot (NeuronPtr *neuronPtr*)

5.14.3 Member Function Documentation

5.14.3.1 double Elliot::f0 ( ) [virtual]

Implements ActivationFunction.

5.14.3.2 double Elliot::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/Elliot.h

5.15 ElliotFactory Class Reference

class ElliotFactory -

`#include <ElliotFactory.h>`

Inheritance diagram for ElliotFactory:



Collaboration diagram for ElliotFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.15.1 Detailed Description

class ElliotFactory -

Definition at line 5 of file ElliotFactory.h.

5.15.2 Member Function Documentation

5.15.2.1 ActivationFunctionPtr ElliotFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/ElliotFactory.h

5.16 Exponential Class Reference

class Exponential -

`#include <Exponential.h>`

Inheritance diagram for Exponential:



Collaboration diagram for Exponential:



Public Member Functions

- Exponential (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.16.1 Detailed Description

class Exponential -

Definition at line 5 of file Exponential.h.

5.16.2 Constructor & Destructor Documentation

5.16.2.1 Exponential::Exponential (NeuronPtr *neuronPtr*)

5.16.3 Member Function Documentation

5.16.3.1 double Exponential::f0 ( ) [virtual]

Implements ActivationFunction.

5.16.3.2 double Exponential::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/Exponential.h

5.17 ExponentialFactory Class Reference

class ExponentialFactory -

`#include <ExponentialFactory.h>`

Inheritance diagram for ExponentialFactory:



Collaboration diagram for ExponentialFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.17.1 Detailed Description

class ExponentialFactory -

Definition at line 5 of file ExponentialFactory.h.

5.17.2 Member Function Documentation

5.17.2.1 ActivationFunctionPtr ExponentialFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/ExponentialFactory.h

5.18 Gauss Class Reference

class Gauss -

`#include <Gauss.h>`

Inheritance diagram for Gauss:



Collaboration diagram for Gauss:



Public Member Functions

- Gauss (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.18.1 Detailed Description

class Gauss -

Definition at line 5 of file Gauss.h.

5.18.2 Constructor & Destructor Documentation

5.18.2.1 Gauss::Gauss (NeuronPtr *neuronPtr*)

5.18.3 Member Function Documentation

5.18.3.1 double Gauss::f0 ( ) [virtual]

Implements ActivationFunction.

5.18.3.2 double Gauss::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/Gauss.h

5.19 GaussFactory Class Reference

class GaussFactory -

`#include <GaussFactory.h>`

Inheritance diagram for GaussFactory:



Collaboration diagram for GaussFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.19.1 Detailed Description

class GaussFactory -

Definition at line 5 of file GaussFactory.h.

5.19.2 Member Function Documentation

5.19.2.1 ActivationFunctionPtr GaussFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/GaussFactory.h

5.20 Identity Class Reference

class Identity -

`#include <Identity.h>`

Inheritance diagram for Identity:



Collaboration diagram for Identity:



Public Member Functions

- Identity (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.20.1 Detailed Description

class Identity -

Definition at line 5 of file Identity.h.

5.20.2 Constructor & Destructor Documentation

5.20.2.1 Identity::Identity (NeuronPtr *neuronPtr*)

Definition at line 12 of file Identity.cpp.

```
: ActivationFunction(neuronPtr) {
```

```
}
```

5.20.3 Member Function Documentation

5.20.3.1 double Identity::f0 ( ) [virtual]

Implements ActivationFunction.

Definition at line 16 of file Identity.cpp.

References ActivationFunction::getInducedLocalField().

```
                        {
  return getInducedLocalField() ;
}
```

Here is the call graph for this function:

5.20.3.2 double Identity::f1 ( ) [virtual]

Implements ActivationFunction.

Definition at line 20 of file Identity.cpp.

```
                        {
  return 1 ;
}
```

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/Identity.h
- pkg/AMORE/src/Identity.cpp

5.21 IdentityFactory Class Reference

class IdentityFactory -

`#include <IdentityFactory.h>`

Inheritance diagram for IdentityFactory:



Collaboration diagram for IdentityFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.21.1 Detailed Description

class IdentityFactory -

Definition at line 5 of file IdentityFactory.h.

5.21.2 Member Function Documentation

5.21.2.1 ActivationFunctionPtr IdentityFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

Definition at line 17 of file IdentityFactory.cpp.

```
{
  ActivationFunctionPtr activationFunctionPtr(new Identity(neuronPtr));
  return activationFunctionPtr;
}
```

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/IdentityFactory.h
- pkg/AMORE/src/IdentityFactory.cpp

5.22 Iterator< T > Class Template Reference

class Iterator -

`#include <Iterator.h>`

Inheritance diagram for Iterator< T >:



Public Member Functions

- virtual ~Iterator ()
- virtual void first ()=0
- virtual void next ()=0
- virtual bool isDone ()=0
- virtual T currentItem ()=0

Protected Member Functions

- Iterator ()

5.22.1 Detailed Description

template<typename T>class Iterator< T >

class Iterator -

Definition at line 5 of file Iterator.h.

5.22.2 Constructor & Destructor Documentation

5.22.2.1 template<typename T > Iterator< T >::~Iterator ( ) [virtual]

Definition at line 20 of file Iterator.cpp.

```
{
}
```

5.22.2.2 template<typename T > Iterator< T >::Iterator ( ) [protected]

Definition at line 14 of file Iterator.cpp.

```
{
}
```

5.22.3 Member Function Documentation

5.22.3.1 template<typename T > virtual T Iterator< T >::currentItem ( ) [pure virtual]

Implemented in SimpleContainerIterator< T >.

5.22.3.2 template<typename T > virtual void Iterator< T >::first ( ) [pure virtual]

Implemented in SimpleContainerIterator< T >.

5.22.3.3 template<typename T > virtual bool Iterator< T >::isDone ( ) [pure virtual]

Implemented in SimpleContainerIterator< T >.

5.22.3.4 template<typename T > virtual void Iterator< T >::next ( ) [pure virtual]

Implemented in SimpleContainerIterator< T >.

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/Iterator.h

- pkg/AMORE/src/Iterator.cpp

5.23 Logistic Class Reference

class Logistic -

`#include <Logistic.h>`

Inheritance diagram for Logistic:



Collaboration diagram for Logistic:



Public Member Functions

- Logistic (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.23.1 Detailed Description

class Logistic -

Definition at line 5 of file Logistic.h.

5.23.2 Constructor & Destructor Documentation

5.23.2.1 Logistic::Logistic (NeuronPtr *neuronPtr*)

5.23.3 Member Function Documentation

5.23.3.1 double Logistic::f0 ( ) [virtual]

Implements ActivationFunction.

5.23.3.2 double Logistic::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/Logistic.h

5.24 LogisticFactory Class Reference

class LogisticFactory -

`#include <LogisticFactory.h>`

Inheritance diagram for LogisticFactory:



Collaboration diagram for LogisticFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.24.1 Detailed Description

class LogisticFactory -

Definition at line 5 of file LogisticFactory.h.

5.24.2 Member Function Documentation

5.24.2.1 ActivationFunctionPtr LogisticFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/LogisticFactory.h

5.25 MLPbehavior Class Reference

class MLPbehavior -

`#include <MLPbehavior.h>`

Inheritance diagram for MLPbehavior:



Collaboration diagram for MLPbehavior:



Public Member Functions

- MLPbehavior (NeuronPtr neuronPtr)

Private Member Functions

- void predict ()
- void show ()

Private Attributes

- double d_bias

Friends

- class MLPfactory

5.25.1 Detailed Description

class MLPbehavior -

Definition at line 5 of file MLPbehavior.h.

5.25.2 Constructor & Destructor Documentation

5.25.2.1 MLPbehavior::MLPbehavior (NeuronPtr *neuronPtr*)

Definition at line 13 of file MLPbehavior.cpp.

```
                                                :
   PredictBehavior(neuronPtr) , d_bias(0.0)
{
}
```

5.25.3 Member Function Documentation

5.25.3.1 void MLPbehavior::predict ( ) [private, virtual]

Implements PredictBehavior.

Definition at line 19 of file MLPbehavior.cpp.

References d_bias, PredictBehavior::getConIterator(), PredictBehavior::setInducedLocalField(), PredictBehavior::setOutput(), and PredictBehavior::useActivationFunctionf0().

```
{

  double accumulator(d_bias);
  ConIteratorPtr conIterator = getConIterator();
  double weight;
  double incomingSignalValue;
  for (conIterator->first(); !conIterator->isDone(); conIterator->next())
    {
      weight = conIterator->currentItem()->getWeight();
      incomingSignalValue = conIterator->currentItem()->getNeuron().getOutput();
      accumulator += weight * incomingSignalValue;
    }
  setInducedLocalField(accumulator);
  setOutput (
  useActivationFunctionf0());
}
```

Here is the call graph for this function:



5.25.3.2 void MLPbehavior::show ( ) [private, virtual]

Implements PredictBehavior.

Definition at line 38 of file MLPbehavior.cpp.

References d_bias.

```
{
  Rprintf("\n bias: %lf", d_bias);
}
```

5.25.4 Friends And Related Function Documentation

5.25.4.1 friend class MLPfactory [friend]

Definition at line 11 of file MLPbehavior.h.

5.25.5 Member Data Documentation

5.25.5.1 double MLPbehavior::d_bias [private]

Definition at line 8 of file MLPbehavior.h.

Referenced by predict(), and show().

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/MLPbehavior.h

- pkg/AMORE/src/MLPbehavior.cpp

5.26 MLPfactory Class Reference

class MLPfactory -

`#include <MLPfactory.h>`

Inheritance diagram for MLPfactory:



Collaboration diagram for MLPfactory:



Public Member Functions

- MLPfactory ()

Protected Member Functions

- ConPtr makeCon (Neuron &neuron, double weight)
- virtual ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)=0
- PredictBehaviorPtr makePredictBehavior (NeuronPtr neuronPtr)
- ConContainerPtr makeConContainer ()
- NeuronPtr makeNeuron ()
- NeuronContainerPtr makeNeuronContainer ()

5.26.1 Detailed Description

class MLPfactory -

Definition at line 5 of file MLPfactory.h.

5.26.2 Constructor & Destructor Documentation

5.26.2.1 MLPfactory::MLPfactory ( )

Definition at line 13 of file MLPfactory.cpp.

```
{
}
```

5.26.3 Member Function Documentation

5.26.3.1 virtual ActivationFunctionPtr MLPfactory::makeActivationFunction (NeuronPtr *neuronPtr*) [protected, pure virtual]

Implements NeuralFactory.

Implemented in ArcTanFactory, CosineFactory, ElliotFactory, ExponentialFactory, GaussFactory, IdentityFactory, LogisticFactory, ReciprocalFactory, SineFactory, SquareFactory, TanhFactory, and ThresholdFactory.

Referenced by makeNeuron().

Here is the caller graph for this function:

5.26.3.2 ConPtr MLPfactory::makeCon (Neuron & *neuron,* double *weight*) [protected, virtual]

Implements NeuralFactory.

Definition at line 19 of file MLPfactory.cpp.

```
{
  ConPtr conPtr(new Con(neuron, weight));
```

```
  return conPtr;
}
```

5.26.3.3 ConContainerPtr MLPfactory::makeConContainer ( ) [protected, virtual]

Implements NeuralFactory.

Definition at line 26 of file MLPfactory.cpp.

Referenced by makeNeuron().

```
{
  ConContainerPtr conContainerPtr(new SimpleContainer<ConPtr> );
  return conContainerPtr;
}
```

Here is the caller graph for this function:



5.26.3.4 NeuronPtr MLPfactory::makeNeuron ( ) [protected, virtual]

Implements NeuralFactory.

Definition at line 41 of file MLPfactory.cpp.

References makeActivationFunction(), makeConContainer(), and makePredictBehavior().

```
{
  NeuronPtr neuronPtr(new SimpleNeuron());
  neuronPtr->setPredictBehavior (makePredictBehavior(neuronPtr));
  neuronPtr->setActivationFunction (makeActivationFunction(neuronPtr));
  neuronPtr->setConnections (makeConContainer());

  return neuronPtr;
}
```

Here is the call graph for this function:



5.26.3.5 NeuronContainerPtr MLPfactory::makeNeuronContainer ( ) [protected, virtual]

Implements NeuralFactory.

Definition at line 52 of file MLPfactory.cpp.

```
{
  NeuronContainerPtr neuronContainerPtr(new SimpleContainer<NeuronPtr> );
  return neuronContainerPtr;
}
```

5.26.3.6 PredictBehaviorPtr MLPfactory::makePredictBehavior (NeuronPtr *neuronPtr*) [protected, virtual]

Implements NeuralFactory.

Definition at line 34 of file MLPfactory.cpp.

Referenced by makeNeuron().

```
{
  PredictBehaviorPtr predictBehaviorPtr(new MLPbehavior(neuronPtr));
  return predictBehaviorPtr;
}
```

Here is the caller graph for this function:



The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/MLPfactory.h
- pkg/AMORE/src/MLPfactory.cpp

5.27 NeuralCreator Class Reference

class NeuralCreator -

`#include <NeuralCreator.h>`

Inheritance diagram for NeuralCreator:



Public Member Functions

- virtual NeuronPtr createNeuron (NeuralFactoryPtr neuralFactoryPtr)=0

5.27.1 Detailed Description

class NeuralCreator -

Definition at line 4 of file NeuralCreator.h.

5.27.2 Member Function Documentation

5.27.2.1 virtual NeuronPtr NeuralCreator::createNeuron (NeuralFactoryPtr *neuralFactoryPtr*) [pure virtual]

Implemented in SimpleNeuralCreator.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/NeuralCreator.h

5.28 NeuralFactory Class Reference

class NeuralFactory -

`#include <NeuralFactory.h>`

Inheritance diagram for NeuralFactory:



Public Member Functions

- virtual ConPtr makeCon (Neuron &neuron, double weight)=0
- virtual ConContainerPtr makeConContainer ()=0
- virtual ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)=0
- virtual PredictBehaviorPtr makePredictBehavior (NeuronPtr neuronPtr)=0
- virtual NeuronPtr makeNeuron ()=0
- virtual NeuronContainerPtr makeNeuronContainer ()=0

5.28.1 Detailed Description

class NeuralFactory -

Definition at line 4 of file NeuralFactory.h.

5.28.2 Member Function Documentation

5.28.2.1 virtual ActivationFunctionPtr NeuralFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [pure virtual]

Implemented in ArcTanFactory, CosineFactory, ElliotFactory, ExponentialFactory, GaussFactory, IdentityFactory, LogisticFactory, MLPfactory, RadialBasisFactory, RBFfactory, ReciprocalFactory, SineFactory, SquareFactory, TanhFactory, and ThresholdFactory.

5.28.2.2 virtual ConPtr NeuralFactory::makeCon (Neuron & *neuron,* double *weight*) [pure virtual]

Implemented in MLPfactory.

5.28.2.3 virtual ConContainerPtr NeuralFactory::makeConContainer ( ) [pure virtual]

Implemented in MLPfactory, and RBFfactory.

5.28.2.4 virtual NeuronPtr NeuralFactory::makeNeuron ( ) [pure virtual]

Implemented in MLPfactory, and RBFfactory.

5.28.2.5 virtual NeuronContainerPtr NeuralFactory::makeNeuronContainer ( ) [pure virtual]

Implemented in MLPfactory, and RBFfactory.

5.28.2.6 virtual PredictBehaviorPtr NeuralFactory::makePredictBehavior (NeuronPtr *neuronPtr*) [pure virtual]

Implemented in MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/NeuralFactory.h

5.29 Neuron Class Reference

class Neuron -

`#include <Neuron.h>`

Inheritance diagram for Neuron:



Public Member Functions

- virtual double getInducedLocalField ()=0
- virtual void setInducedLocalField (double inducedLocalField)=0
- virtual double getOutput ()=0
- virtual void setOutput (double output)=0
- virtual Handler getId ()=0
- virtual void setId (Handler Id)=0
- virtual ConIteratorPtr getConIterator ()=0
- virtual void setConnections (ConContainerPtr conContainerPtr)=0
- virtual void setActivationFunction (ActivationFunctionPtr activationFunctionPtr)=0
- virtual void setPredictBehavior (PredictBehaviorPtr predictBehaviorPtr)=0
- virtual double useActivationFunctionf0 ()=0
- virtual void predict ()=0
- virtual void show ()=0
- virtual bool validate ()=0

Protected Member Functions

- Neuron ()

Protected Attributes

- PredictBehaviorPtr d_predictBehavior
- ActivationFunctionPtr d_activationFunction
- Handler d_Id
- ConContainerPtr d_nCons
- double d_inducedLocalField
- double d_output

5.29.1 Detailed Description

class Neuron -

Definition at line 3 of file Neuron.h.

5.29.2 Constructor & Destructor Documentation

5.29.2.1 Neuron::Neuron ( ) [protected]

Definition at line 10 of file Neuron.cpp.

```
                :
  d_Id(NA_INTEGER), d_inducedLocalField(0.0), d_output(0.0)
{
}
```

5.29.3 Member Function Documentation

5.29.3.1 virtual ConIteratorPtr Neuron::getConIterator ( ) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.2 virtual Handler Neuron::getId ( ) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.3 virtual double Neuron::getInducedLocalField ( ) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.4 virtual double Neuron::getOutput ( ) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.5 virtual void Neuron::predict ( ) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.6 virtual void Neuron::setActivationFunction (ActivationFunctionPtr *activationFunctionPtr*) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.7 virtual void Neuron::setConnections (ConContainerPtr *conContainerPtr*) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.8 virtual void Neuron::setId (Handler *Id*) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.9 virtual void Neuron::setInducedLocalField (double *inducedLocalField*) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.10 virtual void Neuron::setOutput (double *output*) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.11 virtual void Neuron::setPredictBehavior (PredictBehaviorPtr *predictBehaviorPtr*) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.12 virtual void Neuron::show ( ) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.13 virtual double Neuron::useActivationFunctionf0 ( ) [pure virtual]

Implemented in SimpleNeuron.

5.29.3.14 virtual bool Neuron::validate ( ) [pure virtual]

Implemented in SimpleNeuron.

5.29.4 Member Data Documentation

5.29.4.1 ActivationFunctionPtr Neuron::d_activationFunction [protected]

Definition at line 7 of file Neuron.h.

Referenced by SimpleNeuron::setActivationFunction(), and SimpleNeuron::useActivationFunctionf0().

5.29.4.2 Handler Neuron::d_Id [protected]

Definition at line 9 of file Neuron.h.

Referenced by SimpleNeuron::getId(), and SimpleNeuron::setId().

5.29.4.3 double Neuron::d_inducedLocalField [protected]

Definition at line 11 of file Neuron.h.

Referenced by SimpleNeuron::getInducedLocalField(), and SimpleNeuron::setInducedLocalField().

5.29.4.4 ConContainerPtr Neuron::d_nCons [protected]

Definition at line 10 of file Neuron.h.

Referenced by SimpleNeuron::getConIterator(), SimpleNeuron::setConnections(), and SimpleNeuron::show().

5.29.4.5 double Neuron::d_output [protected]

Definition at line 12 of file Neuron.h.

Referenced by SimpleNeuron::getOutput(), SimpleNeuron::setOutput(), and SimpleNeuron::show().

5.29.4.6 PredictBehaviorPtr Neuron::d_predictBehavior [protected]

Definition at line 6 of file Neuron.h.

Referenced by SimpleNeuron::predict(), SimpleNeuron::setPredictBehavior(), and SimpleNeuron::show().

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/Neuron.h
- pkg/AMORE/src/Neuron.cpp

5.30 PredictBehavior Class Reference

class PredictBehavior -

`#include <PredictBehavior.h>`

Inheritance diagram for PredictBehavior:



Public Member Functions

- virtual void predict ()=0
- virtual void show ()=0

Protected Member Functions

- PredictBehavior (NeuronPtr neuronPtr)
- double useActivationFunctionf0 ()
- ConIteratorPtr getConIterator ()
- void setOutput (double output)
- void setInducedLocalField (double inducedLocalField)

Protected Attributes

- NeuronWeakPtr d_neuron

5.30.1 Detailed Description

class PredictBehavior -

Definition at line 4 of file PredictBehavior.h.

5.30.2 Constructor & Destructor Documentation

5.30.2.1 PredictBehavior::PredictBehavior (NeuronPtr *neuronPtr*) [protected]

Definition at line 11 of file PredictBehavior.cpp.

```
                                                                :
  d_neuron(neuronPtr)
{
}
```

5.30.3 Member Function Documentation

5.30.3.1 ConIteratorPtr PredictBehavior::getConIterator ( ) [protected]

Definition at line 25 of file PredictBehavior.cpp.

References d_neuron.

Referenced by MLPbehavior::predict().

```
{
  NeuronPtr neuronPtr( d_neuron.lock() ) ;
  return neuronPtr->getConIterator();
}
```

Here is the caller graph for this function:

5.30.3.2 virtual void PredictBehavior::predict ( ) [pure virtual]

Implemented in MLPbehavior, and RBFbehavior.

5.30.3.3 void PredictBehavior::setInducedLocalField (double *inducedLocalField*) [protected]

Definition at line 39 of file PredictBehavior.cpp.

References d_neuron.

Referenced by MLPbehavior::predict().

```
{
  NeuronPtr neuronPtr( d_neuron.lock() ) ;
  return neuronPtr->setInducedLocalField(inducedLocalField);
}
```

Here is the caller graph for this function:

5.30.3.4 void PredictBehavior::setOutput (double *output*) [protected]

Definition at line 32 of file PredictBehavior.cpp.

References d_neuron.

Referenced by MLPbehavior::predict().

```
{
  NeuronPtr neuronPtr( d_neuron.lock() ) ;
  return neuronPtr->setOutput(output);
}
```

Here is the caller graph for this function:



5.30.3.5 virtual void PredictBehavior::show ( ) [pure virtual]

Implemented in MLPbehavior, and RBFbehavior.

5.30.3.6 double PredictBehavior::useActivationFunctionf0 ( ) [protected]

Definition at line 17 of file PredictBehavior.cpp.

References d_neuron.

Referenced by MLPbehavior::predict().

```
{
  NeuronPtr neuronPtr( d_neuron.lock() ) ;
  return neuronPtr->useActivationFunctionf0();

}
```

Here is the caller graph for this function:

5.30.4 Member Data Documentation

5.30.4.1 NeuronWeakPtr PredictBehavior::d_neuron [protected]

Definition at line 7 of file PredictBehavior.h.

Referenced by getConIterator(), setInducedLocalField(), setOutput(), and useActivationFunctionf0().

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/PredictBehavior.h
- pkg/AMORE/src/PredictBehavior.cpp

5.31 RadialBasis Class Reference

class RadialBasis -

`#include <RadialBasis.h>`

Inheritance diagram for RadialBasis:



Collaboration diagram for RadialBasis:



Public Member Functions

- RadialBasis (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.31.1 Detailed Description

class RadialBasis -

Definition at line 5 of file RadialBasis.h.

5.31.2 Constructor & Destructor Documentation

5.31.2.1 RadialBasis::RadialBasis (NeuronPtr *neuronPtr*)

5.31.3 Member Function Documentation

5.31.3.1 double RadialBasis::f0 ( ) [virtual]

Implements ActivationFunction.

5.31.3.2 double RadialBasis::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/RadialBasis.h

5.32 RadialBasisFactory Class Reference

class RadialBasisFactory -

`#include <RadialBasisFactory.h>`

Inheritance diagram for RadialBasisFactory:



Collaboration diagram for RadialBasisFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.32.1 Detailed Description

class RadialBasisFactory -

Definition at line 5 of file RadialBasisFactory.h.

5.32.2 Member Function Documentation

5.32.2.1 ActivationFunctionPtr RadialBasisFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements RBFfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/RadialBasisFactory.h

5.33 RBFbehavior Class Reference

class RBFbehavior -

`#include <RBFbehavior.h>`

Inheritance diagram for RBFbehavior:



Collaboration diagram for RBFbehavior:



Public Member Functions

- RBFbehavior (NeuronPtr neuronPtr)

Private Member Functions

- void predict ()
- void show ()

Private Attributes

- double d_width
- double d_altitude

5.33.1 Detailed Description

class RBFbehavior -

Definition at line 5 of file RBFbehavior.h.

5.33.2 Constructor & Destructor Documentation

5.33.2.1 RBFbehavior::RBFbehavior (NeuronPtr *neuronPtr*)

5.33.3 Member Function Documentation

5.33.3.1 void RBFbehavior::predict ( ) [private, virtual]

Implements PredictBehavior.

5.33.3.2 void RBFbehavior::show ( ) [private, virtual]

Implements PredictBehavior.

5.33.4 Member Data Documentation

5.33.4.1 double RBFbehavior::d_altitude [private]

Definition at line 9 of file RBFbehavior.h.

5.33.4.2 double RBFbehavior::d_width [private]

Definition at line 8 of file RBFbehavior.h.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/RBFbehavior.h

5.34 RBFfactory Class Reference

class RBFfactory -

`#include <RBFfactory.h>`

Inheritance diagram for RBFfactory:



Collaboration diagram for RBFfactory:



Public Member Functions

- RBFfactory ()

Protected Member Functions

- ConPtr makeCon (Neuron ∗neuron, double weight)
- ConContainerPtr makeConContainer ()
- virtual ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)=0
- PredictBehaviorPtr makePredictBehavior ()
- NeuronPtr makeNeuron ()
- NeuronContainerPtr makeNeuronContainer ()

5.34.1 Detailed Description

class RBFfactory -

Definition at line 5 of file RBFfactory.h.

5.34.2 Constructor & Destructor Documentation

5.34.2.1 RBFfactory::RBFfactory ( )

5.34.3 Member Function Documentation

5.34.3.1 virtual ActivationFunctionPtr RBFfactory::makeActivationFunction (NeuronPtr *neuronPtr*) [protected, pure virtual]

Implements NeuralFactory.

Implemented in RadialBasisFactory.

5.34.3.2 ConPtr RBFfactory::makeCon (Neuron * *neuron*, double *weight*) [protected]

5.34.3.3 ConContainerPtr RBFfactory::makeConContainer ( ) [protected, virtual]

Implements NeuralFactory.

5.34.3.4 NeuronPtr RBFfactory::makeNeuron ( ) [protected, virtual]

Implements NeuralFactory.

5.34.3.5 NeuronContainerPtr RBFfactory::makeNeuronContainer ( ) [protected, virtual]

Implements NeuralFactory.

5.34.3.6 PredictBehaviorPtr RBFfactory::makePredictBehavior ( ) [protected]

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/RBFfactory.h

5.35 Reciprocal Class Reference

class Reciprocal -

`#include <Reciprocal.h>`

Inheritance diagram for Reciprocal:



Collaboration diagram for Reciprocal:



Public Member Functions

- Reciprocal (NeuronPtr neuronPtr)
- void f0 ()
- void f1 ()

5.35.1 Detailed Description

class Reciprocal -

Definition at line 5 of file Reciprocal.h.

5.35.2 Constructor & Destructor Documentation

5.35.2.1 Reciprocal::Reciprocal (NeuronPtr *neuronPtr*)

5.35.3 Member Function Documentation

5.35.3.1 void Reciprocal::f0 ( ) [virtual]

Implements ActivationFunction.

5.35.3.2 void Reciprocal::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/Reciprocal.h

5.36 ReciprocalFactory Class Reference

class ReciprocalFactory -

`#include <ReciprocalFactory.h>`

Inheritance diagram for ReciprocalFactory:



Collaboration diagram for ReciprocalFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.36.1 Detailed Description

class ReciprocalFactory -

Definition at line 5 of file ReciprocalFactory.h.

5.36.2 Member Function Documentation

5.36.2.1 ActivationFunctionPtr ReciprocalFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/ReciprocalFactory.h

5.37 SimpleContainer< T > Class Template Reference

class SimpleContainer -

`#include <SimpleContainer.h>`

Inheritance diagram for SimpleContainer< T >:



Collaboration diagram for SimpleContainer< T >:



Public Member Functions

- SimpleContainer ()
- ~SimpleContainer ()

Protected Attributes

- std::vector< T > d_collection

Private Member Functions

- T at (size_type element)

  Append a shared_ptr at the end of collection.
- boost::shared_ptr< Iterator< T > > createIterator ()
- void push_back (T const &const_reference)
- void reserve (int n)
- bool empty ()
- size_type size ()

  Returns the size or length of the vector.
- void clear ()
- void show ()

  Pretty print of the SimpleContainer<T>
- bool validate ()

  Object validator.

Friends

- class SimpleContainerIterator< T >

5.37.1 Detailed Description

template<typename T>class SimpleContainer< T >

class SimpleContainer -

Definition at line 6 of file SimpleContainer.h.

5.37.2 Constructor & Destructor Documentation

5.37.2.1 template<typename T > SimpleContainer< T >::SimpleContainer ( )

Definition at line 11 of file SimpleContainer.cpp.

```
{
}
```

5.37.2.2 template<typename T > SimpleContainer< T >::~SimpleContainer ( )

Definition at line 17 of file SimpleContainer.cpp.

```
{

}
```

5.37.3 Member Function Documentation

5.37.3.1 template<typename T > T SimpleContainer< T >::at (size_type *element*) [private, virtual]

Append a shared_ptr at the end of collection.

Implements push_back for the Container class

Parameters

TsharedPtr	A shared_ptr pointer to be inserted at the end of collection

```
//================
//Usage example:
//================
// Data set up
        Neuron N1, N2, N3;
        Container<Con> conContainer;
        std::vector<ConPtr> vc;
        std::vector<int> result;
        N1.setId(10);
        N2.setId(20);
        N3.setId(30);
// Test
        ConPtr ptCon( new Con(&N1, 1.13) );     // Create new Con
 and initialize ptCon
        conContainer.push_back(ptCon);                          /
/ push_back
        ptCon.reset(  new Con(&N2, 2.22) );             // create
 new Con and assign to ptCon
        conContainer.push_back(ptCon);                          /
/ push_back
        ptCon.reset(  new Con(&N3, 3.33) );             // create
 new Con and assign to ptCon
        conContainer.push_back(ptCon);                          /
/ push_back

        vc = conContainer.load();

        result.push_back(vc.at(0)->getId());
        result.push_back(vc.at(1)->getId());
        result.push_back(vc.at(2)->getId());
  // After execution of this code, result contains a numeric vector with va
lues 10, 20 and 30.
```

See also

C++ documentation for std::vector::push_back and the unit test files, e.g., runit.Cpp.Container.R, for usage examples.

Implements Container< T >.

Definition at line 69 of file SimpleContainer.cpp.

```
{
return d_collection.at(element);
}
```

5.37.3.2 template<typename T > void SimpleContainer< T >::clear ( ) [private, virtual]

Implements Container< T >.

Definition at line 182 of file SimpleContainer.cpp.

```
{
d_collection.clear();
}
```

5.37.3.3 template<typename T > boost::shared_ptr< Iterator< T > > SimpleContainer< T >::createIterator ( ) [private, virtual]

Implements Container< T >.

Definition at line 23 of file SimpleContainer.cpp.

```
{
  boost::shared_ptr < SimpleContainerIterator<T> > iteratorPtr(  new
    SimpleContainerIterator<T> ());
  iteratorPtr->d_container = this;
  iteratorPtr->d_current= 0;
  return iteratorPtr;
}
```

5.37.3.4 template<typename T > bool SimpleContainer< T >::empty ( ) [private, virtual]

Implements Container< T >.

Definition at line 168 of file SimpleContainer.cpp.

```
{
  return (d_collection.empty());
}
```

5.37.3.5 template<typename T > void SimpleContainer< T >::push_back (T const & *const_reference*) [private, virtual]

Implements Container< T >.

Definition at line 77 of file SimpleContainer.cpp.

```
{
d_collection.push_back(reference);
}
```

5.37.3.6 template<typename T > void SimpleContainer< T >::reserve (int *n*) [private, virtual]

Implements Container< T >.

Definition at line 175 of file SimpleContainer.cpp.

```
{
d_collection.reserve(n);
}
```

5.37.3.7 template<typename T > void SimpleContainer< T >::show ( ) [private, virtual]

Pretty print of the SimpleContainer<T>

This method outputs in the R terminal the contents of Container::collection.

Returns

true in case everything works without throwing an exception

*

```
            //================
            //Usage example:
            //================
            // Data set up
                    ContainerNeuronPtr      neuronContainerPtr( new
    Container<Neuron>() );
                    ContainerConPtr conContainerPtr( new Container<Con>() );
                    ConPtr  ptC;
                    NeuronPtr ptN;
                    int ids[]= {10, 20, 30};
                    double weights[] = {1.13, 2.22, 3.33 };

                    for (int i=0; i<=2 ; i++) {                              /
    / Let's create a vector with three neurons
                            ptN.reset( new Neuron( ids[i] ) );
                            neuronContainerPtr->push_back(ptN);
                    }
```

```
                    for (int i=0; i<=2 ; i++) {                              /
    / and a vector with three connections
                            ptC.reset( new Con( neuronContainerPtr->load().at
    (i), weights[i]) );
                            conContainerPtr->push_back(ptC);
                    }

            // Test
                    conContainerPtr->show() ;

            // The output at the R terminal would display:
            //
            //      # From:  10      Weight=         1.130000
            //      # From:  20      Weight=         2.220000
            //      # From:  30      Weight=         3.330000
            //
```

See also

The unit test files, e.g., runit.Cpp.Container.R, for usage examples.

Implements Container< T >.

Definition at line 127 of file SimpleContainer.cpp.

```
{
    boost::shared_ptr< Iterator <T> >  itr = createIterator();
    for ( itr->first(); !itr->isDone(); itr->next() ) {
       itr->currentItem()->show();
    }
}
```

5.37.3.8 template<typename T > size_type SimpleContainer< T >::size ( ) [private, virtual]

Returns the size or length of the vector.

This method returns the size of the vector. In the classes derived from SimpleContainer<T> this is aliased as numOfCons, numOfNeurons and numOfLayers. The unit test files, e.g., runit.Cpp.Container.R, for usage examples.

Implements Container< T >.

Definition at line 160 of file SimpleContainer.cpp.

```
{
  return d_collection.size();
}
```

5.37.3.9 template<typename T > bool SimpleContainer< T >::validate ( ) [private, virtual]

Object validator.

This method checks the object for internal coherence. This method calls the validate method for each element in collection,

See also

The unit test files, e.g., runit.Cpp.Container.R, for usage examples.

Implements Container< T >.

Definition at line 142 of file SimpleContainer.cpp.

```
{
   boost::shared_ptr< Iterator <T> >  itr = createIterator();
   for ( itr->first(); !itr->isDone(); itr->next() ) {
      itr->currentItem()->validate();
   }
return true;
}
```

5.37.4 Friends And Related Function Documentation

5.37.4.1 template<typename T > friend class SimpleContainerIterator< T > [friend]

Definition at line 12 of file SimpleContainer.h.

5.37.5 Member Data Documentation

5.37.5.1 template<typename T > std::vector< T > SimpleContainer< T >::d_collection [protected]

Definition at line 9 of file SimpleContainer.h.

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/SimpleContainer.h
- pkg/AMORE/src/SimpleContainer.cpp

5.38 SimpleContainerIterator< T > Class Template Reference

class SimpleContainerIterator -

`#include <SimpleContainerIterator.h>`

Inheritance diagram for SimpleContainerIterator< T >:



Collaboration diagram for SimpleContainerIterator< T >:



Public Member Functions

- SimpleContainerIterator ()
- ~SimpleContainerIterator ()

Private Member Functions

- void first ()
- void next ()
- bool isDone ()
- T currentItem ()

Private Attributes

- Container< T > * d_container
- size_type d_current

Friends

- class SimpleContainer< T >

5.38.1 Detailed Description

template<typename T>class SimpleContainerIterator< T >

class SimpleContainerIterator -

Definition at line 6 of file SimpleContainerIterator.h.

5.38.2 Constructor & Destructor Documentation

5.38.2.1 template<typename T > SimpleContainerIterator< T >::SimpleContainerIterator ( )

Definition at line 4 of file SimpleContainerIterator.cpp.

```
{
}
```

5.38.2.2 template<typename T > SimpleContainerIterator< T >::~SimpleContainerIterator ( )

Definition at line 9 of file SimpleContainerIterator.cpp.

```
{
}
```

5.38.3 Member Function Documentation

5.38.3.1 template<typename T > T SimpleContainerIterator< T >::currentItem ( ) [private, virtual]

Implements Iterator< T >.

Definition at line 37 of file SimpleContainerIterator.cpp.

```
{
    if (isDone()) throw std::range_error("SimpleContainerIterator::currentItem
     Error: IteratorOutOfBounds");
    return d_container->at(d_current);
}
```

5.38.3.2 template<typename T > void SimpleContainerIterator< T >::first ( ) [private, virtual]

Implements Iterator< T >.

Definition at line 15 of file SimpleContainerIterator.cpp.

```
{
  d_current = 0;
}
```

5.38.3.3 template<typename T > bool SimpleContainerIterator< T >::isDone ( ) [private, virtual]

Implements Iterator< T >.

Definition at line 29 of file SimpleContainerIterator.cpp.

```
{
  bool IteratorIsDone(d_current == d_container->size());
  return IteratorIsDone;
}
```

5.38.3.4 template<typename T > void SimpleContainerIterator< T >::next ( ) [private, virtual]

Implements Iterator< T >.

Definition at line 22 of file SimpleContainerIterator.cpp.

```
{
  ++d_current;
}
```

5.38.4 Friends And Related Function Documentation

5.38.4.1 template<typename T > friend class SimpleContainer< T > [friend]

Definition at line 13 of file SimpleContainerIterator.h.

5.38.5 Member Data Documentation

5.38.5.1 template<typename T > Container<T>* SimpleContainerIterator< T >::d_container [private]

Definition at line 9 of file SimpleContainerIterator.h.

5.38.5.2 template<typename T > size_type SimpleContainerIterator< T >::d_current [private]

Definition at line 10 of file SimpleContainerIterator.h.

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/SimpleContainerIterator.h
- pkg/AMORE/src/SimpleContainerIterator.cpp

5.39 SimpleNeuralCreator Class Reference

class SimpleNeuralCreator -

`#include <SimpleNeuralCreator.h>`

Inheritance diagram for SimpleNeuralCreator:



Collaboration diagram for SimpleNeuralCreator:



Public Member Functions

- SimpleNeuralCreator ()
- NeuronPtr createNeuron (NeuralFactoryPtr neuralFactoryPtr)

5.39.1 Detailed Description

class SimpleNeuralCreator -

Definition at line 5 of file SimpleNeuralCreator.h.

5.39.2 Constructor & Destructor Documentation

5.39.2.1 SimpleNeuralCreator::SimpleNeuralCreator ( )

Definition at line 15 of file SimpleNeuralCreator.cpp.

```
{
}
```

5.39.3 Member Function Documentation

5.39.3.1 NeuronPtr SimpleNeuralCreator::createNeuron (NeuralFactoryPtr *neuralFactoryPtr*) [virtual]

Implements NeuralCreator.

Definition at line 22 of file SimpleNeuralCreator.cpp.

```
{
  return neuralFactoryPtr->makeNeuron();
}
```

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/SimpleNeuralCreator.h
- pkg/AMORE/src/SimpleNeuralCreator.cpp

5.40 SimpleNeuron Class Reference

class SimpleNeuron -

`#include <SimpleNeuron.h>`

Inheritance diagram for SimpleNeuron:



Collaboration diagram for SimpleNeuron:



Public Member Functions

- SimpleNeuron ()

Private Member Functions

- double getInducedLocalField ()
- void setInducedLocalField (double inducedLocalField)
- double getOutput ()
- void setOutput (double output)
- Handler getId ()
- void setId (Handler Id)
- ConIteratorPtr getConIterator ()
- void setConnections (ConContainerPtr conContainerPtr)
- void setActivationFunction (ActivationFunctionPtr activationFunctionPtr)
- void setPredictBehavior (PredictBehaviorPtr predictBehaviorPtr)
- double useActivationFunctionf0 ()
- void predict ()
- void show ()
- bool validate ()

5.40.1 Detailed Description

class SimpleNeuron -

Definition at line 5 of file SimpleNeuron.h.

5.40.2 Constructor & Destructor Documentation

5.40.2.1 SimpleNeuron::SimpleNeuron ( )

Definition at line 10 of file SimpleNeuron.cpp.

```
                                :
  Neuron()
{
}
```

5.40.3 Member Function Documentation

5.40.3.1 ConIteratorPtr SimpleNeuron::getConIterator ( ) [private, virtual]

Implements Neuron.

Definition at line 52 of file SimpleNeuron.cpp.

References Neuron::d_nCons.

```
{
  return d_nCons->createIterator();
}
```

5.40.3.2 Handler SimpleNeuron::getId ( ) [private, virtual]

Implements Neuron.

Definition at line 40 of file SimpleNeuron.cpp.

References Neuron::d_Id.

Referenced by show(), and validate().

```
{
  return d_Id;
}
```

Here is the caller graph for this function:



5.40.3.3 double SimpleNeuron::getInducedLocalField ( ) [private, virtual]

Implements Neuron.

Definition at line 16 of file SimpleNeuron.cpp.

References Neuron::d_inducedLocalField.

```
{
  return d_inducedLocalField;
}
```

5.40.3.4 double SimpleNeuron::getOutput ( ) [private, virtual]

Implements Neuron.

Definition at line 28 of file SimpleNeuron.cpp.

References Neuron::d_output.

```
{
  return d_output;
}
```

5.40.3.5 void SimpleNeuron::predict ( ) [private, virtual]

Implements Neuron.

Definition at line 82 of file SimpleNeuron.cpp.

References Neuron::d_predictBehavior.

```
{
  d_predictBehavior->predict();
}
```

5.40.3.6 void SimpleNeuron::setActivationFunction (ActivationFunctionPtr *activationFunctionPtr*) [private, virtual]

Implements Neuron.

Definition at line 64 of file SimpleNeuron.cpp.

References Neuron::d_activationFunction.

```
{
  d_activationFunction = activationFunctionPtr;
}
```

5.40.3.7 void SimpleNeuron::setConnections (ConContainerPtr *conContainerPtr*) [private, virtual]

Implements Neuron.

Definition at line 58 of file SimpleNeuron.cpp.

References Neuron::d_nCons.

```
{
  d_nCons = conContainerPtr;
}
```

5.40.3.8 void SimpleNeuron::setId (Handler *Id*) [private, virtual]

Implements Neuron.

Definition at line 46 of file SimpleNeuron.cpp.

References Neuron::d_Id.

```
{
  d_Id = Id;
}
```

5.40.3.9 void SimpleNeuron::setInducedLocalField (double *inducedLocalField*) [private, virtual]

Implements Neuron.

Definition at line 22 of file SimpleNeuron.cpp.

References Neuron::d_inducedLocalField.

```
{
  d_inducedLocalField = inducedLocalField;
}
```

5.40.3.10 void SimpleNeuron::setOutput (double *output*) [private, virtual]

Implements Neuron.

Definition at line 34 of file SimpleNeuron.cpp.

References Neuron::d_output.

```
{
  d_output = output;
}
```

5.40.3.11 void SimpleNeuron::setPredictBehavior (PredictBehaviorPtr *predictBehaviorPtr*) [private, virtual]

Implements Neuron.

Definition at line 70 of file SimpleNeuron.cpp.

References Neuron::d_predictBehavior.

```
{
  d_predictBehavior = predictBehaviorPtr;
}
```

5.40.3.12 void SimpleNeuron::show ( ) [private, virtual]

Implements Neuron.

Definition at line 88 of file SimpleNeuron.cpp.

References Neuron::d_nCons, Neuron::d_output, Neuron::d_predictBehavior, and getId().

```
{
  int id = getId();
  Rprintf("\n------------------------\n");
  if (id == NA_INTEGER)
    {
      Rprintf("\n Id: NA, Invalid neuron Id");
    }
  else
    {
      Rprintf("\n Id: %d", id);
    }
  Rprintf("\n------------------------\n");
  d_predictBehavior->show();
  Rprintf("\n output: %lf", d_output);
  Rprintf("\n------------------------\n");
  if (d_nCons->size() == 0)
    {
      Rprintf("\n No connections defined");
    }
  else
    {
      d_nCons->show();
    }
  Rprintf("\n------------------------\n");

}
```

Here is the call graph for this function:

5.40.3.13 double SimpleNeuron::useActivationFunctionf0 ( ) [private, virtual]

Implements Neuron.

Definition at line 76 of file SimpleNeuron.cpp.

References Neuron::d_activationFunction.

```
{
  return d_activationFunction->f0();
}
```

5.40.3.14 bool SimpleNeuron::validate ( ) [private, virtual]

Implements Neuron.

Definition at line 117 of file SimpleNeuron.cpp.

References getId().

```
{
  BEGIN_RCPP
  if (getId() == NA_INTEGER ) throw std::range_error("[C++ SimpleNeuron::validate
      ]: Error, Id is NA.");
  // nCons.validate();
  return (TRUE);
END_RCPP}
```

Here is the call graph for this function:

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/SimpleNeuron.h
- pkg/AMORE/src/SimpleNeuron.cpp

5.41 Sine Class Reference

class Sine -

`#include <Sine.h>`

Inheritance diagram for Sine:



Collaboration diagram for Sine:



Public Member Functions

- Sine (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.41.1 Detailed Description

class Sine -

Definition at line 5 of file Sine.h.

5.41.2 Constructor & Destructor Documentation

5.41.2.1 Sine::Sine (NeuronPtr *neuronPtr*)

5.41.3 Member Function Documentation

5.41.3.1 double Sine::f0 ( ) [virtual]

Implements ActivationFunction.

5.41.3.2 double Sine::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/Sine.h

5.42 SineFactory Class Reference

class SineFactory -

`#include <SineFactory.h>`

Inheritance diagram for SineFactory:



Collaboration diagram for SineFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.42.1 Detailed Description

class SineFactory -

Definition at line 5 of file SineFactory.h.

5.42.2 Member Function Documentation

5.42.2.1 ActivationFunctionPtr SineFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/SineFactory.h

5.43 Square Class Reference

class Square -

`#include <Square.h>`

Inheritance diagram for Square:



Collaboration diagram for Square:



Public Member Functions

- Square (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.43.1 Detailed Description

class Square -

Definition at line 5 of file Square.h.

5.43.2 Constructor & Destructor Documentation

5.43.2.1 Square::Square (NeuronPtr *neuronPtr*)

5.43.3 Member Function Documentation

5.43.3.1 double Square::f0 ( ) [virtual]

Implements ActivationFunction.

5.43.3.2 double Square::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/Square.h

5.44 SquareFactory Class Reference

class SquareFactory -

`#include <SquareFactory.h>`

Inheritance diagram for SquareFactory:



Collaboration diagram for SquareFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.44.1 Detailed Description

class SquareFactory -

Definition at line 5 of file SquareFactory.h.

5.44.2 Member Function Documentation

5.44.2.1 ActivationFunctionPtr SquareFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/SquareFactory.h

5.45 Tanh Class Reference

class Tanh -

`#include <Tanh.h>`

Inheritance diagram for Tanh:



Collaboration diagram for Tanh:



Public Member Functions

- Tanh (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.45.1 Detailed Description

class Tanh -

Definition at line 5 of file Tanh.h.

5.45.2 Constructor & Destructor Documentation

5.45.2.1 Tanh::Tanh (NeuronPtr *neuronPtr*)

Definition at line 12 of file Tanh.cpp.

```
: ActivationFunction(neuronPtr) {
```

```
}
```

5.45.3 Member Function Documentation

5.45.3.1 double Tanh::f0 ( ) [virtual]

Implements ActivationFunction.

Definition at line 16 of file Tanh.cpp.

References ActivationFunction::getInducedLocalField().

```
                {
  return tanh(getInducedLocalField());
}
```

Here is the call graph for this function:

5.45.3.2 double Tanh::f1 ( ) [virtual]

Implements ActivationFunction.

Definition at line 21 of file Tanh.cpp.

References ActivationFunction::getInducedLocalField().

```
                {
  double tanhx ( tanh(getInducedLocalField()) );
  return (1-tanhx*tanhx) ; // TODO consider speeding up the calculation by using
      caller.d_output instead of tanhx
}
```

Here is the call graph for this function:

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/Tanh.h
- pkg/AMORE/src/Tanh.cpp

5.46 TanhFactory Class Reference

class TanhFactory -

`#include <TanhFactory.h>`

Inheritance diagram for TanhFactory:



Collaboration diagram for TanhFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.46.1 Detailed Description

class TanhFactory -

Definition at line 5 of file TanhFactory.h.

5.46.2 Member Function Documentation

5.46.2.1 ActivationFunctionPtr TanhFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

Definition at line 17 of file TanhFactory.cpp.

```
{
  ActivationFunctionPtr activationFunctionPtr(new Tanh(neuronPtr));
  return activationFunctionPtr;
}
```

The documentation for this class was generated from the following files:

- pkg/AMORE/src/dia/TanhFactory.h
- pkg/AMORE/src/TanhFactory.cpp

5.47 Threshold Class Reference

class Threshold -

`#include <Threshold.h>`

Inheritance diagram for Threshold:



Collaboration diagram for Threshold:



Public Member Functions

- Threshold (NeuronPtr neuronPtr)
- double f0 ()
- double f1 ()

5.47.1 Detailed Description

class Threshold -

Definition at line 5 of file Threshold.h.

5.47.2 Constructor & Destructor Documentation

5.47.2.1 Threshold::Threshold (NeuronPtr *neuronPtr*)

5.47.3 Member Function Documentation

5.47.3.1 double Threshold::f0 ( ) [virtual]

Implements ActivationFunction.

5.47.3.2 double Threshold::f1 ( ) [virtual]

Implements ActivationFunction.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/Threshold.h

5.48 ThresholdFactory Class Reference

class ThresholdFactory -

`#include <ThresholdFactory.h>`

Inheritance diagram for ThresholdFactory:



Collaboration diagram for ThresholdFactory:



Private Member Functions

- ActivationFunctionPtr makeActivationFunction (NeuronPtr neuronPtr)

5.48.1 Detailed Description

class ThresholdFactory -

Definition at line 5 of file ThresholdFactory.h.

5.48.2 Member Function Documentation

5.48.2.1 ActivationFunctionPtr ThresholdFactory::makeActivationFunction (NeuronPtr *neuronPtr*) [private, virtual]

Implements MLPfactory.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/ThresholdFactory.h

5.49 TrainingBehavior Class Reference

class TrainingBehavior -

`#include <TrainingBehavior.h>`

Inheritance diagram for TrainingBehavior:



Public Member Functions

- void adjustParameters ()

5.49.1 Detailed Description

class TrainingBehavior -

Definition at line 4 of file TrainingBehavior.h.

5.49.2 Member Function Documentation

5.49.2.1 void TrainingBehavior::adjustParameters ( )

Reimplemented in AdaptBehavior, ADAPTgd, ADAPTgdwm, BatchBehavior, BATCHgd, and BATCHgdwm.

The documentation for this class was generated from the following file:

- pkg/AMORE/src/dia/TrainingBehavior.h

Chapter 6

File Documentation

6.1 pkg/AMORE/src/ActivationFunction.cpp File Reference

```
#include "dia/ActivationFunction.h"
```

Include dependency graph for ActivationFunction.cpp:



This graph shows which files directly or indirectly include this file:



6.2 pkg/AMORE/src/AMORE.h File Reference

```
#include <iostream>
#include <sstream>
#include <algorithm>
#include <vector>
#include <iterator>
#include <boost/shared_ptr.hpp>
#include <boost/weak_ptr.hpp>
#include <boost/foreach.hpp>
#include <boost/ref.hpp>
#include <valarray>
#include <Rcpp.h>
#include "dia/Con.h"
#include "dia/ActivationFunction.h"
#include "dia/Tanh.h"
#include "dia/Identity.h"
#include "dia/PredictBehavior.h"
#include "dia/MLPBehavior.h"
#include "dia/Neuron.h"
#include "dia/SimpleNeuron.h"
#include "dia/NeuralFactory.h"
```

```
#include "dia/MLPfactory.h"
#include "dia/TanhFactory.h"
#include "dia/IdentityFactory.h"
#include "dia/NeuralCreator.h"
#include "dia/SimpleNeuralCreator.h"
#include "dia/Container.h"
#include "dia/SimpleContainer.h"
#include "dia/Iterator.h"
#include "dia/SimpleContainerIterator.h"
#include "Con.cpp"
#include "ActivationFunction.cpp"
#include "Tanh.cpp"
#include "Identity.cpp"
#include "PredictBehavior.cpp"
#include "MLPbehavior.cpp"
#include "Neuron.cpp"
#include "SimpleNeuron.cpp"
#include "MLPfactory.cpp"
#include "TanhFactory.cpp"
#include "IdentityFactory.cpp"
#include "SimpleNeuralCreator.cpp"
#include "Container.cpp"
#include "Iterator.cpp"
#include "SimpleContainer.cpp"
#include "SimpleContainerIterator.cpp"
```

Include dependency graph for AMORE.h:

Defines

- #define foreach BOOST_FOREACH
- #define size_type unsigned int

Typedefs

- typedef int Handler
- typedef boost::reference_wrapper< PredictBehavior > ActivationFunctionRef
- typedef boost::reference_wrapper< PredictBehavior > PredictBehaviorRef
- typedef boost::reference_wrapper< TrainingBehavior > TrainingBehaviorRef
- typedef boost::reference_wrapper< Neuron > NeuronRef
- typedef boost::shared_ptr< ActivationFunction > ActivationFunctionPtr
- typedef boost::shared_ptr< PredictBehavior > PredictBehaviorPtr
- typedef boost::shared_ptr< Neuron > NeuronPtr
- typedef boost::shared_ptr< Con > ConPtr
- typedef boost::shared_ptr< Iterator< NeuronPtr > > NeuronIteratorPtr
- typedef boost::shared_ptr< Iterator< ConPtr > > ConIteratorPtr
- typedef boost::shared_ptr< Container< NeuronPtr > > NeuronContainerPtr
- typedef boost::shared_ptr< Container< ConPtr > > ConContainerPtr
- typedef boost::shared_ptr< NeuralFactory > NeuralFactoryPtr
- typedef boost::shared_ptr< NeuralCreator > NeuralCreatorPtr
- typedef boost::weak_ptr< Neuron > NeuronWeakPtr

6.2.1 Define Documentation

6.2.1.1 #define foreach BOOST_FOREACH

Definition at line 66 of file AMORE.h.

6.2.1.2 #define size_type unsigned int

Definition at line 69 of file AMORE.h.

6.2.2 Typedef Documentation

6.2.2.1 typedef boost::shared_ptr<ActivationFunction> ActivationFunctionPtr

Definition at line 80 of file AMORE.h.

6.2.2.2 typedef boost::reference_wrapper<PredictBehavior> ActivationFunctionRef

Definition at line 75 of file AMORE.h.

6.2.2.3 typedef boost::shared_ptr< Container<ConPtr> > ConContainerPtr

Definition at line 89 of file AMORE.h.

6.2.2.4 typedef boost::shared_ptr< Iterator<ConPtr> > ConIteratorPtr

Definition at line 86 of file AMORE.h.

6.2.2.5 typedef boost::shared_ptr<Con> ConPtr

Definition at line 83 of file AMORE.h.

6.2.2.6 typedef int Handler

Definition at line 72 of file AMORE.h.

6.2.2.7 typedef boost::shared_ptr< NeuralCreator > NeuralCreatorPtr

Definition at line 92 of file AMORE.h.

6.2.2.8 typedef boost::shared_ptr< NeuralFactory > NeuralFactoryPtr

Definition at line 91 of file AMORE.h.

6.2.2.9 typedef boost::shared_ptr< Container<NeuronPtr> > NeuronContainerPtr

Definition at line 88 of file AMORE.h.

6.2.2.10 typedef boost::shared_ptr< Iterator<NeuronPtr> > NeuronIteratorPtr

Definition at line 85 of file AMORE.h.

6.2.2.11 typedef boost::shared_ptr<Neuron> NeuronPtr

Definition at line 82 of file AMORE.h.

6.2.2.12 typedef boost::reference_wrapper<Neuron> NeuronRef

Definition at line 78 of file AMORE.h.

6.2.2.13 typedef boost::weak_ptr<Neuron> NeuronWeakPtr

Definition at line 94 of file AMORE.h.

6.2.2.14 typedef boost::shared_ptr<PredictBehavior> PredictBehaviorPtr

Definition at line 81 of file AMORE.h.

6.2.2.15 typedef boost::reference_wrapper<PredictBehavior> PredictBehaviorRef

Definition at line 76 of file AMORE.h.

6.2.2.16 typedef boost::reference_wrapper<TrainingBehavior> TrainingBehaviorRef

Definition at line 77 of file AMORE.h.

6.3 pkg/AMORE/src/Con.cpp File Reference

```
#include "dia/Con.h"
#include "dia/Neuron.h"
```

Include dependency graph for Con.cpp:



This graph shows which files directly or indirectly include this file:



6.4 pkg/AMORE/src/Container.cpp File Reference

```
#include "dia/Container.h"
```

Include dependency graph for Container.cpp:



This graph shows which files directly or indirectly include this file:



6.5 pkg/AMORE/src/dia/ActivationFunction.h File Reference

This graph shows which files directly or indirectly include this file:



Classes

- class ActivationFunction

  class ActivationFunction -

6.6 pkg/AMORE/src/dia/AdaptBehavior.h File Reference

```
#include "TrainingBehavior.h"
```

Include dependency graph for AdaptBehavior.h:



This graph shows which files directly or indirectly include this file:



Classes

- class AdaptBehavior

  class AdaptBehavior -

6.7 pkg/AMORE/src/dia/ADAPTgd.h File Reference

```
#include "AdaptBehavior.h"
```

Include dependency graph for ADAPTgd.h:



Classes

- class ADAPTgd

  class ADAPTgd -

6.8 pkg/AMORE/src/dia/ADAPTgdwm.h File Reference

```
#include "AdaptBehavior.h"
```

Include dependency graph for ADAPTgdwm.h:



Classes

- class ADAPTgdwm

  class ADAPTgdwm -

6.9 pkg/AMORE/src/dia/ArcTan.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for ArcTan.h:



Classes

- class ArcTan

  class ArcTan -

6.10 pkg/AMORE/src/dia/ArcTanFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for ArcTanFactory.h:



Classes

- class ArcTanFactory

  class ArcTanFactory -

6.11 pkg/AMORE/src/dia/BatchBehavior.h File Reference

```
#include "TrainingBehavior.h"
```

Include dependency graph for BatchBehavior.h:



This graph shows which files directly or indirectly include this file:



Classes

- class BatchBehavior

  class BatchBehavior -

6.12 pkg/AMORE/src/dia/BATCHgd.h File Reference

```
#include "BatchBehavior.h"
```

Include dependency graph for BATCHgd.h:



Classes

- class BATCHgd

  class BATCHgd -

6.13 pkg/AMORE/src/dia/BATCHgdwm.h File Reference

```
#include "BatchBehavior.h"
```

Include dependency graph for BATCHgdwm.h:



Classes

- class BATCHgdwm

class BATCHgdwm -

6.14 pkg/AMORE/src/dia/Con.h File Reference

This graph shows which files directly or indirectly include this file:



Classes

- class Con

  class Con -

6.15 pkg/AMORE/src/dia/Container.h File Reference

This graph shows which files directly or indirectly include this file:



Classes

- class Container< T >

  class Container -

6.16 pkg/AMORE/src/dia/Cosine.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Cosine.h:



Classes

- class Cosine

  class Cosine -

6.17 pkg/AMORE/src/dia/CosineFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for CosineFactory.h:



Classes

- class CosineFactory

  class CosineFactory -

6.18 pkg/AMORE/src/dia/Elliot.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Elliot.h:



Classes

- class Elliot

  class Elliot -

6.19 pkg/AMORE/src/dia/ElliotFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for ElliotFactory.h:



Classes

- class ElliotFactory

  class ElliotFactory -

6.20 pkg/AMORE/src/dia/Exponential.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Exponential.h:



Classes

- class Exponential

  class Exponential -

6.21 pkg/AMORE/src/dia/ExponentialFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for ExponentialFactory.h:



Classes

- class ExponentialFactory

  class ExponentialFactory -

6.22 pkg/AMORE/src/dia/Gauss.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Gauss.h:



Classes

- class Gauss

  class Gauss -

6.23 pkg/AMORE/src/dia/GaussFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for GaussFactory.h:



Classes

- class GaussFactory

  class GaussFactory -

6.24 pkg/AMORE/src/dia/Identity.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Identity.h:



This graph shows which files directly or indirectly include this file:



Classes

- class Identity

  class Identity -

6.25 pkg/AMORE/src/dia/IdentityFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for IdentityFactory.h:



This graph shows which files directly or indirectly include this file:



Classes

- class IdentityFactory

  class IdentityFactory -

6.26 pkg/AMORE/src/dia/Iterator.h File Reference

This graph shows which files directly or indirectly include this file:



Classes

- class Iterator< T >

  class Iterator -

6.27 pkg/AMORE/src/dia/Logistic.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Logistic.h:



Classes

- class Logistic

  class Logistic -

6.28 pkg/AMORE/src/dia/LogisticFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for LogisticFactory.h:



Classes

- class LogisticFactory

  class LogisticFactory -

6.29 pkg/AMORE/src/dia/MLPbehavior.h File Reference

```
#include "PredictBehavior.h"
```

Include dependency graph for MLPbehavior.h:



This graph shows which files directly or indirectly include this file:



Classes

- class MLPbehavior

  class MLPbehavior -

6.30 pkg/AMORE/src/dia/MLPfactory.h File Reference

```
#include "NeuralFactory.h"
```

Include dependency graph for MLPfactory.h:



This graph shows which files directly or indirectly include this file:



Classes

- class MLPfactory

  class MLPfactory -

6.31 pkg/AMORE/src/dia/NeuralCreator.h File Reference

This graph shows which files directly or indirectly include this file:



Classes

- class NeuralCreator

  class NeuralCreator -

6.32 pkg/AMORE/src/dia/NeuralFactory.h File Reference

This graph shows which files directly or indirectly include this file:



Classes

- class NeuralFactory

class NeuralFactory -

6.33 pkg/AMORE/src/dia/Neuron.h File Reference

This graph shows which files directly or indirectly include this file:



Classes

- class Neuron

class Neuron -

6.34 pkg/AMORE/src/dia/PredictBehavior.h File Reference

This graph shows which files directly or indirectly include this file:



Classes

- class PredictBehavior

  class PredictBehavior -

6.35 pkg/AMORE/src/dia/RadialBasis.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for RadialBasis.h:



Classes

- class RadialBasis

  class RadialBasis -

6.36 pkg/AMORE/src/dia/RadialBasisFactory.h File Reference

```
#include "RBFfactory.h"
```

Include dependency graph for RadialBasisFactory.h:



Classes

- class RadialBasisFactory

  class RadialBasisFactory -

6.37 pkg/AMORE/src/dia/RBFbehavior.h File Reference

```
#include "PredictBehavior.h"
```

Include dependency graph for RBFbehavior.h:



Classes

- class RBFbehavior

  class RBFbehavior -

6.38 pkg/AMORE/src/dia/RBFfactory.h File Reference

```
#include "NeuralFactory.h"
```

Include dependency graph for RBFfactory.h:



This graph shows which files directly or indirectly include this file:



Classes

- class RBFfactory
  class RBFfactory -

6.39 pkg/AMORE/src/dia/Reciprocal.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Reciprocal.h:



Classes

- class Reciprocal
  class Reciprocal -

6.40 pkg/AMORE/src/dia/ReciprocalFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for ReciprocalFactory.h:



Classes

- class ReciprocalFactory

  class ReciprocalFactory -

6.41 pkg/AMORE/src/dia/SimpleContainer.h File Reference

```
#include "Container.h"
```

Include dependency graph for SimpleContainer.h:



This graph shows which files directly or indirectly include this file:



Classes

- class SimpleContainer< T >

  class SimpleContainer -

6.42 pkg/AMORE/src/dia/SimpleContainerIterator.h File Reference

```
#include "Iterator.h"
```

Include dependency graph for SimpleContainerIterator.h:



This graph shows which files directly or indirectly include this file:



Classes

- class SimpleContainerIterator< T >

  class SimpleContainerIterator -

6.43 pkg/AMORE/src/dia/SimpleNeuralCreator.h File Reference

```
#include "NeuralCreator.h"
```

Include dependency graph for SimpleNeuralCreator.h:



This graph shows which files directly or indirectly include this file:



Classes

- class SimpleNeuralCreator

  class SimpleNeuralCreator -

6.44 pkg/AMORE/src/dia/SimpleNeuron.h File Reference

```
#include "Neuron.h"
```

Include dependency graph for SimpleNeuron.h:



This graph shows which files directly or indirectly include this file:



Classes

- class SimpleNeuron

  class SimpleNeuron -

6.45 pkg/AMORE/src/dia/Sine.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Sine.h:



Classes

- class Sine

  class Sine -

6.46 pkg/AMORE/src/dia/SineFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for SineFactory.h:



Classes

- class SineFactory

  class SineFactory -

6.47 pkg/AMORE/src/dia/Square.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Square.h:



Classes

- class Square

  class Square -

6.48 pkg/AMORE/src/dia/SquareFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for SquareFactory.h:



Classes

- class SquareFactory

  class SquareFactory -

6.49 pkg/AMORE/src/dia/Tanh.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Tanh.h:



This graph shows which files directly or indirectly include this file:



Classes

- class Tanh

  class Tanh -

6.50 pkg/AMORE/src/dia/TanhFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for TanhFactory.h:



This graph shows which files directly or indirectly include this file:



Classes

- class TanhFactory

  class TanhFactory -

6.51 pkg/AMORE/src/dia/Threshold.h File Reference

```
#include "ActivationFunction.h"
```

Include dependency graph for Threshold.h:



Classes

- class Threshold

  class Threshold -

6.52 pkg/AMORE/src/dia/ThresholdFactory.h File Reference

```
#include "MLPfactory.h"
```

Include dependency graph for ThresholdFactory.h:



Classes

- class ThresholdFactory

  class ThresholdFactory -

6.53 pkg/AMORE/src/dia/TrainingBehavior.h File Reference

This graph shows which files directly or indirectly include this file:



Classes

- class TrainingBehavior

  class TrainingBehavior -

6.54 pkg/AMORE/src/Identity.cpp File Reference

```
#include "dia/ActivationFunction.h"
#include "dia/Identity.h"
```

Include dependency graph for Identity.cpp:



This graph shows which files directly or indirectly include this file:



6.55 pkg/AMORE/src/IdentityFactory.cpp File Reference

```
#include "dia/NeuralFactory.h"
```

```
#include "dia/MLPfactory.h"
#include "dia/IdentityFactory.h"
```

Include dependency graph for IdentityFactory.cpp:



This graph shows which files directly or indirectly include this file:



6.56 pkg/AMORE/src/Iterator.cpp File Reference

```
#include "dia/Iterator.h"
```

Include dependency graph for Iterator.cpp:



This graph shows which files directly or indirectly include this file:



6.57 pkg/AMORE/src/IteratorInterface.cpp File Reference

```
#include "dia/IteratorInterface.h"
```

Include dependency graph for IteratorInterface.cpp:



6.58 pkg/AMORE/src/MLPbehavior.cpp File Reference

```
#include "dia/PredictBehavior.h"
#include "dia/MLPbehavior.h"
```

Include dependency graph for MLPbehavior.cpp:



This graph shows which files directly or indirectly include this file:



6.59 pkg/AMORE/src/MLPfactory.cpp File Reference

```
#include "dia/NeuralFactory.h"
#include "dia/MLPfactory.h"
```

Include dependency graph for MLPfactory.cpp:



This graph shows which files directly or indirectly include this file:



6.60 pkg/AMORE/src/Neuron.cpp File Reference

```
#include "dia/Neuron.h"
```

Include dependency graph for Neuron.cpp:



This graph shows which files directly or indirectly include this file:



6.61 pkg/AMORE/src/PredictBehavior.cpp File Reference

```
#include "dia/PredictBehavior.h"
```

Include dependency graph for PredictBehavior.cpp:



This graph shows which files directly or indirectly include this file:



6.62 pkg/AMORE/src/SimpleContainer.cpp File Reference

```
#include "dia/Container.h"
```

Include dependency graph for SimpleContainer.cpp:



This graph shows which files directly or indirectly include this file:



6.63 pkg/AMORE/src/SimpleContainerIterator.cpp File Reference

```
#include "dia/SimpleContainerIterator.h"
```

Include dependency graph for SimpleContainerIterator.cpp:



This graph shows which files directly or indirectly include this file:



6.64 pkg/AMORE/src/SimpleNeuralCreator.cpp File Reference

```
#include "dia/NeuralCreator.h"
#include "dia/SimpleNeuralCreator.h"
```

Include dependency graph for SimpleNeuralCreator.cpp:



This graph shows which files directly or indirectly include this file:



6.65 pkg/AMORE/src/SimpleNeuron.cpp File Reference

```
#include "dia/SimpleNeuron.h"
```

Include dependency graph for SimpleNeuron.cpp:



This graph shows which files directly or indirectly include this file:



6.66 pkg/AMORE/src/Tanh.cpp File Reference

```
#include "dia/ActivationFunction.h"
#include "dia/Tanh.h"
```

Include dependency graph for Tanh.cpp:



This graph shows which files directly or indirectly include this file:



6.67 pkg/AMORE/src/TanhFactory.cpp File Reference

```
#include "dia/NeuralFactory.h"
#include "dia/MLPfactory.h"
#include "dia/TanhFactory.h"
```

Include dependency graph for TanhFactory.cpp:



This graph shows which files directly or indirectly include this file:



Index