


ESTIMATING HEART RATE VARIABILITY

GÜNTHER SAWITZKI



CONTENTS

1. Purpose	1
2. RHRV Data Import	2
3. Functions	4
3.1. Plotsignal	4
3.2. BuildNIDHR	5
4. First Inspection: example.beats	7
4.1. Hart Rate: example.beats	7
4.2. Hart Rate Variation. example beats	7
5. First Inspection: example2.beats	8
5.1. Hart Rate example 2	9
5.2. Hart Rate Variation: example2.beats	9
6. Exercises	10
References	11
Index	16

A waste book, for personal use only. This note is taken from a private collection of course material. This is just my style to work: I collect material in this form, and generate actual course material on the fly when needed. This is not for recirculation or general posting. These notes may contain copyrighted material from others. Copyrights have not been cleared. For all original references, see the source files.

Corrections and comments are welcome.

1. PURPOSE

Heart rate variation is a non-invasive indicator of the physical state. However, heart rate variation is a derived variable, based on heart rate, and heart rate by itself is not an observable variable, but a derived construct.

Date: August 1, 2014.

These notes are internal RFC for the R project RHRV, available from R-Forge. Material from RHRV may be used without explicit quotation.

*Typeset, with minor revisions: August 1, 2014 from cvs Revision : 135
gs@statlab.uni-heidelberg.de .*

There are several sources that can be used to derive the heart rate. The quality of the heart rate data, and hence the possibilities to assess the heart rate, depends on the quality of the original data and the preprocessing steps.

The classical means is to register some form of pulse. In all of these, classical methods the basic information is some local blood pressure, and the pulse is derived from it. Typically this information is collected as an average over a small number of beats (≈ 15 beats) or a small time interval (e.g. 15 s).

More precise information can be derived from ECG information. The ECG records the potential difference between two or more electrodes at a chosen sampling rate. Typical amplitudes range from -0.5mV to 2 mv. As of 2014, the standard seems to be recording at 1024 Hz with 3 to 12 electrodes for clinical measurements. Technical facilities allow ambulatory sampling for continuous time, typically using two electrodes.

In clinical environment, the ECG recording is usually commented, and the commenting annotations are an additional source of information (Figure 1).



FIGURE 1. Annotated ECG

Heart rate, and heart rate variation are only means to judge the physical state, and oxygen supply ported by the blood may be one of the better indicators. Advanced devices can provide non-invasive measure of the oxygen concentration. This combines information circulation and respiration effects.

At present, we concentrate on ECG based data. These are common in clinical environment, and in ambulatory devices as the Polar series of monitors.

For evaluation, we concentrate on the RHRV package for R (version 4.0) Mendez *et al.* [2014].

2. RHRV DATA IMPORT

The data source for all ECG based data is an ECG recording. From this ECG recording, a beats data set is generated. Usually, pattern recognition is applied to detect QRS signals, and the time of the R component is reported as the beat time. This step may already include additional filtering.

Name	Variable	Unit, Remarks
Time	beat time	[s]
niHR	(single beat) heart rate	[beats/min] (rounded?)
RR	beat duration	[ms] (rounded?)

TABLE 1. Raw data inventory

RHRV can import various data formats. Section 5.2: “Reading several file formats” of the RHRV tutorial gives some of the common facilities. The *LoadBeat* function is a common interface for loading heart beat data. In particular, *LoadBeatAscii* loads an ASCII file with the time of beats, one beat per line. The time scale can be specified by the *scale* parameter of *LoadBeatAscii*.

The internal data is added to an extensible R list, a *HRVData* structure in terms of the RHRV tutorial (García *et al.* [2014]). At this point, the data are a vector of beat times [s], stored as a data frame (one variable) in component *\$Beat*.

<i>Input</i>	
<pre>hrv.data = CreateHRVData() hrv.data = SetVerbose(hrv.data, TRUE) hrv.data = LoadBeatAscii(hrv.data, ".../beatsFolder/example.beats", RecordPath = ".../beatsFolder")</pre>	
<hr/>	
<i>Output</i>	
<pre>** Loading beats positions for record: .../beatsFolder/example.beats ** Path: .../beatsFolder Scale: 1 Date: 01/01/1900 Time: 00:00:00 Number of beats: 17360</pre>	

The data structure is augmented by derived information in a second step (see Section 4.1.2 “Calculating HR and filtering” of García *et al.* [2014]).

<i>Input</i>	
<pre>hrv.data = BuildNIHR(hrv.data)</pre>	
<hr/>	
<i>Output</i>	
<pre>** Calculating non-interpolated heart rate ** Number of beats: 17360</pre>	

At this point, the data are as given in Table 1 and contained in the *Beat* component of the *HRVData* list. The data structure maintained by *RHRV* may contain additional information.

There may be beats missing, due to the previous processing steps, and there may be gremlins that are generated by false events from the signal detection. An additional step may remove some of the gremlins. *FilterNIHR* uses adaptive thresholds for rejecting those beats different from the given threshold more than a certain value. The rule for beat acceptance or rejection is to compare with previous, following and with the updated mean. It also applies a comparison with acceptable physiological values (default values 25 and 200 bpm). Details can be controlled by parameters for *FilterNIHR*. The data structure is similar to Table 1, but the semantics has changed (Table 2 on the following page).

Name	Variable	Unit, Remarks
Time	beat time. Note: some beats have been filtered.	[s]
niHR	(single beat) heart rate	[beats/min] (??? rounded?)
RR	beat duration	[ms] (??? rounded?)

TABLE 2. Data inventory for filtered data

Input

```
hrvfilt.data = FilterNIHR(hrv.data)
```

Output

```
** Filtering non-interpolated Heart Rate **
Number of original beats: 17360
Number of accepted beats: 17259
```

As a convenience, an interpolated version of the data can be provided to allow frequency domain analysis. But note: we are not dealing with stationary processes.

Input

```
# Note that it is not necessary to specify freqhr since it matches with
# the default value: 4 Hz
hrvipl.data = InterpolateNIHR (hrvfilt.data, freqhr = 4)
```

Output

```
** Interpolating instantaneous heart rate **
Frequency: 4Hz
Number of beats: 17259
Number of points: 29594
```

The data may be imbedded in a *RHRVData* structure as outlined in Figure 2 on the next page.

3. FUNCTIONS

ToDo: handle Beat not avail in plot 3.1. **Plotsignal.** For signal representation, we use a common layout.

Input

```
plotsignal <- function (signal) {
  #! alpha level should depend on expected number of overlaps
  par(mfrow=c(1,2))
  plot(signal, col=rgb(0,0,1,0.4), pch=20, xlab="t" )

  plot(signal, type="l",
        xlab="t", col=rgb(0,0,0,0.4))
  points(signal, col=rgb(0,0,1,0.4), pch=20 )
  main=deparse(substitute(signal))
  title(main=main, outer=TRUE, line=-2, cex.main=0.8)
}
```




FIGURE 2. RHRV data structure: overview

3.2. BuildNIDHR. Since we are not interested in heart rate (or pulse), but in heart rate variation, a proposal is to use scaled differences.

```

# source('.../.../pkg/R/BuildNIHR2.R', chdir = TRUE)
BuildNIDHR <-
function(HRVData, verbose=NULL) {
#-----
# Obtains instantaneous heart rate variation from beats positions
# D for difference
#-----
if (!is.null(verbose)) {
  cat(" --- Warning: deprecated argument, using SetVerbose() instead ---\n")
  SetVerbose(HRVData, verbose)
}

if (HRVData$Verbose) {
  cat("** Calculating non-interpolated heart rate differences **\n")
}

if (is.null(HRVData$Beat$Time)) {
  cat(" --- ERROR: Beats positions not present... Impossible to calculate Heart Rate
  return(HRVData)
}

NBeats=length(HRVData$Beat$Time)
if (HRVData$Verbose) {
  cat("  Number of beats:",NBeats,"\\n");
}

# addition gs
#using NA, not constant extrapolation as else in RHRV

```

```
#drr=c(NA,NA,1000.0*           diff(HRVData$Beat$Time, lag=1 , differences=2))
HRVData$Beat$dRR=c(NA, NA,
                   1000.0*diff(HRVData$Beat$Time, lag=1, differences=2))

HRVData$Beat$avRR=(c(NA,HRVData$Beat$RR[-1])+HRVData$Beat$RR)/2

HRVData$Beat$HRRV <- HRVData$Beat$dRR/HRVData$Beat$avRR

return(HRVData)
}
```

4. FIRST INSPECTION: EXAMPLE.BEATS

4.1. Hart Rate: example.beats.

Input

```
plotsignal(hrv.data$Beat$RR)
```

Input

```
plotsignal(hrvfilt.data$Beat$RR)
```

See Figure 3 for the unfiltered and Figure 4 for the filtered version.




FIGURE 3. RHRV tutorial example.beats. Signal and linear interpolation.




FIGURE 4. RHRV tutorial example.beats filtered. Signal and linear interpolation.

4.2. Hart Rate Variation. example beats.

ToDo: Consider using differences differences for HRV

Input

```
hrv.data <- BuildNIDHR(hrv.data)
```

Output

```
** Calculating non-interpolated heart rate differences **
Number of beats: 17360
```

Input

```
HRRV <- hrv.data$Beat$HRRV
```

Input

```
plotsignal(HRRV)
```

See Figure 5,




FIGURE 5. RHRV tutorial example.beats. HRRV Signal and linear interpolation.

5. FIRST INSPECTION: EXAMPLE2.BEATS

Input

```
hrv2.data = CreateHRVData()
hrv2.data = SetVerbose(hrv2.data, TRUE )
hrv2.data = LoadBeatAscii(hrv2.data, "example2.beats",
RecordPath = "../beatsFolder")
```

Output

```
** Loading beats positions for record: example2.beats **
Path: ../beatsFolder
Scale: 1
Removed 2437 duplicated beats
Date: 01/01/1900
Time: 00:00:00
Number of beats: 2437
```

Input

```
hrv2.data = BuildNIHR(hrv2.data)
```

Output

```
** Calculating non-interpolated heart rate **
Number of beats: 2437
```

Input

```
hrv2filt.data = FilterNIHR(hrv2.data)
```

```
** Filtering non-interpolated Heart Rate **  
Number of original beats: 2437  
Number of accepted beats: 2434
```

5.1. Hart Rate example 2.

Input

```
plotsignal(hrv2.data$Beat$RR)
```

Input

```
plotsignal(hrv2filt.data$Beat$RR)
```

See Figure 6 for the unfiltered and Figure 7 for the filtered version.




FIGURE 6. RHRV tutorial example2.beats. Signal and linear interpolation.




FIGURE 7. RHRV tutorial example2.beats filtered. Signal and linear interpolation.

5.2. Hart Rate Variation: example2.beats.

Input

```
hrv2.data <- BuildNIDHR(hrv2.data)
```

```
Output
```

```
** Calculating non-interpolated heart rate differences **
Number of beats: 2437
```

```
Input
```

```
HRRV2 <- hrv2.data$Beat$HRRV
```

```
Input
```

```
plotsignal(HRRV2)
```

See Figure 8,




FIGURE 8. RHRV tutorial example2.beats. HRRV2 Signal and linear interpolation.

6. EXERCISES

Exercise 1. Augment the data structure to reflect filtering.

Exercise 2. For analysis of heart rate variability, we are interested in effect in the range of less than 10s.

Can you modify the displays to focus on this range?

REFERENCES

- Acharya UR, Joseph KP, Kannathal N, Lim CM, Suri JS (2006). "Heart rate variability: a review." *Medical and Biological Engineering and Computing*, **44**(12), 1031–1051.
- Afonso VX (1993). "ECG QRS Detection." *Biomedical Digital Signal Processing. Englewood Cliffs, NJ: Prentice-Hall.*
- Akselrod S (1995). "Components of heart rate variability: basic studies." *Heart rate variability*, pp. 147–163.
- Akselrod S, Gordon D, Ubel FA, Shannon DC, Berger A, Cohen RJ (1981). "Power spectrum analysis of heart rate fluctuation: a quantitative probe of beat-to-beat cardiovascular control." *science*, **213**(4504), 220–222.
- Aldersons A, Buikis A (2011). "Mathematical algorithm for heart rate variability analysis." In *Proceedings of the 11th WSEAS international conference on Applied informatics and communications, and Proceedings of the 4th WSEAS International conference on Biomedical electronics and biomedical informatics, and Proceedings of the international conference on Computational engineering in systems applications*, AIASABEBI'11, pp. 381–386. World Scientific and Engineering Academy and Society (WSEAS), Stevens Point, Wisconsin, USA. ISBN 978-1-61804-028-2. URL <http://dl.acm.org/citation.cfm?id=2042791.2042863>.
- Appel ML, Berger RD, Saul J, Smith JM, Cohen RJ (1989). "Beat to beat variability in cardiovascular variables: Noise or music?" *Journal of the American College of Cardiology*, **14**(5), 1139 – 1148. ISSN 0735-1097. doi:[http://dx.doi.org/10.1016/0735-1097\(89\)90408-7](http://dx.doi.org/10.1016/0735-1097(89)90408-7). <ce:title>ACC aniversary seminar</ce:title>, URL <http://www.sciencedirect.com/science/article/pii/0735109789904087>.
- Barbieri R, Matten EC, Alabi AA, Brown EN (2005). "A point-process model of human heartbeat intervals: new definitions of heart rate and heart rate variability." *American Journal of Physiology-Heart and Circulatory Physiology*, **288**(1), H424–H435.
- Berger RD, Akselrod S, Gordon D, Cohen RJ (1986). "An efficient algorithm for spectral analysis of heart rate variability." *Biomedical Engineering, IEEE Transactions on*, (9), 900–904.
- Bilchick KC, Berger RD (2006). "Heart rate variability." *Journal of cardiovascular electrophysiology*, **17**(6), 691–694.
- Brage S, Brage N, Franks P, Ekelund U, Wareham N (2005). "Reliability and validity of the combined heart rate and movement sensor Actiheart." *European Journal of Clinical Nutrition*, **59**(4), 561–570.
- Brennan M, Palaniswami M, Kamen P (2001). "Do existing measures of Poincare plot geometry reflect nonlinear features of heart rate variability?" *Biomedical Engineering, IEEE Transactions on*, **48**(11), 1342–1347.
- Camm AJ, Malik M, Bigger J, Breithardt G, Cerutti S, Cohen R, Coumel P, Fallen E, Kennedy H, Kleiger R, et al. (1996). "Heart rate variability. Standards of measurement, physiological interpretation, and clinical use." *European heart journal*, **17**(3), 354–381.
- Casdagli M (1997). "Recurrence plots revisited." *Physica D: Nonlinear Phenomena*, **108**(1), 12–44.
- Chen SW, Chen HC, Chan HL (2006). "A real-time QRS detection method based on moving-averaging incorporating with wavelet denoising." *Computer methods and programs in biomedicine*, **82**(3), 187–195.
- Coumel P, Maison-Blanche P, Catuli D (1995). "Heart rate and heart rate variability." *Heart rate variability*, pp. 207–221.
- Eckmann JP, Kamphorst SO, Ruelle D (1987). "Recurrence plots of dynamical systems." *Europhys. Lett*, **4**(9), 973–977.
- Force T (1996). "Heart rate variability: standards of measurement, physiological interpretation and clinical use. Task Force of the European Society of Cardiology

- and the North American Society of Pacing and Electrophysiology.” *Circulation*, **93**(5), 1043–1065.
- García CA, Otero A, Vila X, Márquez DG (2013). “A new algorithm for wavelet-based heart rate variability analysis.” *Biomedical Signal Processing and Control*, **8**(6), 542–550.
- García CA, Otero A, Xosé Vila Arturo Méndez LRLn, Lado MJ (2014). “Getting started with RHRV.” *Technical report*, R forge. URL <http://rhrv.r-forge.r-project.org/>.
- Goss CF, Miller EB (2013). “Dynamic metrics of heart rate variability.” *arXiv preprint arXiv:1308.6018*.
- Guzik P, Piskorski J, Krauze T, Schneider R, Wesseling KH, Wykretowicz A, Wysocki H (2007). “Correlations between the Poincaré plot and conventional heart rate variability parameters assessed during paced breathing.” *The Journal of Physiological Sciences*, **57**(1), 63–71.
- Howorka K, Pumprla J, Tamm J, Schabmann A, Klomfar S, Kostineak E, Howorka N, Sovova E (2013). “Effects of guided breathing on blood pressure and heart rate variability in hypertensive diabetic patients.” *Auton Neurosci*. doi:10.1016/j.autneu.2013.08.065.
- Huikuri HV, Kessler KM, Terracall E, Castellanos A, Linnaluoto MK, Myerburg RJ (1990). “Reproducibility and circadian rhythm of heart rate variability in healthy subjects.” *The American journal of cardiology*, **65**(5), 391–393.
- Huikuri HV, Niemelä M, Ojala S, Rantala A, Ikäheimo M, Airaksinen K (1994). “Circadian rhythms of frequency domain measures of heart rate variability in healthy subjects and patients with coronary artery disease. Effects of arousal and upright posture.” *Circulation*, **90**(1), 121–126.
- Kamath C (2013). “Analysis of heart rate variability signal during meditation using deterministic-chaotic quantifiers.” *J Med Eng Technol*, **37**(7), 436–48. doi: 10.3109/03091902.2013.828106.
- Kamen P (1996). “Heart rate variability.” *Australian family physician*, **25**(7), 1087.
- Kamen PW, Krum H, Tonkin AM (1996). “Poincare plot of heart rate variability allows quantitative display of parasympathetic nervous activity in humans.” *Clinical science*, **91**(Pt 2), 201–208.
- Kara T, Nykodym J, Somers VK (2003). “Heart Rate Variability.” *Journal of cardiovascular electrophysiology*, **14**(8), 800–802.
- Karmakar C, Khandoker A, Gubbi J, Palaniswami M (2009). “Complex Correlation Measure: a novel descriptor for Poincaré plot.” *BioMedical Engineering OnLine*, **8**(1), 17.
- Keet SWM, Bulte CSE, Garnier RP, Boer C, Bouwman RA (2013). “Short-term heart rate variability in healthy adults.” *Anaesthesia*, **68**(7), 775–7. doi:10.1111/anae.12317.
- Kennel MB, Brown R, Abarbanel HD (1992). “Determining embedding dimension for phase-space reconstruction using a geometrical construction.” *Physical review A*, **45**(6), 3403.
- Kent C (????). “Heart Rate Variability.”
- Khazan IZ (????). “Heart Rate Variability.” *The Clinical Handbook of Biofeedback*, pp. 97–117.
- Kleiger R, Stein P, Bosner M, Rottman J (1992). “Time domain measurements of heart rate variability.” *Cardiology clinics*, **10**(3), 487.
- Kleiger RE, Stein PK, Bigger JT (2005). “Heart rate variability: measurement and clinical utility.” *Annals of Noninvasive Electrocardiology*, **10**(1), 88–101.
- Koepchen H, Thurau K (1958). “Untersuchungen über Zusammenhänge zwischen Blutdruckwellen und Ateminnervation.” *Pflügers Archiv European Journal of Physiology*, **267**(1), 10–26.
- Koepchen H, Thurau K (1959). “Über die Entstehungsbedingungen der atemynchronen Schwankungen des Vagustonus (Respiratorische Arrhythmie).”

- Pflüger's Archiv für die gesamte Physiologie des Menschen und der Tiere*, **269**(1), 10–30.
- Kohler BU, Hennig C, Orglmeister R (2002). “The principles of software QRS detection.” *Engineering in Medicine and Biology Magazine, IEEE*, **21**(1), 42–57.
- Kurths J, Voss A, Saparin P, Witt A, Kleiner H, Wessel N (1995). “Quantitative analysis of heart rate variability.” *Chaos: An Interdisciplinary Journal of Nonlinear Science*, **5**(1), 88–94.
- Lombardi F (2000). “Chaos theory, heart rate variability, and arrhythmic mortality.” *Circulation*, **101**(1), 8–10.
- Lotric MB, Stefanovska A, Stajer D, Urbancic-Rovan V (2000). “Spectral components of heart rate variability determined by wavelet analysis.” *Physiological measurement*, **21**(4), 441.
- Luczak H, Laurig W (1973). “An analysis of heart rate variability.” *Ergonomics*, **16**(1), 85–97.
- Malik M (1995). “Geometrical methods for heart rate variability assessment.” *Heart rate variability*, pp. 47–61.
- Malik M (1996). “Heart Rate Variability.” *Annals of Noninvasive Electrocardiology*, **1**(2), 151–181. ISSN 1542-474X. doi:10.1111/j.1542-474X.1996.tb00275.x. URL <http://dx.doi.org/10.1111/j.1542-474X.1996.tb00275.x>.
- Malik M, Bigger JT, Camm AJ, Kleiger RE, Malliani A, Moss AJ, Schwartz PJ (1996). “Heart rate variability standards of measurement, physiological interpretation, and clinical use.” *European heart journal*, **17**(3), 354–381.
- Malik M, Camm A (1990). “Heart rate variability.” *Clinical cardiology*, **13**(8), 570–576.
- March T, Chapman S, Dendy R (2005). “Recurrence plot statistics and the effect of embedding.” *Physica D: Nonlinear Phenomena*, **200**(1), 171–184.
- Marwan N, Kurths J (2005). “Line structures in recurrence plots.” *Physics Letters A*, **336**(4), 349–357.
- Marwan N, Wessel N, Meyerfeldt U, Schirdewan A, Kurths J (2002a). “Recurrence-plot-based measures of complexity and their application to heart-rate-variability data.” *Phys. Rev. E*, **66**, 026702. doi:10.1103/PhysRevE.66.026702. URL <http://link.aps.org/doi/10.1103/PhysRevE.66.026702>.
- Marwan N, Wessel N, Meyerfeldt U, Schirdewan A, Kurths J (2002b). “Recurrence-plot-based measures of complexity and their application to heart-rate-variability data.” *Phys Rev E Stat Nonlin Soft Matter Phys*, **66**(2 Pt 2), 026702.
- McNames J, Aboy M (2006). “Reliability and accuracy of heart rate variability metrics versus ECG segment duration.” *Medical and Biological Engineering and Computing*, **44**(9), 747–756.
- Mearns A, Brodie D, Unsworth G (1977). “Heart-Rate Variability.” *The Lancet*, **310**(8027), 42–43.
- Mendez A, Rodriguez-Linares L, Otero A, Garcia C, Vila X, Lado M (2014). *RHRV: Heart rate variability analysis of ECG data*. R package version 4.0, URL <http://CRAN.R-project.org/package=RHRV>.
- Mohebbi M, Ghassemian H, Asl BM (2011). “Structures of the recurrence plot of heart rate variability signal as a tool for predicting the onset of paroxysmal atrial fibrillation.” *J Med Signals Sens*, **1**(2), 113–21.
- Muralikrishnan K, Balasubramanian K, Ali SMJ, Rao BV (2013). “Poincare plot of heart rate variability: an approach towards explaining the cardiovascular autonomic function in obesity.” *Indian J Physiol Pharmacol*, **57**(1), 31–7.
- Niskanen JP, Tarvainen MP, Ranta-Aho PO, Karjalainen PA (2004). “Software for advanced HRV analysis.” *Computer methods and programs in biomedicine*, **76**(1), 73–81.
- Nolan R (1998). “Heart rate variability.” *Expert series*, **4**, 444–445.
- Okamoto Y, Imai R, Yoshida H, Taeka K, Kuramoto C (2011). “[Relationships among frequency domain and non-linear parameters from heart rate variability].”

- Rinsho Byori*, **59**(8), 770–3.
- Ori Z, Monir G, Weiss J, Sayhouni X, Singer D (1992). “Heart rate variability. Frequency domain analysis.” *Cardiology clinics*, **10**(3), 499.
- Pan J, Tompkins WJ (1985). “A real-time QRS detection algorithm.” *Biomedical Engineering, IEEE Transactions on*, (3), 230–236.
- Pinna G, Maestri R, Torunski A, Daniłowicz-Szymańowicz L, Szwoch M, La Rovere M, Raczk G (2007). “Heart rate variability measures: a fresh look at reliability.” *Clinical Science*, **113**, 131–140.
- Piskorski J, Guzik P (2005). “Filtering poincare plots.” *Computational methods in science and technology*, **11**(1), 39–48.
- Piskorski J, Guzik P (2007). “Geometry of the Poincaré plot of RR intervals and its asymmetry in healthy adults.” *Physiological measurement*, **28**(3), 287.
- Piskorski J, Guzik P (2011). “Asymmetric properties of long-term and total heart rate variability.” *Medical & biological engineering & computing*, **49**(11), 1289–1297.
- Romano MC, Thiel M, Kurths J, von Bloh W (2004). “Multivariate recurrence plots.” *Physics letters A*, **330**(3), 214–223.
- Sandercock G, Bromley PD, Brodie DA, et al. (2005a). “Effects of exercise on heart rate variability: inferences from meta-analysis.” *Med Sci Sports Exerc*, **37**(3), 433–439.
- Sandercock GR, Bromley PD, Brodie DA (2005b). “The reliability of short-term measurements of heart rate variability.” *International journal of cardiology*, **103**(3), 238–247.
- Sinnreich R, Kark J, Friedlander Y, Sapoznikov D, Luria M (1998). “Five minute recordings of heart rate variability for population studies: repeatability and age–sex characteristics.” *Heart*, **80**(2), 156–162.
- Takens F (1981). “Detecting strange attractors in turbulence.” In *Dynamical systems and turbulence, Warwick 1980*, pp. 366–381. Springer.
- Taylor J (2013). “2013 ESH/ESC guidelines for the management of arterial hypertension.” *Eur Heart J*, **34**(28), 2108–9.
- Teich MC, Lowen SB, Jost BM, Vibe-Rheymer K, Heneghan C (2000). “Heart rate variability: measures and models.” *arXiv preprint physics/0008016*.
- Thiel M, Romano MC, Kurths J (2004). “How much information is contained in a recurrence plot?” *Physics Letters A*, **330**(5), 343–349.
- Thuraisingham R (2006). “Preprocessing RR interval time series for heart rate variability analysis and estimates of standard deviation of RR intervals.” *Computer methods and programs in biomedicine*, **83**(1), 78–82.
- Trzebski A, Smietanowski M (2001). “Non-linear dynamics of cardiovascular system in humans exposed to repetitive apneas modeling obstructive sleep apnea: aggregated time series data analysis.” *Auton Neurosci*, **90**(1-2), 106–15. doi: 10.1016/S1566-0702(01)00275-2.
- Tsuji H, Venditti FJ, Manders ES, Evans JC, Larson MG, Feldman CL, Levy D (1996). “Determinants of heart rate variability.” *Journal of the American College of Cardiology*, **28**(6), 1539–1546.
- van Ravenswaaij-Arts CM, Kollee LA, Hopman JC, Stoelinga GB, van Geijn HP (1993). “Heart rate variability.” *Annals of internal medicine*, **118**(6), 436–447.
- Voss A, Schulz S, Schroeder R, Baumert M, Caminal P (2009). “Methods derived from nonlinear dynamics for analysing heart rate variability.” *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, **367**(1887), 277–296.
- Webber Jr CL, Zbilut JP (1994). “Dynamical assessment of physiological systems and states using recurrence plot strategies.” *Journal of Applied Physiology*, **76**(2), 965–973.
- Webber Jr CL, Zbilut JP (2005). “Recurrence quantification analysis of nonlinear dynamical systems.” *Tutorials in contemporary nonlinear methods for the*

- behavioral sciences*, pp. 26–94.
- Zbilut JP, Giuliani A, Webber Jr CL (1998). “Recurrence quantification analysis and principal components in the detection of short complex signals.” *Physics Letters A*, **237**(3), 131–135.
- Zbilut JP, Webber CL (2006). “Recurrence quantification analysis.” *Wiley encyclopedia of biomedical engineering*. URL <http://onlinelibrary.wiley.com/doi/10.1002/9780471740360.ebs1355/full>.
- Zbilut JP, Webber Jr CL (1992). “Embeddings and delays as derived from quantification of recurrence plots.” *Physics letters A*, **171**(3), 199–203.
- Zhang JW, Liu X, Dong J (2012). “CCDD: an Enhanced Standard ECG Database With Its Management And Annotation Tools.” *International Journal on Artificial Intelligence Tools*, **21**(05), 1240020. doi:10.1142/S0218213012400209. <http://www.worldscientific.com/doi/pdf/10.1142/S0218213012400209>, URL <http://www.worldscientific.com/doi/abs/10.1142/S0218213012400209>.
- Zheng H, Wu J (2008). “Real-time QRS detection method.” In *e-health Networking, Applications and Services, 2008. HealthCom 2008. 10th International Conference on*, pp. 169–170. IEEE.
- Zhu H, Dong J (2013). “An R-peak detection method based on peaks of Shannon energy envelope.” *Biomedical Signal Processing and Control*, **8**(5), 466 – 474. ISSN 1746-8094. doi:<http://dx.doi.org/10.1016/j.bspc.2013.01.001>. URL <http://www.sciencedirect.com/science/article/pii/S1746809413000025>.

INDEX

ToDo

- 3: handle Beat not avail in plot, 4
- 4: Consider using differences, 7
- 4: We have outliers at approximately $2 \times RR$. Could this be an artefact of preprocessing, filtering out too many impulses?, 7

heart rate variation, 8, 10

HRVData, 3

LoadBeatAscii, 3

R session info:

Total Sweave time used: 9.075 sec. at Fri Aug 1 20:47:24 2014.

- R version 3.1.1 (2014-07-10), x86_64-apple-darwin13.1.0
- Locale: en_GB.UTF-8/en_GB.UTF-8/en_GB.UTF-8/C/en_GB.UTF-8/en_GB.UTF-8
- Base packages: base, datasets, graphics, grDevices, methods, stats, tcltk, utils
- Other packages: leaps 2.9, locfit 1.5-9.1, Matrix 1.1-4, mgcv 1.8-1, nlme 3.1-117, nonlinearTseries 0.2.1, rgl 0.93.1098, RHRV 4.0, tkplot 0.0-23, TSA 1.01, tseries 0.10-32, waveslim 1.7.3
- Loaded via a namespace (and not attached): grid 3.1.1, lattice 0.20-29, quadprog 1.5-5, tools 3.1.1, zoo 1.7-11

LATEX information:

```
textwidth: 4.9823in      linewidth:4.9823in
textheight: 9.21922in
```

Bibliography style: jss

CVS/Svn repository information:

```
$Source: /u/math/j40/cvsroot/lectures/src/dataanalysis/Rnw/recurrence.Rnw,v $
$HeadURL: svnssh://gsawitzki@scm.r-forge.r-project.org/svnroot/rhrv/gs/recurrence.Rnw +
$Revision: 135 $
$Date: 2014-02-20 12:16:47 0100 (Thu, 20 Feb 2014) +
$name: $
$Author: gsawitzki $
```

E-mail address: gs@statlab.uni-heidelberg.de

GÜNTHER SAWITZKI
 STATLAB HEIDELBERG
 IM NEUENHEIMER FELD 294
 D 69120 HEIDELBERG