

1 Case Study 1: CRISPR Field Review (2010–2024)

1.1 Objective

Map the structure, growth, and evolution of CRISPR gene editing research from its emergence to its current state using open bibliometric data.

1.2 Setup

```
library(tidyverse)
library(openalexR)
library(igraph)
library(tidygraph)
library(ggraph)
library(quanteda)
library(tidytext)
library(glue)
library(gt)

set.seed(20260509)

source(here::here("R", "api_helpers.R"))
source(here::here("R", "utils.R"))
source(here::here("R", "sci_palette.R"))
```

1.3 Data acquisition

```
works <- oa_fetch(
  entity = "works",
  search = "CRISPR",
  from_publication_date = "2010-01-01",
  to_publication_date = "2024-06-30",
  type = "article",
  options = list(sample = 500, seed = 42)
)

works <- works |>
  mutate(year = year(publication_date))

cat(glue("CRISPR articles retrieved: {nrow(works)}\n"))

#> CRISPR articles retrieved: 500

cat(glue("Year range: {min(works$year)}--{max(works$year)}\n"))

#> Year range: 2010--2024
```

1.4 Publication growth

```
works |>
  count(year) |>
  ggplot(aes(x = year, y = n)) +
  geom_col(fill = palette_sci(1)) +
  labs(x = "Year", y = "Publications") +
  theme_sci()
```




Figure 1: Annual publication output in the CRISPR field.

1.5 Citation landscape

```
ggplot(works, aes(x = cited_by_count)) +
  geom_histogram(binwidth = 10, fill = palette_sci(1), colour = "white") +
  labs(x = "Citations", y = "Papers") +
  theme_sci()
```

```
works |>
  arrange(desc(cited_by_count)) |>
  head(10) |>
  select(display_name, year, cited_by_count, source_display_name) |>
  gt()
```




Figure 2: Citation distribution of CRISPR articles.

1.6 Co-authorship network

```
author_data <- works |>
  select(id, authorships) |>
  unnest(authorships, names_sep = "_") |>
  select(work_id = id, author_id = authorships_id,
         author_name = authorships_display_name) |>
  filter(!is.na(author_id))

edges <- author_data |>
  inner_join(author_data, by = "work_id", suffix = c("_1", "_2"),
            relationship = "many-to-many") |>
  filter(author_id_1 < author_id_2) |>
  count(author_id_1, author_id_2, name = "weight")

g <- graph_from_data_frame(
  edges |> select(author_id_1, author_id_2, weight),
  directed = FALSE
) |> simplify(edge.attr.comb = list(weight = "sum"))

comp <- components(g)
giant <- induced_subgraph(g, which(comp$membership == which.max(comp$size)))
V(giant)$community <- as.factor(membership(
  cluster_leiden(giant, resolution_parameter = 1.0,
                 objective_function = "modularity")
))
```

display_name

A novel FLI1 exonic circular RNA promotes metastasis in breast cancer by coordinately regulating TET1
Genome editing in potato via CRISPR-Cas9 ribonucleoprotein delivery
Deletion of a Csf1r enhancer selectively impacts CSF1R expression and development of tissue macrophages
RAP2 mediates mechanoresponses of the Hippo pathway
Efficient CRISPR-Cas9-mediated genome editing in Plasmodium falciparum
A highly efficient single-step, markerless strategy for multi-copy chromosomal integration of large biochem
Cysteine oxidation of copper transporter CTR1 drives VEGFR2 signalling and angiogenesis
Genome-scale engineering of Saccharomyces cerevisiae with single-nucleotide precision
A CRISPR way for accelerating improvement of food crops
The helicase domain of Pol γ counteracts RPA to promote alt-NHEJ

```
))  
V(giant)$degree <- degree(giant)  
  
cat(glue("Network: {vcount(giant)} nodes, {ecount(giant)} edges\n"))
```

```
#> Network: 43 nodes, 583 edges
```

```
set.seed(42)  
ggraph(as_tbl_graph(giant), layout = "fr") +  
  geom_edge_link(alpha = 0.1, colour = "grey60") +  
  geom_node_point(aes(size = degree, colour = community), alpha = 0.7) +  
  scale_size_continuous(range = c(0.5, 5), guide = "none") +  
  scale_colour_manual(values = palette_sci(n_distinct(V(giant)$community))) +  
  labs(colour = "Community") +  
  theme_void(base_family = "sans", base_size = 11) + theme(legend.position = "bottom")
```

1.7 Topic evolution

```
text_df <- works |>  
  filter(!is.na(abstract), nchar(abstract) > 50) |>  
  transmute(doc_id = id, text = paste(display_name, abstract, sep = ". "), year)  
  
corp <- corpus(text_df, docid_field = "doc_id", text_field = "text")  
toks <- tokens(corp, remove_punct = TRUE, remove_numbers = TRUE) |>  
  tokens_tolower() |>  
  tokens_remove(stopwords("en")) |>  
  tokens_remove(c("study", "paper", "results", "using", "based"))  
  
dfmat <- dfm(toks) |> dfm_trim(min_termfreq = 5, min_docfreq = 3)  
  
top_by_year <- map_dfr(unique(text_df$year), function(yr) {  
  docs <- docvars(dfmat, "year") == yr  
  if (sum(docs) < 5) return(tibble())  
  top <- topfeatures(dfmat[docs, ], 5)
```




Figure 3: Co-authorship network of CRISPR researchers.

```
tibble(year = yr, term = names(top), freq = unname(top))
})
```

```
top_by_year |>
  group_by(year) |>
  mutate(term = reorder_within(term, freq, year)) |>
  ggplot(aes(x = freq, y = term)) +
  geom_col(fill = palette_sci(1)) +
  facet_wrap(~ year, scales = "free_y", ncol = 4) +
  scale_y_reordered() +
  labs(x = "Frequency", y = NULL) +
  theme_sci(base_size = 8)
```

1.8 Key findings

1. **Explosive growth:** CRISPR publications grew exponentially from 2012, reflecting the rapid adoption of Cas9-based editing.
2. **Citation concentration:** A small number of foundational papers dominate the citation landscape.
3. **Collaborative structure:** The co-authorship network shows distinct communities, likely corresponding to different application domains (therapeutics, agriculture, basic biology).
4. **Topic evolution:** Early terms focus on methodology; later years shift toward applications and clinical translation.



Figure 4: Top terms by year showing topical evolution.

1.9 Lessons learned

- OpenAlex sampling provides a representative snapshot but may miss some highly specialised or non-English publications.
- The citation distribution is extreme: median citations are far below the mean, making median-based statistics essential.
- Co-authorship networks in fast-growing fields are fragmented; many research groups work independently.