

(APPENDIX) Appendices

R Refresher

A concise refresher on R fundamentals for readers who need a quick review.

This appendix provides a quick reference for the R features used most often in this book. It is not a substitute for a full R tutorial but should be enough to remind you of the essentials. For a deeper treatment, see @wickham2023r.

Data structures

Vectors

Vectors are the fundamental data type in R. Every element must share the same type (logical, integer, double, character).

```
# Numeric vector
payoffs <- c(3, 0, 5, 1)

# Character vector
strategies <- c("Cooperate", "Defect")

# Logical vector
is_dominated <- c(FALSE, TRUE, FALSE)

# Sequence shortcuts
indices <- 1:10
grid <- seq(0, 1, by = 0.1)

# Vectorised arithmetic
payoffs * 2
```

```
#> [1] 6 0 10 2
```

```
payoffs > 2
```

```
#> [1] TRUE FALSE TRUE FALSE
```

Matrices

Matrices are two-dimensional vectors. They are central to payoff representations throughout this book.

```
# Create a 2x2 payoff matrix (filled by column by default)
A <- matrix(c(3, 5, 0, 1), nrow = 2, byrow = TRUE)
rownames(A) <- c("Cooperate", "Defect")
colnames(A) <- c("Cooperate", "Defect")
A
```

```
#>           Cooperate Defect
#> Cooperate           3      5
#> Defect              0      1
```

```
# Matrix indexing
A[1, 2]           # row 1, column 2
```

```
#> [1] 5
```

```
A["Defect", ] # entire row by name
```

```
#> Cooperate    Defect
#>           0      1
```

```
# Dimensions
dim(A)
```

```
#> [1] 2 2
```

```
nrow(A)
```

```
#> [1] 2
```

```
ncol(A)
```

```
#> [1] 2
```

Lists

Lists can hold elements of different types and different lengths. They are used throughout the book to bundle game components together.

```
game <- list(
  players = c("Player 1", "Player 2"),
  payoff_1 = matrix(c(3, 5, 0, 1), nrow = 2, byrow = TRUE),
  payoff_2 = matrix(c(3, 0, 5, 1), nrow = 2, byrow = TRUE)
)
```

```
# Access by name
game$players
```

```
#> [1] "Player 1" "Player 2"
```

```
game[["payoff_1"]]
```

```
#>      [,1] [,2]
#> [1,]    3    5
#> [2,]    0    1
```

```
# Access by position
game[[1]]
```

```
#> [1] "Player 1" "Player 2"
```

Data frames and tibbles

Data frames (and their tidyverse counterpart, tibbles) are the primary structure for tabular data.

```
# Base R data frame
df <- data.frame(
  strategy = c("Cooperate", "Defect"),
  payoff   = c(3, 1)
)

# Tidyverse tibble
tbl <- tibble(
  strategy = c("Cooperate", "Defect"),
  payoff   = c(3, 1)
)

# Tibbles print more informatively
tbl
```

```
#> # A tibble: 2 x 2
#>   strategy payoff
#>   <chr>      <dbl>
#> 1 Cooperate      3
#> 2 Defect         1
```

Control flow

Conditionals

```
x <- 5

if (x > 3) {
  result <- "high"
} else if (x > 1) {
  result <- "medium"
} else {
  result <- "low"
}
result
```

```
#> [1] "high"
```

```
# Vectorised conditional
ifelse(c(3, 0, 5, 1) > 2, "above", "below")
```

```
#> [1] "above" "below" "above" "below"
```

Loops

```
# for loop
total <- 0
for (i in 1:5) {
  total <- total + i
}
total
```

```
#> [1] 15
```

```
# while loop
count <- 0
value <- 1
while (value < 100) {
  value <- value * 2
  count <- count + 1
}
count
```

```
#> [1] 7
```

The apply family

The apply functions replace explicit loops with concise functional calls.

```
A <- matrix(1:12, nrow = 3)

# Apply across rows (margin = 1)
apply(A, 1, sum)
```

```
#> [1] 22 26 30
```

```
# Apply across columns (margin = 2)
apply(A, 2, mean)
```

```
#> [1] 2 5 8 11
```

```
# sapply returns a vector; lapply returns a list
sapply(1:5, function(x) x^2)
```

```
#> [1] 1 4 9 16 25
```

```
lapply(1:3, function(x) rep(x, x))
```

```
#> [[1]]
#> [1] 1
#>
```

```
#> [[2]]
#> [1] 2 2
#>
#> [[3]]
#> [1] 3 3 3
```

```
# vapply is like sapply but with a specified return type
vapply(1:5, function(x) x^2, numeric(1))
```

```
#> [1] 1 4 9 16 25
```

Functions

Defining functions

```
# A function that computes expected payoff
expected_payoff <- function(payoff_vec, prob_vec) {
  sum(payoff_vec * prob_vec)
}

expected_payoff(c(3, 0), c(0.6, 0.4))
```

```
#> [1] 1.8
```

```
# Default arguments
greet <- function(name, greeting = "Hello") {
  paste(greeting, name)
}
greet("Alice")
```

```
#> [1] "Hello Alice"
```

```
greet("Bob", greeting = "Hi")
```

```
#> [1] "Hi Bob"
```

Closures and environments

A closure is a function that captures variables from its enclosing environment. This pattern is useful for creating parameterised game constructors.

```
make_discounter <- function(delta) {
  # delta is captured in the closure
  function(payoffs) {
    n <- length(payoffs)
    weights <- delta^(seq_len(n) - 1)
    sum(payoffs * weights)
  }
}
```

```
}
discount_95 <- make_discounter(0.95)
discount_95(c(3, 3, 3, 3, 3))
```

```
#> [1] 13.57314
```

```
# The enclosed value of delta persists
discount_50 <- make_discounter(0.50)
discount_50(c(3, 3, 3, 3, 3))
```

```
#> [1] 5.8125
```

Anonymous functions

R 4.1+ supports the shorthand `\(x)` syntax for anonymous (lambda) functions.

```
sapply(1:5, \(x) x^2)
```

```
#> [1] 1 4 9 16 25
```

```
# Equivalent to the older syntax:
sapply(1:5, function(x) x^2)
```

```
#> [1] 1 4 9 16 25
```

Tidyverse basics

The tidyverse is a collection of packages for data wrangling and visualisation. This book uses it extensively.

The pipe operator

The pipe `|>` (base R 4.1+) or `%>%` (magrittr) passes the left-hand side as the first argument to the right-hand side.

```
c(4, 1, 7, 2, 9) |>
  sort() |>
  rev() |>
  head(3)
```

```
#> [1] 9 7 4
```

dplyr verbs

The five core verbs handle the vast majority of data manipulation tasks.

```
game_results <- tibble(
  round      = 1:6,
  player_1   = c("C", "D", "C", "C", "D", "D"),
  player_2   = c("C", "C", "D", "C", "D", "C"),
  payoff_1   = c(3, 5, 0, 3, 1, 5),
  payoff_2   = c(3, 0, 5, 3, 1, 0)
)
```

```
# filter: keep rows matching a condition
game_results |> filter(player_1 == "C")
```

```
#> # A tibble: 3 x 5
#>   round player_1 player_2 payoff_1 payoff_2
#>   <int> <chr>    <chr>      <dbl>    <dbl>
#> 1     1 C        C          3        3
#> 2     3 C        D          0        5
#> 3     4 C        C          3        3
```

```
# mutate: create or modify columns
game_results |> mutate(total = payoff_1 + payoff_2)
```

```
#> # A tibble: 6 x 6
#>   round player_1 player_2 payoff_1 payoff_2 total
#>   <int> <chr>    <chr>      <dbl>    <dbl> <dbl>
#> 1     1 C        C          3        3     6
#> 2     2 D        C          5        0     5
#> 3     3 C        D          0        5     5
#> 4     4 C        C          3        3     6
#> 5     5 D        D          1        1     2
#> 6     6 D        C          5        0     5
```

```
# select: choose columns
game_results |> select(round, payoff_1, payoff_2)
```

```
#> # A tibble: 6 x 3
#>   round payoff_1 payoff_2
#>   <int>    <dbl>    <dbl>
#> 1     1        3        3
#> 2     2        5        0
#> 3     3        0        5
#> 4     4        3        3
#> 5     5        1        1
#> 6     6        5        0
```

```
# arrange: reorder rows
game_results |> arrange(desc(payoff_1))
```

```
#> # A tibble: 6 x 5
#>   round player_1 player_2 payoff_1 payoff_2
#>   <int> <chr>    <chr>      <dbl>    <dbl>
#> 1     2 D        C          5        0
```

```
#> 2      6 D      C      5      0
#> 3      1 C      C      3      3
#> 4      4 C      C      3      3
#> 5      5 D      D      1      1
#> 6      3 C      D      0      5
```

```
# summarise (often with group_by)
game_results |>
  group_by(player_1) |>
  summarise(
    mean_payoff = mean(payload_1),
    n_rounds    = n()
  )
```

```
#> # A tibble: 2 x 3
#>   player_1 mean_payoff n_rounds
#>   <chr>      <dbl>    <int>
#> 1 C          2          3
#> 2 D        3.67          3
```

Pivoting

Converting between wide and long formats is essential for plotting.

```
# Wide to long
game_long <- game_results |>
  pivot_longer(
    cols      = starts_with("payload"),
    names_to   = "player",
    values_to  = "payload"
  )
head(game_long)
```

```
#> # A tibble: 6 x 5
#>   round player_1 player_2 player   payload
#>   <int> <chr>      <chr>      <chr>      <dbl>
#> 1     1 1 C      C      payoff_1     3
#> 2     1 1 C      C      payoff_2     3
#> 3     2 2 D      C      payoff_1     5
#> 4     2 2 D      C      payoff_2     0
#> 5     3 3 C      D      payoff_1     0
#> 6     3 3 C      D      payoff_2     5
```

```
# Long to wide
game_long |>
  pivot_wider(names_from = player, values_from = payload)
```

```
#> # A tibble: 6 x 5
#>   round player_1 player_2 payoff_1 payoff_2
#>   <int> <chr>      <chr>      <dbl>    <dbl>
#> 1     1 1 C      C          3          3
```



```
#> 2      2 D      C      5      0
#> 3      3 C      D      0      5
#> 4      4 C      C      3      3
#> 5      5 D      D      1      1
#> 6      6 D      C      5      0
```

ggplot2 layers

The grammar of graphics builds plots layer by layer: data, aesthetics, geometries, and scales.

```
game_results |>
  pivot_longer(
    cols = starts_with("payoff"),
    names_to = "player",
    values_to = "payoff"
  ) |>
  ggplot(aes(x = round, y = payoff, colour = player)) +
  geom_line(linewidth = 0.8) +
  geom_point(size = 2) +
  scale_colour_manual(
    values = c(payoff_1 = "#1b9e77", payoff_2 = "#d95f02"),
    labels = c("Player 1", "Player 2")
  ) +
  labs(x = "Round", y = "Payoff", colour = NULL) +
  theme_minimal()
```




Figure 1: Payoffs across six rounds of a repeated game.

Useful idioms for this book

A handful of patterns recur throughout the chapters.

```
# Replicate a simulation many times
results <- replicate(1000, {
  sample(c("Heads", "Tails"), 1)
})
table(results)
```

```
#> results
#> Heads Tails
#>   499   501
```

```
# Outer product for payoff grids
p <- seq(0, 1, by = 0.25)
q <- seq(0, 1, by = 0.25)
payoff_grid <- outer(p, q, function(pi, qi) 3 * pi * qi + 1 * (1 - pi))
payoff_grid
```

```
#>      [,1] [,2] [,3] [,4] [,5]
#> [1,] 1.00 1.0000 1.000 1.0000 1.0
#> [2,] 0.75 0.9375 1.125 1.3125 1.5
#> [3,] 0.50 0.8750 1.250 1.6250 2.0
#> [4,] 0.25 0.8125 1.375 1.9375 2.5
#> [5,] 0.00 0.7500 1.500 2.2500 3.0
```

```
# Named vectors for readable code
strategy_names <- c(C = "Cooperate", D = "Defect")
strategy_names["C"]
```

```
#>      C
#> "Cooperate"
```

```
# Setting seeds for reproducibility
set.seed(42)
sample(1:100, 5)
```

```
#> [1] 49 65 25 74 18
```