CPSC 304 Project Cover Page

Milestone #: 4

Date: August 5

Group Number: 34

Name	Student Number	CS Alias (Userid)	Preferred E-mail Address
Jack Yao	29843927	s9n0s	jackyao2004@gmail.com
Joshua Calalang	66829102	u6x4h	joshuacalalang@hotmail.com
Rahul Kamath	25650656	t9i7n	rahul.kamath2512@gmail.com

By typing our names and student numbers in the above table, we certify that the work in the attached assignment was performed solely by those whose names and student IDs are included above. (In the case of Project Milestone 0, the main purpose of this page is for you to let us know your e-mail address, and then let us assign you to a TA for your project supervisor.)

In addition, we indicate that we are fully aware of the rules and consequences of plagiarism, as set forth by the Department of Computer Science and the University of British Columbia

Project Description:

Our database application is designed for the food and online delivery industry, focusing on the seamless management of interactions between customers, delivery drivers, and restaurants. This application enables customers to create and log into their accounts, specify dietary preferences, order food from restaurants that match their preferences, and review their past orders.

For reasons in maintaining simplicity to account for the short summer course time, we have decided to keep our app local to Vancouver. Behold, Vancouver Eats!

Schema Changes:

In our final schema, we changed the data type of the OrderID attribute to an INT since this allows us to compare IDs easier. Similarly, we also changed CustomerPhoneNum to be VARCHAR rather than CHAR, as comparisons with CHAR enforces the length, which unnecessarily complicates the code in the server.

Project Schemas:

Ingredient(IngredientName, IngredientType)

IngredientName: varchar, PK IngredientType: varchar

Customer(CustomerID, CustomerName, CustomerAddress, CustomerPhoneNum)

CustomerID: varchar, PK CustomerName: varchar

CustomerAddress: varchar, not null CustomerPhoneNum: varchar

HasDietaryPreference(**CustomerID**, **IngredientName**, PreferenceType)

CustomerID: varchar, PK FK IngredientName: varchar, PK FK

PreferenceType: varchar

Orders(OrderID, OrderDate, CustomerID, LicenseNum, RestaurantAddress)

OrderID: int, PK OrderDate: date

CustomerID: varchar, FK LicenseNum: varchar, FK RestaurantAddress: varchar, FK

DeliveryPerson(<u>LicenseNum</u>, DeliveryPersonName, DeliveryPersonRating, PhoneNum)

LicenseNum: char[8], PK
DeliveryPersonName: varchar
DeliveryPersonRating: float
PhoneNum: char[10], CK unique

Vehicle(<u>LicensePlateNum</u>, InsuranceExpiryDate, Brand, VehicleModel, VehicleColour)

LicensePlateNum: varchar, PK InsuranceExpiryDate: date

Brand: varchar

VehicleModel: varchar VehicleColour: varchar

OwnsVehicle(LicenseNum, LicensePlateNum)

LicenseNum: char[8], PK FK LicensePlateNum: varchar, PK FK

Restaurant(RestaurantAddress, RestaurantName, RestaurantRating,

RestaurantPhoneNum)

RestaurantAddress: varchar, PK RestaurantName: varchar, FK RestaurantRating: float

RestaurantPhoneNum: char[10], CK unique

RestaurantCuisine(<u>RestaurantName</u>, RestaurantCuisineType)

RestaurantName: varchar, PK RestaurantCuisineType: varchar

Menu(MenuName, RestaurantAddress, MealType)

MenuName: varchar, PK

RestaurantAddress: varchar, PK FK

MealType: varchar

MenuItem(MenuItemName, Calories)

MenuItemName: varchar, PK

Calories: int

MenuFeaturesItem(<u>MenuItemName</u>, <u>MenuName</u>, ItemPrice)

MenuItemName: varchar, PK FK MenuName: varchar, PK FK ItemPrice: float, not null

ItemMadeWith(MenuItemName, IngredientName)

MenuItemName: varchar, PK FK IngredientName: varchar, PK FK

OrderContains(OrderID, MenuItemName)

OrderID: int, PK FK

MenuItemName: varchar, PK FK

Drink(<u>MenuItemName</u>, Volume, AlcoholContent)

MenuItemName: varchar, PK FK

Volume: int

AlcoholContent: float

RotationalItem(<u>MenuItemName</u>, StartDate, EndDate)

MenuItemName: varchar, PK FK

StartDate: date, not null
EndDate: date, not null

RotationalDrink(MenuItemName, Volume, AlcoholContent, StartDate, EndDate)

MenuItemName: varchar, PK FK

StartDate: date, not null EndDate: date, not null

Volume: int

AlcoholContent: float


Tables:

CS304 Project Tables


Query Result Screenshots:

INSERT: Creating an Order, which would be inserted into the Orders table in the SQL database.

(items in cart, ready to make request to insert)




(status code 200 returned from server as confirmation that it has been inserted)




DELETE: Deleting one's account, which would subsequently delete the user's ingredients preferences by cascading

(deleting account from UI and receiving code 200)




(database before and after account deletion, showing that user 2 had allergies to peanuts, and no longer existing in database afterwards)

UPDATE: Updating ingredient preferences of the user.




SELECTION: Select MenuItems in a menu associated with a specific Restaurant. Filter out menu items that contain an ingredient that a user is allergic to.


(All dietary preferences are set to "Favourite")




(Full Menu Shown (no filtering based on "Allergy" dietary preference))




(Change "Chicken Breast" to "Allergy")




(Items containing "Chicken Breast" ingredient automatically filtered out when user views menu again)



(Arbitrarily set all dietary preferences to "Allergy")




(Menu further filtered)



PROJECTION: Filtering out what attributes to view in the order history.

Show Details—
Order Date
Items in Order
Totals
Submit

Mexican Fiesta **Indian Spice Tasty Bites** 2024-08-2024-08-2024-08-06T07:00:00.000Z 06T07:00:00.000Z 06T07:00:00.000Z Items: Items: Items: **Breakfast Burrito** Shrimp Tacos Chicken Curry Margherita Pizza Total: 11.49 Spaghetti Bolognese Total: 17.98 Total: 24.98




Tasty Bites Mexican Fiesta Indian Spice


2024-08- 2024-08- 2024-08-

06T07:00:00.000Z 06T07:00:00.000Z 06T07:00:00.000Z


Total: 17.98 Total: 11.49 Total: 24.98



JOIN: Retrieving menu items and selecting the items.




AGGREGATION WITH GROUP BY: Finding the totals of each order in history.




AGGREGATION WITH HAVING: Finding the totals of orders that are greater than a threshold.


(order history when the threshold is set at 1)



(order history when the threshold is set at 17)




NESTED AGGREGATION WITH GROUP BY: Calculates the average of orders given a threshold.




DIVISION: Select MenuItemNames from a MenuItem that contains ALL of a user's favourite ingredients.

(No "Favourites" under dietary preferences)



(Every item is recommended because user has no "Favourite" preference)



(Change eggplant preference to "Favourite")



(Only eggplant parmesan is recommended)

