Drought in tropical forests

The role of tree height and wood density for hydraulic efficiency, productivity and vulnerability to cavitation of trees along a lowland precipitation gradient

Roman Link

Department of Plant Ecology and Ecosystem Research
Georg August University of Göttingen

January 25, 2018

Structure of my PhD project

- **Chapter 1:** Predicting radial sap flow profiles from Costa Rican tropical dry forest species
- **Chapter 2:** Predicting plant vulnerability to embolism in Costa Rican humid tropical forest species
- **Chapter 3:** Relationship between productivity, structural and functional, wood anatomical and hydraulic traits of tropical forest species from Costa Rica

Structure of my PhD project

- **Chapter 1:** Predicting radial sap flow profiles from Costa Rican tropical dry forest species
- **Chapter 2:** Predicting plant vulnerability to embolism in Costa Rican humid tropical forest species
- **Chapter 3:** Relationship between productivity, structural and functional, wood anatomical and hydraulic traits of tropical forest species from Costa Rica
- **Bonus Chapter:** Maximum-likelihood estimation of xylem vessel lengths



Structure of this presentation

1. Introduction
2. Predicting radial sap flow profiles from Costa Rican tropical dry forest species
3. Predicting plant vulnerability to embolism in Costa Rican humid tropical forest species
4. Relationship between productivity, structural and functional, wood anatomical and hydraulic traits of tropical forest species from Costa Rica

Structure of this presentation

1. Introduction
2. Predicting radial sap flow profiles from Costa Rican tropical dry forest species
3. Predicting plant vulnerability to embolism in Costa Rican humid tropical forest species
4. Relationship between productivity, structural and functional, wood anatomical and hydraulic traits of tropical forest species from Costa Rica
5. Maximum-likelihood estimation of xylem vessel lengths: **Not in the focus of this presentation!**

Introduction

- Basics about plant water relations
- Why is it important to know about drought effects in the tropics?

Main research questions

- This one's gonna be tough

Design of the study

- 5 research sites along a rainfall gradient on the Pacific shoreline of Costa Rica
- Gradient from tropical dry forest to humid tropical lowland forest
- Based on existing research sites of the **Instituto Tecnológico de Costa Rica**

Design of the study

- At each of the 5 research sites:
  - 8 species representing a gradient in tree height and wood density
  - 5 replicates per species

  $\Rightarrow$ 40 trees per site, 200 trees in total
- Field measurements of temperature, relative humidity and precipitation

Problems with the design

- Opportunistic use of pre-existing plots
- Different plot sizes and numbers at each site
- Differences in historic land use (pristine primary forest vs. disturbed primary forest vs. secondary forest)

$\rightarrow$ Plot-based comparisons are difficult

$\Rightarrow$ Not that important for our (eco-physiological) research questions, but limits usability of plot network for other studies



First chapter: radial sap flow profiles

Sap flow measurements:

- Practical limitations → only in dry forest (Horizontes)
- 4 measurement campaigns of ± 1 week during rainy season of 2015
- 40 trees of 8 species
- measured with the Heat Field Deformation (HFD) method

First chapter: radial sap flow profiles

Sap flow measurements:

- Practical limitations → only in dry forest (Horizontes)
- 4 measurement campaigns of ± 1 week during rainy season of 2015
- 40 trees of 8 species
- measured with the Heat Field Deformation (HFD) method

First chapter: radial sap flow profiles

Sap flow measurements:

- Practical limitations → only in dry forest (Horizontes)
- 4 measurement campaigns of ± 1 week during rainy season of 2015
- 40 trees of 8 species
- measured with the Heat Field Deformation (HFD) method

First chapter: radial sap flow profiles

Sap flow measurements:

- Practical limitations $\rightarrow$ only in dry forest (Horizontes)
- 4 measurement campaigns of $\pm$ 1 week during rainy season of 2015
- 40 trees of 8 species
- measured with the Heat Field Deformation (HFD) method

Heat field deformation sensors

Working principle:

- 1 heater and 3 temperature sensors inserted into wood
- Heater heats constantly with known caloric input
- Sap movement → faster heat transport in flow direction
- Temperature differences between sensors are used for estimation of sap flux density at different depths



Image source: Nadezhdina et al., 2012

Heat field deformation sensors

Working principle:

- 1 heater and 3 temperature sensors inserted into wood
- Heater heats constantly with known caloric input
- Sap movement → faster heat transport in flow direction
- Temperature differences between sensors are used for estimation of sap flux density at different depths



Image source: Nadezhdina et al., 2012

Heat field deformation sensors

Working principle:

- 1 heater and 3 temperature sensors inserted into wood
- Heater heats constantly with known caloric input
- Sap movement → faster heat transport in flow direction
- Temperature differences between sensors are used for estimation of sap flux density at different depths



Image source: Nadezhdina et al., 2012

Heat field deformation sensors

Working principle:

- 1 heater and 3 temperature sensors inserted into wood
- Heater heats constantly with known caloric input
- Sap movement $\rightarrow$ faster heat transport in flow direction
- Temperature differences between sensors are used for estimation of sap flux density at different depths



Image source: Nadezhdina et al., 2012

Heat field deformation sensors

- Original idea: Comparison of sap flow and plant water use between species with different trait combinations

Heat field deformation sensors

- Problem: newer research indicates that
  a) The mechanistic explanation of the HFD method (Nadezhdina et al., 2012) is flawed (Vandegehuchte et al., 2012)
  $\rightarrow$ species-specific calibration likely necessary in most cases
  b) Calibration parameters are not consistent within species (Fuchs et al., 2017)

Contents lists available at SciVerse ScienceDirect

Agricultural and Forest Meteorology

journal homepage: www.elsevier.com/locate/agrformet



Short communication

Interpreting the Heat Field Deformation method: Erroneous use of thermal diffusivity and improved correlation between temperature ratio and sap flux density

Maurits W. Vandegehuchte*, Kathy Steppe

Laboratory of Plant Ecology, Faculty of Bioscience Engineering, Ghent University, Coupure links 653, 9000 Gent, Belgium

Heat field deformation sensors

- Problem: newer research indicates that
  a) The mechanistic explanation of the HFD method (Nadezhdina et al., 2012) is flawed (Vandegehuchte et al., 2012)
  $\rightarrow$ species-specific calibration likely necessary in most cases
  b) Calibration parameters are not consistent within species (Fuchs et al., 2017)

Agricultural and Forest Meteorology 244–245 (2017) 151–161

Contents lists available at ScienceDirect

Agricultural and Forest Meteorology

journal homepage: www.elsevier.com/locate/agrformet



Calibration and comparison of thermal dissipation, heat ratio and heat field deformation sap flow probes for diffuse-porous trees

Sebastian Fuchs, Christoph Leuschner, Roman Link, Heinz Coners, Bernhard Schuldt*

Plant Ecology, Albrecht von Haller Institute for Plant Sciences, University of Goettingen, Untere Karspüle 2, 37073 Goettingen, Germany

Heat field deformation sensors

- Problem: newer research indicates that
  a) The mechanistic explanation of the HFD method (Nadezhdina et al., 2012) is flawed (Vandegehuchte et al., 2012)
  $\rightarrow$ species-specific calibration likely necessary in most cases
  b) Calibration parameters are not consistent within species (Fuchs et al., 2017)
- Relative values are probably reliable, absolute values have to be handled with care

Heat field deformation sensors

- Problem: newer research indicates that
  a) The mechanistic explanation of the HFD method (Nadezhdina et al., 2012) is flawed (Vandegehuchte et al., 2012)
  $\rightarrow$ species-specific calibration likely necessary in most cases
  b) Calibration parameters are not consistent within species (Fuchs et al., 2017)
- Relative values are probably reliable, absolute values have to be handled with care

$\Rightarrow$ **Decision for analysis: focus on radial gradients of sap flux**

Research questions & hypotheses



- For studies of water use radial gradients in sap flow are very important, but only few methods take it into account
- Species specific measurements are problematic in the tropics

⇒ **Question:** Is it possible to predict the shape of the radial sap flow profile based on tree traits?

Research questions & hypotheses



- For studies of water use radial gradients in sap flow are very important, but only few methods take it into account
- Species specific measurements are problematic in the tropics

⇒ **Question:** Is it possible to predict the shape of the radial sap flow profile based on tree traits?

Research questions & hypotheses



- For studies of water use radial gradients in sap flow are very important, but only few methods take it into account
- Species specific measurements are problematic in the tropics

⇒ **Question:** Is it possible to predict the shape of the radial sap flow profile based on tree traits?

Research questions & hypotheses



- For studies of water use radial gradients in sap flow are very important, but only few methods take it into account
- Species specific measurements are problematic in the tropics

⇒ **Question:** Is it possible to predict the shape of the radial sap flow profile based on tree traits?

⇒ **Hypothesis:** The shape of the radial sap flow profile is related to **wood density** and **tree height**

Data analysis

- Non-linear Bayesian hierarchical model
- Simultaneously estimating shape of profiles on one stage on the model, and regressing relationship between parameters and predictors on second model stage
- ONE SLIDE!

Preliminary results I - predicted profiles

- Figure and some explication

Preliminary results II - predicted relationships

- Figure and some explication

Vulnerability curves

- What are vulnerability curves?
- What kind of information do they offer?

The Cavi1000

- Some photos, basic information about how it works

Research questions & hypotheses

- Plant vulnerability to embolism can be predicted by structural, functional and wood anatomical traits

Data analysis

- Non-linear Bayesian hierarchical model
- Compare to HFD model, mention Ogle et al. 2009
- ONE SLIDE!

Observed vulnerability curves

- Do not overinterprete!

Big picture

- Analyzed variables (methods section)
- Design

Growth data

- short description
- picture

Wood anatomy

- short description
- picture

Non-structural carbohydrates

- short description
- picture
- data not available so far

Research questions & hypotheses

- Lots and lots of hypotheses

Data analysis

- Short explanation of structural equation models

Meta-model & causal diagram

- figures on one or two slides

Example for SEM: Martyna's paper

- Meta-model, causal diagram & final path model

Summary

- Sap flow
- Vulnerability curves
- SEM

Thanks & goodbye

- Names of assistants (pictures?)

References

- **Fuchs S, Leuschner C, Link R, Coners H, Schuldt B, 2017.** Calibration and comparison of thermal dissipation, heat ratio and heat field deformation sap flow probes for diffuse-porous trees, *Agricultural and Forest Meteorology* **244–245**,151-161. https://doi.org/10.1016/j.agrformet.2017.04.003..