


Interconnected Challenges and New Perspectives in Applied Mathematical and Computational Sciences

Roderick V.N. Melnik and Ilias S. Kotsireas

In: “Advances in Applied Mathematics, Modeling, and Computational Science”,
(Eds. R. Melnik and I. Kotsireas)
Fields Institute Communications 66, pp. 1 - 10, 2013.



Roderick Melnik • Ilias Kotsireas
Editors

Advances in Applied Mathematics, Modeling, and Computational Science



The Fields Institute for Research
in the Mathematical Sciences



Springer

Editor

Roderick Melnik
M²NcT Laboratory and
Department of Mathematics
Wilfrid Laurier University
Waterloo, ON
Canada

Ilias Kotsireas
Department of Physics and
Computer Science
Wilfrid Laurier University
Waterloo, ON
Canada

ISSN 1069-5265

Fields Institute Communications

ISBN 978-1-4614-5388-8

DOI 10.1007/978-1-4614-5389-5

Springer New York Heidelberg Dordrecht London

ISSN 2194-1564 (electronic)

ISBN 978-1-4614-5389-5 (eBook)

Library of Congress Control Number: 2012949685

Mathematics Subject Classification (2010): 00-02, 00B20, 65-02, 00A71, 92B05

© Springer Science+Business Media New York 2013

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Cover: Drawing of J.C. Fields by Keith Yeomans

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

In memory of M.M.

*"What you leave behind is not what is
engraved in stone monuments,
but what is woven into the lives of others."*

(Pericles, 495 BC–429 BC)

Preface

Methods and tools of applied mathematics and computational science are becoming increasingly important in an ever increasing range of application areas. Mathematical models are becoming pervasive in our society, in its development and well-being. Along with more traditional areas of mathematics applications in natural sciences and engineering, mathematical models steadily and convincingly penetrate such areas as business and economics, urban planning and information management, health, social and political sciences, to name just a few. With such a wide spectrum of application areas, in describing recent advances in applied mathematics, modeling and computational science, we necessarily have to restrict ourselves by a selection of topics. As a result, this volume presents a selection of in-depth studies and state-of-the-art surveys of several challenging topics that are at the forefront of modern applied mathematics, mathematical modeling, and computational science. These three areas represent the foundation upon which the methodology of mathematical modeling and computational experiment is built as a major tool in all areas of applications of mathematics. The nine chapters of this book cover both fundamental and applied research, and provide the reader with state-of-the-art achievements in the development and application of new theories at the interfaces of applied mathematics, modeling and computational science.

The book can serve as a reference on several important current topics in modern applied mathematics and modeling, including random matrix theory with its innovative applications, dynamic blocking problems, elliptic curves over finite fields and their cryptographic applications, optimal control applications combining discrete and continuous features, among others. The reader can find in this book comprehensive accounts of recent advances in other important topics such as multiple scale methods coupling network and continuum models and their applications in various areas involving porous media, as well as statistical geometric and topological techniques and their applications in the life sciences. Two chapters of the book are devoted to recent developments in state-of-the-art numerical procedures for solving complex mathematical models based on partial differential equations. This includes energy stable weighted essentially non-oscillatory schemes with applications in fluid dynamics and aerospace sciences, as well as new efficient schemes

for hyperbolic equations based on the inverse Lax–Wendroff procedure for numerical boundary conditions. In these and other chapters of the book, the reader can find a wide spectrum of most advanced modeling techniques with their demonstration on a series of examples. Such techniques are explained with both, rigorous mathematics and details of numerical algorithms for their computer implementation. Several easy-to-run computer codes are also provided.

The material presented in this book aims at fostering interdisciplinary collaborations required to meet the modern challenges of applied mathematics, modeling and computational science. Due to a combination of rigorous mathematical and computational procedures with examples from a variety of applications ranging from engineering to life sciences, the book can be useful for a wide audience of professionals from different disciplines, including graduate students. It provides a rich source for graduate student projects, and can be used in courses or seminars on selected topics. Researchers in academia and industry and anyone who is interested in modern applications of mathematics and computational science, and advanced mathematical modeling techniques would benefit from this book.

We would like to thank our many colleagues around the world for their encouragement and fruitful discussions, and the NSERC, Ikerbasque, and the CRC Program for their support. We are thankful to the referees on both sides of the Atlantic for their invaluable professional help. We would like to express our gratitude to Dr. Carl Richm and Debbie Iscoe from the Fields Institute for Research in Mathematical Sciences for their support, and the Springer team, in particular to Elizabeth Loew and Dahlia Fisch, for their assistance in completing this project.

Waterloo (Canada)–Bilbao (Spain)
July 2012

Roderick Melnik
Ilias Kotsireas

Contents

Interconnected Challenges in Mathematical and Computational Science	Roderick V. N. Melnik
Dynamic Blocking Problems	Alberto Bressan
Inverse Lax–Wendroff Methods for Hyperbolic Equations	Sirui Tan and Chi-Wang Shu
Elliptic Curves over Finite Fields: Aspects and Applications	Igor E. Shparlinski
Random Matrix Theory	Alan Edelman and Mark Rudelson
Boundary Closures for Non-Oscillatory Schemes	Mark H. Carpenter
A Multiscale Method for Porous Media Flow	Jay Chu, Björn Engquist, and Olof Runborg
Statistical Geometry of Random Fields	Rak-Kyeong Seo and Carolyn M. Sabo
Illustrating Optimal Features in Images	Suzanne Lenhart
Index	

Contents

Interconnected Challenges and New Perspectives in Applied Mathematical and Computational Sciences	1
Roderick V. N. Melnik and Ilias S. Kotsireas	
Dynamic Blocking Problems for a Model of Fire Propagation	11
Alberto Bressan	
Inverse Lax-Wendroff Procedure for Numerical Boundary Conditions of Hyperbolic Equations: Survey and New Developments	41
Sirui Tan and Chi-Wang Shu	
Elliptic Curves over Finite Fields: Number Theoretic and Cryptographic Aspects	65
Igor E. Shparlinski	
Random Matrix Theory and Its Innovative Applications	91
Alan Edelman and Yuyang Wang	
Boundary Closures for Sixth-Order Energy-Stable Weighted Essentially Non-Oscillatory Finite-Difference Schemes	117
Mark H. Carpenter, Travis C. Fisher, and Nail K. Yamaleev	
A Multiscale Method Coupling Network and Continuum Models in Porous Media II—Single- and Two-Phase Flows	161
Jay Chu, Björn Engquist, Maša Prodanović, and Richard Tsai	
Statistical Geometry and Topology of the Human Placenta	187
Rak-Kyeong Seong, Pascal Getreuer, Yingying Li, Theresa Girardi, Carolyn M. Salafia, and Dimitri D. Vvedensky	
Illustrating Optimal Control Applications with Discrete and Continuous Features	209
Suzanne Lenhart, Erin Bodine, Peng Zhong, and Hem Raj Joshi	
Index	239

Interconnected Challenges and New Perspectives in Applied Mathematical and Computational Sciences

Roderick V. N. Melnik and Ilias S. Kotsireas

Abstract More and more disciplines increasingly rely in their progress on the development of mathematical models, methods, and algorithms. Mathematical modeling and computational science are seen as a driving force in scientific discovery and innovative, mathematics-based technologies. They can facilitate new advances in systems-science-based approaches in applications and serve as a decisive factor in sustainable socio-economic development of the society. The chapter provides an overview of these new trends.

1 Mathematical Models and Algorithms

The methods and ideas of mathematics are taking on new and new spheres of influence. This process, started well before the famous quote by Galileo Galilei that “the Book of Nature is written in the language of mathematics”, can be traced back to the thoughts of Pythagoras’ school, while the origin of its path is hidden at the dawn of human civilization. Today, all existing advanced information technologies are essentially *mathematics-based technologies*, including mobile communication and internet. Mathematical models and mathematics-based quantitative analyses have penetrated to and are becoming increasingly important in the areas that were only recently labeled as non-traditional for conventional mathematics, ranging from life science and medicine, to business and economics, and to social, political and forensic sciences, to name just a few. What made this process developing at a much faster pace than ever before, in the last 70 years or so, is the ready availability of computer

R.V.N. Melnik (✉)

M²N_ET Laboratory and Department of Mathematics, Wilfrid Laurier University, 75 University Avenue West, Waterloo, ON, Canada N2L 3C5
e-mail: rmelnik@wlu.ca

R.V.N. Melnik

Ikerbasque, Basque Foundation for Science and BCAM, Bilbao, 48011, Spain

I.S. Kotsireas

Department of Physics and Computer Science, Wilfrid Laurier University, 75 University Avenue West, Waterloo, ON, Canada N2L 3C5

R. Melnik, I. Kotsireas (eds.), *Advances in Applied Mathematics,*

Modeling, and Computational Science, Fields Institute Communications 66,

DOI 10.1007/978-1-4614-5389-5_1, © Springer Science+Business Media New York 2013

power. This has led to a situation where many problems in sciences and engineering that could not be solved before found their way to be analyzed and explored computationally. Mathematics with its foundations in applications and computational science with its mathematics-based numerical *algorithms* become two wings of the same bird. What connects them together is the body of human knowledge which we call *mathematical modeling*. Under mathematical models we understand connections, patterns, or abstract constructs that characterize a phenomenon, a process, or a system such that they can be expressed in some mathematical form via equations, inequalities, formulae, sets of rules, etc. The original stimuli for the development of simplest mathematical models were agricultural needs of humans, subsequent development of geometric knowledge, arithmetics (as a precursor of number theory), and their applications. Probably, one of the most famous examples of such applications in the Ancient Times were the Egyptian Pyramids (with the earliest known, the Pyramid of Djoser, constructed 2630 BCE–2611 BCE). As pointed out by H. Poincare, “the true method of forecasting the future of mathematics lies in the study of its history and its present state” [1]. Many early examples of applications of mathematical knowledge demonstrate that such applications were closely interwoven with the development of mathematical algorithms, providing key stimuli for their applications. As abstract areas of mathematics are also based on models, mathematical algorithms have been fundamental in their development too. Unquestionably, algorithms are also central in computational mathematics, science, and engineering. The word “algorithm” stems from the name of Al-Khwarizmi (c. 780–c. 850), born in Khwarizm.¹ Translations of the works of this great scholar brought the decimal positional number system to the Western world, and the word “algorithm” was meant to indicate a technique with numerals. In the Ancient World, the development of algorithms was an important pillar of mathematical applications and was initially stimulated by geometrical considerations. Babylonian and Indian mathematicians already knew algorithms for approximating the area of a given circle. In the Ancient Greece, Antiphon the Sophist and Bryson of Heraclea in the 5th century BC were probably the first who developed an algorithm for calculating π by inscribing and then circumscribing a polygon around a circle, and calculating the polygons’ areas. This methodology, known as the method of exhaustion, was a precursor to the integral calculus, and both Eudoxus of Cnidus and later Archimedes of Syracuse greatly contributed to its further development and applications. The development of number theory has also been a natural, rich source of algorithms. Early examples include Euclid’s algorithm to determine the greatest common divisor of two integers, presented in his book the Elements. Later, the development of algorithms for finding solutions to mathematical models based on linear and non-linear equations, optimization and control problems has been dotted with the names of many outstanding scientists and mathematicians, including R. Descartes, I. Newton, L. Euler, C.F. Gauss, L. Kantorovich, G.B. Dantzig, J. von Neumann, L. Pontryagin, R. Bellman, and many others. While algorithms have always been central in the develop-

¹Currently Khiva, Uzbekistan; geographically, Khwarizm or Chorasmia is a large oasis region on the Amu Darya river delta in western Central Asia.

ment of mathematical s
with the advent of comp

The speed of carryin
cally and continues to g
tion processing and int
double-edge sword, the
same time, it allows us
The process has led to a
ical algorithms for the
entire landscape of hum
sign, production technic
mathematics has becom
its methods and tools to
mathematical models now pr
and the outside world,
within mathematics its

2 Mathematical ...

The first step in math
ematical model. When
engineering or other a
being constructed can
cal modeling can offer
ical models in such ca
mathematical modeling and
the process of mathem
of new, better models.
models of different co
This process helps det
simplifications. Based
plaining the behavio
different system comp
involve a range of mat
ematical tools (equati
etc.).

Traditionally, the
plification of the mo
something can be sai
to unrealistic assumpt
phenomenon, process
modern development
class of the models i

ment of mathematical sciences, their importance has been substantially magnified with the advent of computers.

The speed of carrying out arithmetic and logical operations has increased drastically and continues to grow, leading to the ever increasing productivity in information processing and intellectual performance, not available to humans before. As a double-edge sword, this new power has to be used wisely and with caution. At the same time, it allows us to face new challenges in science, technology, and society. The process has led to an unprecedented boost in the development of new mathematical algorithms for the needs of computational science which has transformed the entire landscape of human activities, including scientific research, engineering design, production technologies, and education [2]. Through mathematical modeling, mathematics has become one of the major beneficiaries of this process, expanding its methods and tools to new areas. With the help of computational science, mathematical models now provide a stronger and more visible link between mathematics and the outside world, simultaneously strengthening links between different areas within mathematics itself.

2 Mathematical Modeling and Computational Experiments

The first step in mathematical modeling has always been to construct/derive a mathematical model. When studying phenomena, processes or systems in sciences and engineering or other areas of human endeavor, many mathematical models that are being constructed can be linked to the observable reality. In such cases, mathematical modeling can often complement natural experiments. The quality of mathematical models in such cases depends on the agreement between the results of mathematical modeling and natural experiments (experimental measurements). Therefore, the process of mathematical modeling is often a driving source for the development of new, better models, as well as for the development of hierarchies of mathematical models of different complexity (e.g., progressively more complex coupled models). This process helps determine the range of applicability of models and their possible simplifications. Based on such hierarchies, mathematical models can assist in explaining the behavior of a system under different conditions and the interaction of different system components. Notwithstanding that models for the same system can involve a range of mathematical structures and can be formalized with various mathematical tools (equation-based models, graphs, logical and game theoretic models, etc.).

Traditionally, the analysis of mathematical models has been based on a simplification of the model and some *a priori* assumptions made in such a way that something can be said analytically. Frequently, however, such simplifications lead to unrealistic assumptions and, as a result, to a large deviation from the reality of the phenomenon, process or system that is being described by the original model. The modern development of science and engineering convincingly demonstrates that the class of the models amenable to such simplifications, while keeping assumptions

realistic, is strikingly smaller compared to the general class of mathematical models that are at the forefront of modern applied mathematics, science, and engineering. As a rule, the problems in the latter class have to be treated numerically. Numerical methods for solving such problems require, in their turn, the development of efficient algorithms which are presented by sequences of mathematical/computational operations that would lead to a solution of the problem, often in the limit. Once such algorithms are implemented (programmed) computationally, we can run the model multiple times under varying conditions, helping us to answer outstanding questions quicker, more efficient, and providing us an option to improve the model when necessary. The triad “model-algorithm-implementation” is at the heart of mathematical modeling that leads to our ability to carry out *computational experiments* which become a pervasive and powerful theoretical tool in many areas of mathematical applications. Such areas embrace, for example, nonlinear phenomena in sciences and engineering, various spatio-temporal interactions, as well as complex systems studies, including the systems whose dynamics is only partially observable and systems with incomplete information.

While in the past, scientists, mathematicians, and engineers could use only simplified mathematical models to make them amenable to analytical treatments, the situation has now fundamentally changed. Indeed,

- we can now carry out computational experiments with more refined models, to solve them with more efficient methods, and to obtain more accurate results, unachievable with analytical techniques;
- we can carry out computational experiments in cases when natural experiments are impossible or difficult;
- with appropriate validation and verification procedures, we can provide reliable information more quickly and with less expense compared to natural experiments.

Computational experiments have become an intrinsic part of modern science and engineering and one of the essential tools in scientific discovery. Such experiments, sometimes referred to as “*in silico*”, cover a wide spectrum of new computer-assisted disciplines such as computational physics, computational chemistry, computational materials science, computational biology, computational engineering, etc. In all these disciplines, we replace a traditional mathematical model by its computer equivalent, a computational model. Via computational experiments and theoretical analysis, we can assess the limits of applicability of mathematical models which can help set up natural experiments (sometimes referred to as “*in vivo*”) and predict their results. This a two-way interaction. Indeed, most natural experiments are supported mathematically (via optimization of experiments, inverse problems, problems of identification, etc.). Not only can computational experiments be applied to traditionally applied areas of mathematical sciences mentioned above, but they can also be applied to their theoretical areas, and computational number theory, e.g., provides many beautiful examples. Even if an analytical solution to the original mathematical model is not known, based on a mathematical algorithm, a computer simulation can find an approximate solution. Computational experiments have promoted understanding in the society that new technologies developed with computational science and engineering tools are undoubtedly mathematics-based technologies.

An important feature of mathematical modeling becoming more prominent in science and engineering extend the versatility and ubiquitousness of challenging problems. The development and implementation of mathematical modeling and the analysis of their importance of the analysis of two-way interactions, mathematical modeling and its substantial impact on the analysis of the system.

3 What Is Next

Computational experiments have become an intrinsic part of modern science and engineering and one of the essential tools in scientific discovery. Such experiments, sometimes referred to as “*in silico*”, cover a wide spectrum of new computer-assisted disciplines such as computational physics, computational chemistry, computational materials science, computational biology, computational engineering, etc. In all these disciplines, we replace a traditional mathematical model by its computer equivalent, a computational model. Via computational experiments and theoretical analysis, we can assess the limits of applicability of mathematical models which can help set up natural experiments (sometimes referred to as “*in vivo*”) and predict their results. This a two-way interaction. Indeed, most natural experiments are supported mathematically (via optimization of experiments, inverse problems, problems of identification, etc.). Not only can computational experiments be applied to traditionally applied areas of mathematical sciences mentioned above, but they can also be applied to their theoretical areas, and computational number theory, e.g., provides many beautiful examples. Even if an analytical solution to the original mathematical model is not known, based on a mathematical algorithm, a computer simulation can find an approximate solution. Computational experiments have promoted understanding in the society that new technologies developed with computational science and engineering tools are undoubtedly mathematics-based technologies.

- life sciences,
- earth, climate, environment,
- high energy and nuclear physics,
- materials science and engineering,
- cosmology, astrophysics,
- aerospace sciences,
- and others.

Facing many problems in science and engineering, the need for more efficient algorithms, higher-order methods, and multidisciplinary approaches is evident. The interconnectedness of methods and tools is a key factor in the success of mathematical modeling. Indeed, some methods are more suitable for certain types of problems, and those with increasing complexity may be more effective. Improved predictive capabilities in such cases should be pursued in a systematic way. The success of further advances in mathematical modeling depends on the development of new probabilistic methods.

An important feature of the current situation lies also in the fact that mathematical modeling becomes increasingly multidisciplinary. Computational science and engineering extend the applications of mathematics to new areas, reaffirming the versatility and ubiquitous nature of mathematical modeling. This provides new challenging problems in applied mathematics. At the same time, the development and implementation of new algorithms in these areas is closely connected with the development of information technology. Indeed, it is hard to overestimate the importance of the analysis of algorithms for emerging computer architecture. These two-way interactions, between information technology on the one hand and mathematical modeling and computational science on the other, continue to have a substantial impact on the analysis and *predictive capabilities* of mathematical models.

3 What Is Next

Computational experiments and the development of new methods and algorithms to support them help reveal some interconnected challenges in applied mathematical and computational sciences. Many systems that we encounter in nature, as well as man-made systems, are intrinsically inter-connected (coupled) with their parts interacting in non-trivial dynamic manner. Such systems require innovative mathematical and computational approaches, and their analysis demands fostering cross-fertilization between different disciplines and mathematics, as well as between different areas within mathematics. The areas where such systems frequently appear include, but not limited to:

- life sciences,
- earth, climate, environmental, and sustainability sciences,
- high energy and nuclear physics, fusion and energy problems,
- materials science and chemistry,
- cosmology, astrophysics, and celestial mechanics,
- aerospace sciences and new technologies,
- and others.

Facing many problems in these areas would require the development of new efficient algorithms, higher-order methods, systems-science-based approaches, and building multidisciplinary capabilities. New advances in mathematical modeling of intrinsically interconnected (coupled) systems will call upon an integration of a variety of methods and tools across multiple disciplines, including different areas of mathematics. Indeed, some such systems, especially those that are inherently stochastic and those with incomplete or partially observable dynamic behaviors, would require improved predictive capabilities of mathematical models describing them. The models in such cases should be able to predict the probability of an outcome in the best possible way. The success of predictive mathematical modeling is dependent also on further advances in information sciences, and the development of statistical and probabilistic methods, methods for uncertainty quantification, and machine learning

techniques. Furthermore, since coupled systems are often interacting on a range of spatio-temporal scales, the development of predictive multiscale models and multi-scale algorithms (in particular, for filtering and data assimilation and various types of parametrization) is becoming an important new avenue of research.

Probabilistic and applied statistics approaches will also become increasingly important in the design, analysis, and optimization of computational experiments. This is due to three main sources of uncertainty caused by (a) parameters with uncertain values, (b) uncertainty in the model as a representation of the underlying phenomenon, process, or system, and (c) uncertainty in collecting/processing/measurements of data for model calibration. In quantifying and mitigating these uncertainties in mathematical models, new developments in novel statistical-stochastic methods and methods for efficient integration of data and simulation are expected.

With an unprecedented growth of the range of application areas where mathematical modeling and computational science play an increasingly important role, demands for professions with adequate mathematical skills should increase. This raises a number of challenges in education of such future professionals at the university level, a topic which lies beyond the scope of this introductory chapter.

4 What This Book Is About

The rest of the book consists of eight state-of-the-art chapters on important recent advances in applied mathematics, modeling and computational science. These chapters are based on selected invited contributions from leading specialists from North America, Australia, and Europe.

The vast range of research areas within these three interconnected fields has led us to a selection of topics covered in this book. Hence, the chapters that follow provide a selective, but at the same time broad spectrum of methods and tools that are at the forefront of modern developments in applied mathematics, mathematical modeling and computational science. Each chapter has both theoretical and applied parts, making the book a comprehensive combination of mathematical theories, model derivations, and development of efficient numerical procedures applicable to a wide range of applications. The book contains also a selection of 12 computer codes, written in MATLAB in a simple and transparent way to allow the reader immediate access to the idea, as well as a variety of state-of-the-art numerical algorithms with applications in fields ranging from population dynamics and medicine to cryptography and fire propagation.

- *Dynamic blocking problems and their applications.* The theory of dynamic blocking problems has a number of various applications such as the propagation of a wild fire in a forest, various traffic problems, the spatial spreading of a contaminating agent, etc. A comprehensive survey of this theory is given by A. Bressan (Penn State University, USA). Mathematical models of dynamic blocking problems can often be cast in the form of differential inclusions describing the growth

of sets in the plane. In order to restrain the expansion of such sets, it is usually assumed that barriers can be constructed. From both theoretical and practical points of view, it is important to be able to understand whether the growth of these sets can be blocked. Therefore, the author reviews the results known up to date on the existence and non-existence of blocking strategies. Another important issue addressed in this chapter is how to find the optimal location of the barriers, minimizing a cost criterion. The author provides all details on both necessary and sufficient conditions for optimality. He goes on to the description of a numerical algorithm for the computation of optimal barriers. The chapter is concluded with a survey of open problems in this new challenging area of research.

- *High order accurate numerical boundary conditions for solving hyperbolic equations.* The challenges of boundary treatment in mathematical models based on partial differential equations are well known in computational science and engineering. They are intrinsic to various numerical techniques applied for solving associated problems, including finite difference schemes and finite element type methods. A review and discussions on new developments in meeting these challenges are given in the current chapter by S. Tan and C.-W. Shu (Brown University, USA). They focus on the Inverse Lax-Wendroff (ILW) procedure and consider high order accurate finite difference methods for solving hyperbolic conservation laws involving complex static and moving geometries. Their methodology is applied on Cartesian grids, while the physical domain can be arbitrarily shaped. Some of the challenges that need to be address in this case include typically wide stencils for high order schemes and the fact that the grid lines may not necessarily coincide with the physical boundary. The authors give a very thorough description of their main methodology based on the ILW procedure for inflow boundary conditions and on a robust and high order accurate extrapolation for outflow boundary conditions. They provide details of the stability of the method, followed by a series of examples that include also problems involving interactions between shock waves and rigid boundaries.
- *Number theoretic and cryptographic issues of elliptic curves over finite fields.* Modern number theory has a rich history that can be traced back to the dawn of human civilization. The interest to elliptic curves is of more recent origin and one of the main reasons for the great interest to them for more than a century lies with the fact that they have a naturally associated with them group structure. A self-contained survey demonstrating strong links between many problems on elliptic curves over finite fields and a myriad of problems in analytic, algebraic, and computational number theory is given by I.E. Shparlinski (Macquarie University, Australia). The range of such problems has expanded further after the invention of elliptic curve cryptography, opening up many new research directions and applications. The author demonstrates that number theory remains central to both, a classical theory of elliptic curves and application driven research in these areas. After giving a detailed account of the structure of elliptic curves over finite fields, cryptographic applications of such curves are considered. The topics include, but not limited to, pairing friendly curves and pseudorandom number generators. The survey can serve as a reference for theoreticians to this new important direction,

as well as a source of new problems. It can be useful to the cryptographers and other practitioners working in applications of the modern number theory. The self-contained nature of the survey makes it also accessible to graduate students and those who are interested in learning about state-of-the-art developments in these areas.

- *Random matrix theory and its innovative applications.* Random matrices (matrix-valued random variables) are found an increasing number of applications in science and engineering. This process, starting at the beginning of the 20th century, has led to what we now know as Random Matrix Theory (RMT). Its many applications are often surprising and innovative. In number theory (see our previous chapter), for example, the distribution of zeros of the Riemann zeta function can be modelled by the distribution of eigenvalues of certain random matrices. Many novel examples of RMT applications are given in this chapter by A. Edelman (Massachusetts Institute of Technology, USA) and Y. Wang (Tufts University, USA). Such examples are ranging from health sciences to many engineering problems where the limiting densities are often needed to indicate the cutoff between "noise" and "signal". The chapter explains the theory behind these examples and associated applications. The reader can find here the Hermite and Laguerre ensembles, the description of four famous laws used in RMT as they govern the limiting eigenvalue distributions of random matrices. The details of matrix reductions and an overview of how these reductions can be used for efficient computation are also given. The chapter contains 12 codes, written in MATLAB, so that the readers can immediately embark on some of the RMT ideas in their specific areas of applications.
- *Energy stable weighted essentially non-oscillatory finite-difference schemes and their applications.* Complex scientific and engineering problems exhibiting discontinuities are ubiquitous in applications. For high fidelity simulations of such problems high-order weighted essentially non-oscillatory (WENO) schemes are often methods of choice. Near domain boundaries, however, these methods face serious challenges. Boundary closures of high order have recently been developed to overcome existing problems, as these closures, along with near-wall biasing mechanics, complement the periodic domain energy stable WENO methods (ESWENO). The chapter by M.H. Carpenter, T.C. Fisher (both NASA Langley Research Center, USA), and N.K. Yamaleev (North Carolina A&T University, USA) provides a summary of the recent developments in this field. It is demonstrated that a novel set of nonuniform flux interpolation points is necessary near the boundaries in order to simultaneously achieve accuracy, the summation-by-part convention, and WENO stencil biasing mechanics. One of the motivations for this work has been provided by simulations of sound that is generated by a shock-vortex interaction. Practical examples have been given to complement the theoretical part and to test the developed methodology. These include unsteady propagation of a two-dimensional Euler vortex and unsteady convection-diffusion-reaction of a supersonic hydrogen-air mixing layer, simulated by solving the two-dimensional Navier-Stokes equations. Detailed instructions on and numerical algorithms for the implementation of the new ESWENO schemes have also been provided.

- *Multiscale methods and modeling transport in porous media.* This is especially true for flows where nonlinearities dominate the scale flow behavior. The chapter by B. Engquist, M. Pinsky (both at the University of Southern California, USA) presents a multiscale method for modeling transport in porous media. This describes the pore space as a network of interconnected channels. The method is based on the heterogeneous multiscale method (HMM) and uses an incomplete macroscopic model to solve the full domain. The solution is then obtained by solving local problems in small domains. In the case of advection-diffusion, the equation uses local basis functions on each scale to evaluate the solution in the domain. The developed method is shown to converge and its convergence rate is compared with a standard procedure that is based on a global finite element method. Experiments on both, a one-dimensional and the full two-phase flow problems are presented.
- *Statistical geometry and topological methods in life sciences.* Statistical geometry and methods of topological data analysis are important in life sciences, particularly in the analysis of complex networks based on biological data. The present chapter by S. Giuraniuc, C.M. Sudholt, and J. Zomorrodian (Imperial College London, UK) provides a summary of the main concepts of statistical geometry and topological data analysis. The chapter, namely the first three sections, is devoted to a graph-theoretical approach to the analysis of complex networks. The developed methodology enables one to formalize the thermodynamic functionals of the weighted topological data analysis of the introduced complex networks. Several illustrations and examples are given for the analysis of complex networks in a variety of human problems, in which the entropy is a key quantity.
- *Optimal control and optimization in a wide range of applications.* Optimal control and optimization features are

- *Multiscale methods coupling network and continuum models in porous media.* Modeling transport in porous media applications is known to be a difficult task. This is especially true, for example, for two-phase flow simulations in porous media where nonlinearity and heterogeneity of small scale processes dictate the large scale flow behavior. This problem is addressed in the present chapter by J. Chu, B. Engquist, M. Prodanovic, and R. Tsai (all at the University of Texas at Austin, USA). They present a new numerical multiscale methodology for coupling a conservation law for mass at the continuum scale with a discrete network model that describes the pore scale flow in the porous medium. The developed methodology is based on the heterogeneous multiscale method (HMM). The HMM starts with an incomplete macroscopic model for macro variables on the macrogrid covering the full domain. The missing quantities and data in the macroscopic model are then obtained by solving an accurate microscale model locally over small domains. In the case at hand, the developed coupling method for the pressure equation uses local simulations on small sampled network domains at the pore scale to evaluate the continuum equation and thus solve for the pressure in the domain. The developed numerical algorithm for dynamic two-phase flows and its convergence are discussed in detail. The algorithm is given as a step-by-step procedure that is easy to implement for the interested reader. Computational experiments on both, single-phase flows with nonlinear flux-pressure dependence and the full two-phase flow, are presented.
- *Statistical geometry and topology applications in life sciences.* The use of concepts and methods of geometry, topology, and graph theory becomes increasingly important in life science applications. These applications include, but not limited to, the analysis of biological networks. A new method of characterizing tree networks based on structural triangulation of that network is developed in the present chapter by R.-K. Seong (Imperial, UK), P. Getreuer (Yale, USA), Y. Li, T. Girardi, C.M. Salafia (all Placental Analytics LLC, USA), and D.D. Vvedensky (Imperial, UK). A specific biological network is in the major focus in this chapter, namely the vasculature on the chorionic plate of a human placenta. For a graph-theoretical analysis, the vasculature is represented as edges and vertices. The developed method makes use of a triangulation of the tree network which enables one to formulate a partition function. Hence, the method can use then thermodynamic functions known from statistical mechanics as simple measures of the weighted topology of the corresponding tree network. The systematic variation of the introduced weights allows an examination of the development of the network. Several illustrative examples explaining the methodology and the algorithm behind are discussed. Finally, the developed methodology has been applied for the analysis of the arterial and venous vasculature of the chorionic plate of a variety of human placentas, and attempts have been made to examine the extent to which the entropy function is correlated to the infant birthweight with the sample set.
- *Optimal control applications with discrete and continuous features.* There is a wide range of applications where optimal control problems with discrete and continuous features arise naturally. This includes science and engineering, as well as

life science applications. A series of examples from such applications have been provided by S. Lenhart (University of Tennessee, USA), E. Bodine (Rhodes College, TN, USA), P. Zhong (Rutgers University, USA), and H.R. Joshi (Xavier University, OH, USA). Starting with several illustrative examples for optimal control with ordinary differential equations, the authors have explained in detail how the bang-bang and singular controls can be handled. Their examples include robotics applications where a mobile robot with one or more steerable drive wheels that steer together is considered. An example from population biology models species augmentation where two populations of the same species are described with a target endangered population and a reserve population. When the underlying systems are described by ODEs, problems which are linear in the control and have discrete values for the optimal control are emphasized. An extension to integro-difference models that are discrete in time and continuous in space is also given. This extension is illustrated with the optimal pest control problem where the underlying theory for characterization of an optimal control and necessary conditions are also discussed. Computational experiments for each of the examples described above complement the theory presented in this chapter. Details of numerical algorithms developed for such experiments are also given.

5 Concluding Remarks

An important pre-requisite of success of mathematical modeling and computational science as a driving force of scientific discovery and innovative, mathematics-based technologies is a closer collaboration of mathematicians with other disciplines. Only in this way, mathematical theories can evolve in a dynamic, sustainable manner as an essential part of human knowledge, and new mathematical models can stimulate new theoretical discoveries and new experimental findings.

At present, theoretical and experimental sciences, taken separately, are lacking systems-science-based approaches in studying phenomena, processes, and systems. Mathematical modeling and computational experiments can provide a missing link by complementing these two fundamental ways of human activities. They allow a two-way interaction between theory and natural experiment virtually in all areas where mathematical models can be constructed. They provide also a missing link in those cases where natural experiment is difficult or impossible to set up. This extends further the domain of mathematical modeling and mathematics-based technologies making them a decisive factor in sustainable socio-economic development and scientific-technological progress of our society.

References

1. Poincaré, H.: L'avenir des mathématiques ("The Future of Mathematics"). *Revue générale des sciences pures et appliquées*, **19** (23), 930–939 (1908).
2. Xie, C., et al.: Computational Experiments for Science Education. *Science*, **332** (6037), 1516–1517 (2011).

Dynamic Block of Fire Propag

Alberto Bressan

Abstract This paper concerns the problem of blocking the propagation of a fire in a field. The basic idea is to construct a barrier that can be moved over time, so that the growth of a set in the plane can be controlled. The problem is to find the optimal path for the movement of the barrier, minimizing a cost functional. The paper also discusses the related problem of blocking strategies. In particular, the main results are recalled, together with some open problems. Applications for optimality and minimization of the cost functionals for the movement of the barriers are also discussed.

1 Introduction

Consider a set in the plane, representing a field of vegetation. The field can be restrained by a barrier, which is a closed curve. The problem is whether one can move the barrier over time, so that the field is cleared from all vegetation. In addition, one may want to minimize the cost of the movement of the barrier.

Dynamic blocking problems have been studied by the optimal control community at least since the 1960s. To restrict the movement of a fire, one may consider a one-dimensional curve, called a front, which is a moving boundary separating the burnt area from the unburnt area. The front is usually cleared from all vegetation by a team of firemen. In any case, the front moves over time, in contact with the barrier.

A. Bressan (✉)
Department of Mathematics,
Penn State University,
e-mail: bressan@math.psu.edu

R. Melnik, I. Kotsireas (✉)
Department of Mathematics and Computer
Science, Wilfrid Laurier University,
Waterloo, Ontario N2L 3G1, Canada
e-mail: melnik@wlu.ca; kotsireas@wlu.ca

Roderick Melnik · Ilias Kotsireas Editors

Advances in Applied Mathematics, Modeling, and Computational Science


This volume presents a selection of in-depth studies and state-of-the-art surveys of several challenging topics that are at the forefront of modern applied mathematics, mathematical modeling, and computational science. These three areas represent the foundation upon which the methodology of mathematical modeling and computational experiment is built as a tool in all areas of applications of mathematics. The articles cover both fundamental and applied research, and provide the reader with state-of-the-art achievements in the development and application of new theories at the interfaces of applied mathematics, modeling, and computational science.

The book can serve as a reference on several important current topics in modern applied mathematics and modeling, including random matrix theory with its innovative applications, and dynamic blocking problems. Other important areas covered include: energy-stable weighted essentially non-oscillatory schemes with applications in fluid dynamics and aerospace sciences; elliptic curves over finite fields and their applications in cryptography; multiple scale methods coupling network and continuum models and their applications in various areas involving porous media; new and efficient finite difference schemes for hyperbolic equations; statistical geometric and topological techniques and their applications in the life sciences; and optimal control applications combining discrete and continuous features.

The material presented in this book aims at fostering interdisciplinary collaborations required to meet the modern challenges of applied mathematics, modeling, and computational science. At the same time, the contributions combine rigorous mathematical and computational procedures and examples from a variety of applications ranging from engineering to life sciences, and provide a rich source for graduate student projects.

Mathematics

ISBN 978-1-4614-5388-8



9 781461 453888

► springer.com