

Mankiewicz Extension Theorem

An isometry equivalence from an open connected subset onto an open subset of real normed spaces extends uniquely to an affine isometry equivalence of the ambient spaces. The selected route also reaches convex-domain and ball specializations.

Exact source: MathlibAnnex v0.2.0 · 11 declaration tiles · 9 levels

Local distance information becomes a rigid affine structure. This Project exposes the reusable chain from reflection and midpoint geometry to global extension.

Real normed spaces and an isometry equivalence. The principal theorem requires an open connected source and an open target. The convex specialization requires a convex source set with nonempty ambient interior and exact preservation of ambient-interior membership; the target set is not separately assumed convex. Exact assumptions, including radius conditions for balls, remain in the linked exact declarations.

Canonical Card actions: 11; each remains separate from Project relation and exact source links.

Proof architecture

Reflection to midpoint rigidity — A bounded symmetric lens is reflection-invariant about the midpoint. Center rigidity sends that midpoint to the target midpoint, first on lenses and then on contained balls.

Local affinity through omitted support lemmas — Midpoint preservation yields line-map preservation. Radial-map support declarations, including private technical lemmas, connect this result to a local affine isometric extension. The path witnesses retain these declarations even though they are outside the selected Card scope.

Global assembly and specializations — Local extensions agree and assemble over an open connected domain. A convex source with nonempty ambient interior, together with exact preservation of ambient-interior membership, yields the convex specialization; open- and closed-ball corollaries follow under their exact radius conditions. The closed-ball route also uses reflection rigidity.

Boundary Inputs

961 Boundary Inputs. Exact inventory and resolution remain in the source projection.

Dependency-first reading route

Level 0

Center transport under bounded point-reflection symmetry

MathlibAnnex.IsometryEquiv.map_center_of_reflectionInvariant

f maps the source reflection center to the target reflection center.

Route / section: Theorem Project

Immediate prerequisites in this Project: None in this Project

Used by in this Project: Midpoint preservation on a symmetric lens

[Read canonical Card](#)

[Read exact source](#)

Symmetric lens

MathlibAnnex.symmetricLens

The symmetric lens is the intersection of the closed radius- r balls centered at x and y . This definition needs no positivity assumption.

Route / section: Theorem Project

Immediate prerequisites in this Project: None in this Project

Used by in this Project: [Midpoint preservation on a symmetric lens](#)

[Read canonical Card](#)

[Read exact source](#)

Level 1

Midpoint preservation on a symmetric lens

MathlibAnnex.IsometryEquiv.map_midpoint_of_symmetricLens

The isometry maps the midpoint of the source foci to the midpoint of the target foci.

Route / section: Theorem Project

Immediate prerequisites in this Project: [Center transport under bounded point-reflection symmetry](#), [Symmetric lens](#)

Used by in this Project: [Midpoint preservation under lens containment](#)

[Read canonical Card](#)

[Read exact source](#)

Level 2

Midpoint preservation under lens containment

MathlibAnnex.IsometryEquiv.map_midpoint_of_symmetricLens_subset

f preserves the midpoint of x and y . The target half-distance bound follows from the isometry.

Route / section: Theorem Project

Immediate prerequisites in this Project: [Midpoint preservation on a symmetric lens](#)

Used by in this Project: [Midpoint preservation on a quarter ball](#)

[Read canonical Card](#)

[Read exact source](#)

Level 3

Midpoint preservation on a quarter ball

MathlibAnnex.IsometryEquiv.map_midpoint_of_mem_ball

f sends the midpoint of x and y to the midpoint of $f(x)$ and $f(y)$.

Route / section: Theorem Project

Immediate prerequisites in this Project: [Midpoint preservation under lens containment](#)

Used by in this Project: [Affine-segment preservation on a quarter ball](#)

[Read canonical Card](#)

[Read exact source](#)

Level 4

Affine-segment preservation on a quarter ball

MathlibAnnex.IsometryEquiv.map_lineMap_of_mem_ball

f preserves the affine combination $(1-a)x + ay$, with the exact subtype membership witnesses supplied in Lean.

Route / section: Theorem Project

Immediate prerequisites in this Project: [Midpoint preservation on a quarter ball](#)

Used by in this Project: [Local affine-isometry chart on a smaller ball](#)

[Read canonical Card](#)

[Read exact source](#)

Level 5

Local affine-isometry chart on a smaller ball

MathlibAnnex.IsometryEquiv.exists_affineExtension_eqOn_ball

An ambient affine isometry equivalence agrees with f on the ball about c of radius $R/8$.

Route / section: Theorem Project

Immediate prerequisites in this Project: [Affine-segment preservation on a quarter ball](#)

Used by in this Project: [Mankiewicz extension on open connected domains](#)

[Read canonical Card](#)

[Read exact source](#)

Level 6

Mankiewicz extension on open connected domains

MathlibAnnex.IsometryEquiv.existsUnique_affineExtension

There is a unique ambient real affine isometry equivalence whose restriction to s is f .

Route / section: Theorem Project

Immediate prerequisites in this Project: [Local affine-isometry chart on a smaller ball](#)

Used by in this Project: [Convex-set extension via ambient interiors](#), [Affine extension from open balls](#)

[Read canonical Card](#)

[Read exact source](#)

Level 7

Convex-set extension via ambient interiors

MathlibAnnex.IsometryEquiv.existsUnique_affineExtension_of_convex

f extends uniquely to an ambient real affine isometry equivalence. No additional convexity assumption on t is stated.

Route / section: Theorem Project

Immediate prerequisites in this Project: [Mankiewicz extension on open connected domains](#)

Used by in this Project: [Affine extension from equal-radius closed balls](#)

[Read canonical Card](#)

[Read exact source](#)

Affine extension from open balls

`MathlibAnnex.IsometryEquiv.existsUnique_affineExtension_ball`

`f` extends uniquely to an ambient real affine isometry equivalence. The two positive radii need not be assumed equal.

Route / section: Theorem Project

Immediate prerequisites in this Project: [Mankiewicz extension on open connected domains](#)

Used by in this Project: None in this Project

[Read canonical Card](#)

[Read exact source](#)

Level 8

Affine extension from equal-radius closed balls

`MathlibAnnex.IsometryEquiv.existsUnique_affineExtension_closedBall`

`f` extends uniquely to an ambient real affine isometry equivalence.

Route / section: Theorem Project

Immediate prerequisites in this Project: [Convex-set extension via ambient interiors](#)

Used by in this Project: None in this Project

[Read canonical Card](#)

[Read exact source](#)