A Comparative Effectiveness Study of Intravitreal Aflibercept, Bevacizumab and Ranibizumab for Diabetic Macular Edema (T)

Macular Laser Treatment Form

tblTLaserTrt

PtID: **(tblPtRoster.PtID)**

Patient Initials:

Study Eye: **(tblPtRoster.StudyEye)**

Laser photocoagulation should be given using the modified-ETDRS treatment technique, generally in one sitting. If the laser treatment is completed in more than one sitting, complete only a single form after the session is completed.

☐ **Laser treatment <u>not done</u>** **(LaserTrtNotDone)**

If not done, give reason: **(RandLasMissReas)**

- O Adverse Event
- O Patient Refuses
- O Other_____

If Done, please complete the following.

1. Treatment Date: ___ ___/___ ___ ___/___ ___ ___ ___ **(LasTrtExamDtDaysFromEnroll)**
dd/MMM/yyyy

Name of Investigator _____

1. Eye Treated O OD O OS **(LasEyeTrt)**

2. Number of sittings to complete the laser treatment O 1 O 2 O 3 **(LasTrtSittings)**

3. Burn size used **(BurnSzUsed)**

- O 50 micron
- O 60 micron (PASCAL laser manual setting)
- O Other

3a. If other, please describe: _____

4. Burn Duration (seconds): **(BurnDur)**

O 0.01 O 0.02 O 0.03 O 0.04 O 0.05 O 0.06 O 0.07 O 0.08 O 0.09 O 0.10 O 0.15 O 0.20

5. Average Power: _____ **mW** **(AvePower)**

6. Wave Length: ○ Green ○ Yellow **(WaveLen)**

7. Estimated number of burns on retina *(not just the number on the counter):* _____ **(EstBurnNumRet)**

8. Total number of burns on the counter: _____ **(BurnNum)**

9. Was the treatment guided by Fluorescein Angiography? O Yes O No **(FlAngGuide)**

10. Did the subject experience any complications (e.g., heme, foveal burn, break in Bruch's membrane)? ○ Yes ○ No **(PtComps)**

If Yes, detail in the COMMENT section and complete an Adverse Event Form

COMMENTS

Record any pertinent information about the procedure that is not covered above