A Comparative Effectiveness Study of Intravitreal Aflibercept, Bevacizumab and Ranibizumab for Diabetic Macular Edema (T)

Miscellaneous Exam Eligibility Checks (Randomization)

tblTBaselineMiscEligCk

PtID: (tblPtRoster.PtID)

Patient Initials:

Ocular Exam Date: ___ ___/___ ___ ___/___ ___ ___ ___ **(OcularExamDtDaysFromEnroll)**
dd/MMM/yyyy

RIGHT EYE (OD) – complete if right eye is being evaluated for eligibility (EligibleOD)

(Must be checked for right eye to be eligible)

- ☐ The right eye has definite retinal thickening due to diabetic macular edema involving the center of the macula.
- ☐ The right eye has media clarity, pupillary dilation, and individual cooperation sufficient for adequate fundus photographs.
- ☐ Macular edema in the right eye is NOT considered to be due to a cause other than diabetic macular edema. (note: *An eye should not be considered eligible if: (1) the macular edema is considered to be related to ocular surgery such as cataract extraction or (2) clinical exam and/or OCT suggest that vitreoretinal interface abnormalities (e.g., a taut posterior hyaloid or epiretinal membrane) are the primary cause of the macular edema.)*
- ☐ The right eye does NOT have an ocular condition present such that, in the opinion of the investigator, visual acuity loss would not improve from resolution of macular edema (e.g., foveal atrophy, pigment abnormalities, dense subfoveal hard exudates, nonretinal condition).
- ☐ The right eye does NOT have an ocular condition present (other than diabetes) that, in the opinion of the investigator, might affect macular edema or alter visual acuity during the course of the study (e.g., vein occlusion, uveitis or other ocular inflammatory disease, neovascular glaucoma, etc.).
- ☐ The right eye does NOT have substantial cataract that, in the opinion of the investigator, is likely to be decreasing visual acuity by 3 lines or more (i.e., cataract would be reducing acuity to 20/40 or worse if eye was otherwise normal).
- ☐ The right eye is NOT anticipated to need panretinal (scatter) photocoagulation (PRP) within the next 6 months following randomization.
- ☐ The right eye is NOT anticipated to need major ocular surgery (including vitrectomy, cataract extraction, scleral buckle, any intraocular surgery, etc.) within the next 6 months following randomization.
- ☐ The right eye does NOT have exam evidence of external ocular infection, including conjunctivitis, chalazion, or significant blepharitis.
- ☐ If anti-VEGF treatment is indicated for any condition in the LEFT eye (non-study eye) at anytime during the study, the investigator is willing to use the randomized anti-VEGF drug on the non-study eye.

LEFT EYE (OS) – complete if left eye is being evaluated for eligibility (EligibleOS)

(Must be checked for left eye to be eligible)

- ☐ The left eye has definite retinal thickening due to diabetic macular edema involving the center of the macula.
- ☐ The left eye has media clarity, pupillary dilation, and individual cooperation sufficient for adequate fundus photographs.
- ☐ Macular edema in the left eye is NOT considered to be due to a cause other than diabetic macular edema. (note: *An eye should not be considered eligible if: (1) the macular edema is considered to be related to ocular surgery such as cataract extraction or (2) clinical exam and/or OCT suggest that vitreoretinal interface abnormalities (e.g., a taut posterior hyaloid or epiretinal membrane) are the primary cause of the macular edema.)*
- ☐ The left eye does NOT have an ocular condition present such that, in the opinion of the investigator, visual acuity loss would not improve from resolution of macular edema (e.g., foveal atrophy, pigment abnormalities, dense subfoveal hard exudates, nonretinal condition).
- ☐ The left eye does NOT have an ocular condition present (other than diabetes) that, in the opinion of the investigator, might affect macular edema or alter visual acuity during the course of the study (e.g., vein occlusion, uveitis or other ocular inflammatory disease, neovascular glaucoma, etc.).
- ☐ The left eye does NOT have substantial cataract that, in the opinion of the investigator, is likely to be decreasing visual acuity by 3 lines or more (i.e., cataract would be reducing acuity to 20/40 or worse if eye was otherwise normal).
- ☐ The left eye is NOT anticipated to need panretinal (scatter) photocoagulation (PRP) within the next 6 months following randomization.
- ☐ The left eye is NOT anticipated to need major ocular surgery (including vitrectomy, cataract extraction, scleral buckle, any intraocular surgery, etc.) within the next 6 months following randomization.
- ☐ The left eye does NOT have exam evidence of external ocular infection, including conjunctivitis, chalazion, or significant blepharitis.
- ☐ If anti-VEGF treatment is indicated for any condition in the RIGHT eye (non-study eye) at anytime during the study, the investigator is willing to use the randomized anti-VEGF drug on the non-study eye.

GENERAL INFORMATION

1. Date informed consent form signed for trial ___ ___/___ ___ ___/___ ___ ___ ___ **(RandInfConDtDaysFromEnroll)**
dd/MMM/yyyy

2. Have all signatures and date fields been properly completed on the informed consent form? ○ Yes ○ No
Must be YES for subject eligibility **(InfConSign)**

3. Has the Subject Contact Information Form been completed? ○ Yes ○ No **(PtContInfoComp)**
Must be YES before subject can be randomized
Fax Form to the Jaeb Center at **1-800-816-7601**

Subject Contact Information Form is available on subject data entry menu.

4. Name of certified investigator who has verified the subject's eligibility:_____

5. Were any of the exam data (other than visual acuity, refraction, and labs) recorded on this form transcribed <u>DIRECTLY</u> from another source (e.g., medical record, surgical notes, subject study worksheet) rather than being confirmed with the subject and directly entered on the website? ○ Yes ○ No **(DataTrans)**

If yes, please fax the source documents to the Jaeb Center for review at **1-800-816-7601**.

<u>COMMENTS</u>