**A Comparative Effectiveness Study of Intravitreal Aflibercept, Bevacizumab and Ranibizumab for Diabetic Macular Edema (T)**

**Visual Acuity Testing Form (Randomization)**

**tblTVAReVATest**

**Patient ID:** **(tblPtRoster.PtID)**

**Patient Initials:**

**Study Eye:** **(tblPtRoster.StudyEye)**

**Refraction followed by visual acuity are required in both eyes. Visual acuity should be measured in both eyes using the E-ETDRS program on the Electronic Visual Acuity Tester. Visual acuity and refraction must be done within 8 days prior to randomization. The best corrected E-ETDRS visual acuity letter score must be > =24 (i.e., 20/320 or better) and <= 78 (i.e., 20/32 or worse) for the study eye to be eligible.**

**VISUAL ACUITY TESTING**

**Visual Acuity Testing:** ○ Not Done ○ Right eye only ○ Left eye only ○ Both eyes **(VACompleted)**

*If Required but not done, give reason in COMMENTS*

*If Done, please complete the following*

*Note: If visual acuity is too poor for EVA or Chart testing please include the eye in the selection above and complete the form below as indicated.*

**GENERAL INFORMATION**

**1. Visual acuity testing date:**

___ ___ / ___ ___ ___ /___ ___ ___ ___ **(VAExamDtDaysFromEnroll)**
*dd/MMM/yyyy*

**1a. EVA date code:**__ __ __ - __ __ __ __ **(EVAValCode)** ☐ **Not Verified** **(EVAValCodeNV)**

**2. Name of VA Tester:**_____

**Complete If EVA Used**

**1. EVA Instrument #** *(from label or palm):* _____

**2. Calibration Checks**

***Verify the following:***

☐ 2a. Testing distance = 3 meters (118 inches) from monitor screen to center of exam chair seat **(InstrMeasDist)**

☐ 2b. Brightness of screen within range on light meter **(InstrBright)**

☐ 2c. Size of EVA calibration square: horizontal = 114 mm and vertical = 114 mm **(InstrCalibSize)**

## CORRECTIVE LENSES

**1. Distance vision corrective lenses (spectacles or contacts)**
**(If none or unknown leave blank)**

**Right Eye:**_____ _____ @ _____ o **Left Eye:**_____ _____ @ _____ o
sph cyl axis sph cyl axis
**(VACorrSphOD) (VACorrCylOD) (VACorrAxisOD) (VACorrSphOS) (VACorrCylOS) (VACorrAxisOS)**

## REFRACTION

**Indicate below if a refraction was performed in either eye <u>prior</u> to the initial visual acuity testing.**

**1. Name of refractionist (if done):**_____

**2. Right Eye:**_____ _____ @ _____ o OR ☐ **Not Done (VARefNotDoneOD)**
sph cyl axis
**(VARefSphOD) (VARefCylOD) (VARefAxisOD)**

**3. Left Eye:**_____ _____ @ _____ o OR ☐ **Not Done (VARefNotDoneOS)**
sph cyl axis
**(VARefSphOS) (VARefCylOS) (VARefAxisOS)**

**VISUAL ACUITY TESTING – RIGHT EYE (OD)**

**1. How was visual acuity measured in the right eye? ○ EVA-ETDRS ○ ETDRS Chart ○ Non-protocol testing (VAMethodOD)**

**(Note: if visual acuity is too poor for EVA or Chart testing, please select EVA-ETDRS above and enter visual acuity letter score of 0 below.)**

*If ETDRS charts were used, please fax acuity worksheet to the Jaeb Center 1-800-816-7601. See study participant data entry menu to print form.*

***If EVA-ETDRS was not used, give reason in COMMENTS***

***If non-protocol testing done, record acuity in COMMENTS and indicate reason why EVA-ETDRS or ETDRS chart not used.***

**2. Correction Used for Visual Acuity Testing:**

☐ **Today's refraction recorded above (TodayVARefUsedOD)** OR 'Other' _____ _____ @ _____ o
sph cyl axis
**(VACorSphOD) (VACorCylOD) (VACorAxisOD)**

**3. Visual Acuity Letter Score for Right Eye:_____ (EtdrsOD)**

*(If vision is too poor for EVA or Chart testing, please enter acuity score of 0 for that eye)*

*If any aspects of the acuity testing were not completed according to the protocol, please detail in COMMENTS.*

**3a. EVA Score Code OD: __ __ - __ __ __ (EVAValCodeOD)** ☐ **Not Verified (EVAValCodeODNV)**

**If visual acuity letter score is 0, answer the following:**

**3b. Which of the following best describes the vision:**
○ counting fingers ○ hand motion ○ light perception ○ no light perception **(VAZeroVisOD)**

**3c. Please indicate the reason for poor vision: (VAScoreZeroCatOD)**

- **O** Cataract
- **O** Corneal edema
- **O** Endophthalmitis
- **O** Macular edema
- **O** Macular non-perfusion
- **O** No cause identified
- **O** Optic nerve abnormality
- **O** Rhegmatogenous retinal detachment
- **O** Traction retinal detachment
- **O** Uveitis
- **O** Vitreomacular interface abnormality – epiretinal membrane
- **O** Vitreomacular interface abnormality - macular hole
- **O** Vitreomacular interface abnormality – other
- **O** Vitreous hemorrhage
- **O** Vitritis
- **O** Other

If other, describe _____

**VISUAL ACUITY TESTING – LEFT EYE (OS)**

**1. How was visual acuity measured in the left eye?** ○ **EVA-ETDRS** ○ **ETDRS Chart** ○ **Non-protocol testing** **(VAMethodOS)**

**(Note: if visual acuity is too poor for EVA or Chart testing, please select EVA-ETDRS above and enter visual acuity letter score of 0 below.)**

*If ETDRS charts were used, please fax acuity worksheet to the Jaeb Center 1-800-816-7601. See study participant data entry menu to print form.*

***If EVA-ETDRS was not used, give reason in COMMENTS***

***If non-protocol testing done, record acuity in COMMENTS and indicate reason why EVA-ETDRS or ETDRS chart not used.***

**2. Correction Used for Visual Acuity Testing:**

☐ **Today's refraction recorded above** **(TodayVARefUsedOS)** OR 'Other' _____ _____ @ _____ o
sph cyl axis
**(VACorSphOS) (VACorCylOS) (VACorAxisOS)**

**3. Visual Acuity Letter Score for Left Eye: _____** **(EtdrsOS)**

*(If vision is too poor for EVA or Chart testing, please enter acuity score of 0 for that eye)*

*If any aspects of the acuity testing were not completed according to the protocol, please detail in COMMENTS.*

**3a. EVA Score Code OS: __ __ - __ __ __** **(EVAValCodeOS)** ☐ **Not Verified** **(EVAValCodeOSNV)**

**If visual acuity letter score is 0, answer the following:**

**3b. Which of the following best describes the vision:**
○ counting fingers ○ hand motion ○ light perception ○ no light perception **(VAZeroVisOS)**

**3c. Please indicate the reason for poor vision:** **(VAScoreZeroCatOS)**

- **O** Cataract
- **O** Corneal edema
- **O** Endophthalmitis
- **O** Macular edema
- **O** Macular non-perfusion
- **O** No cause identified
- **O** Optic nerve abnormality
- **O** Rhegmatogenous retinal detachment
- **O** Traction retinal detachment
- **O** Uveitis
- **O** Vitreomacular interface abnormality – epiretinal membrane
- **O** Vitreomacular interface abnormality - macular hole
- **O** Vitreomacular interface abnormality – other
- **O** Vitreous hemorrhage
- **O** Vitritis
- **O** Other

If other, describe _____

**COMMENTS**

| |
|---|
| |
| |
| |