## 1 Numerical Result

Table 1: Variable Selection and outliers detection Results for Example 1 ( $\beta=(3,2,1.5,0,0,0,0,0)'$  with 10% outliers )

	Variable Selection							Outliers detection				
Case	Method	CFR	OFR	PDR	FDR	AN	${ m M}$	S	JD	TIME		
A	ALasso	72	25	99	7	3.27	_	-	-	0.89		
	MMNNG	74.5	20.4	98.3	6.3	3.23	-	-	-	NA		
	SROS	21	76	99	27.6	4.31	-	-	-	56.67		
	SROS-2	50	50	100	17.9	3.91	0	6.46	100	7.89		
	ASROS-2	86	9	98.3	2.2	3.04	0	3.24	100	11.88		
	SLTS	15	83	99.3	42.3	5.89	0	11.4	100	200.07		
	PAWLS	34	58	97	20.9	3.93	0	15.06	100	5.64		
	APAWLS	73	12	94.7	4.8	3.03	0	13.02	100	12.5		
В	ALasso	70	15	94	5.9	3.07	_	_	_	0.92		
	MMNNG	86	14	100	3.9	3.17	-	-	-	354.78		
	SROS	31	69	100	24.6	4.24	-	-	-	51.79		
	SROS-2	34	66	100	24.1	4.25	0	25.02	100	6.91		
	ASROS-2	95	5	100	1.3	3.05	0	9.48	100	10.29		
	SLTS	13	87	100	43.8	5.97	0	13.62	100	216.52		
	PAWLS	38	62	100	20.1	3.94	0	11.72	100	5.6		
	APAWLS	95	5	100	1.3	3.05	0	10.02	100	11.96		
C	ALasso	0	2	44	10.3	1.61	_	_	_	0.98		
	MMNNG	74.7	12.1	95.6	3.3	3.01	_	-	_	NA		
	SROS	41	50	97	17.5	3.7	-	-	-	50.24		
	SROS-2	22	78	100	30.9	4.73	0	24.36	100	6.66		
	ASROS-2	76	16	97.3	4.6	3.11	0	0.11	100	11.69		
	SLTS	23	76	99.7	36.9	5.42	0	4.87	100	313.05		
	PAWLS	32	67	99.7	20.6	3.92	0	5.07	100	6.72		
	APAWLS	78	16	98	4.4	3.13	0	1.62	100	12.54		
D	ALasso	0	14	61	51.7	4.02	_	_	_	1.21		
	MMNNG	71.7	11.1	93.9	4.1	2.97	_	_	_	NA		
	SROS	8	80	96	37.1	4.76	_	_	_	50.31		
	SROS-2	0	34	73.7	55.4	5.27	89.8	9.31	0	25.16		
	ASROS-2	0	14	60	51.7	3.91	92.8	5.89	0	25.1		
	SLTS	10	89	99.7	43.1	5.77	0	5.62	100	309.51		
	PAWLS	43	57	100	19.7	3.97	0	2.49	100	8.48		
	APAWLS	73	19	97.3	5.8	3.17	0	1.02	100	14.83		
Е	ALasso	0	3	23	81.9	2.72	_	_	_	1.42		
	MMNNG	79	11	96.7	3.4	3.03	_	_	_	342.83		
	SROS	26	61	95.7	30.2	4.45	_	_	_	50.08		
	SROS-2	0	6	32.7	75.3	3.89	87	5.56	5	16.76		
	ASROS-2	0	0	13.7	84.2	2.16	91.8	2.64	3	14.29		
	SLTS	16	82	99.3	38.4	5.39	0	4	100	385.66		
	PAWLS	80	16	98.7	4.4	3.15	0	0	100	7.29		
	APAWLS	61	0	87	0	2.61	0	0	100	14.19		

Table 2: Variable Selection and outliers detection Results for Example 2 ( $\beta=({\bf 2}'_{10},{\bf 0}'_{p-10})'$  with 10% outliers )

		able Sele	Outli							
Case	Method	CFR	OFR	PDR	FDR	AN	M	S	JD	TIME
	ALasso	97	0	99.6	0	9.96		_		3.21
A	SROS-2	2	98	100	54.7	41.53	0	4.45	100	603.94
	ASROS-2	85	15	100	2	10.25	0	0.42	100	723.54
	SLTS	0	87	98.5	84	61.9	0	24.91	100	$1.89 \times 10^{4}$
	PAWLS	5	95	100	32.9	17.02	0	0.72	100	422.25
	APAWLS	91	8	99.9	1.1	10.13	0	0.36	100	911.97
	ALasso	77	1	94.3	0.5	9.47	-	-	-	3.23
В	SROS-2	3	97	100	52.6	32.94	0	11.72	100	632.84
	ASROS-2	98	2	100	0.2	10.02	0	4.06	100	572.65
	SLTS	0	93	98.7	82.7	57.6	0	24.76	100	$1.94 \times 10^{4}$
	PAWLS	6	94	100	33.4	16.55	0	2.71	100	442.9
	APAWLS	97	3	100	0.3	10.03	0	2.32	100	920.1
	ALasso	0	0	56.1	13.6	7.56	-	-	-	3.92
	SROS-2	1	66	94.4	75	56.81	21.9	10.19	68	1214.61
	ASROS-2	56	38	99.3	6.7	10.79	0	0.16	100	650.33
$\mathbf{C}$	SLTS	0	96	99.6	84	62.36	0	16.47	100	$2.24 \times 10^4$
C	PAWLS	1	99	100	39.6	18.21	0	0.88	100	724.6
	APAWLS	82	18	100	1.7	10.19	0	0.18	100	1216.78
	ALasso	0	1	64.7	60.3	16.75	_	<del>.</del>	-	11.29
	SROS-2	0	96	99.6	87.9	83.53	95.3	4.91	0	6152.51
D	ASROS-2	0	19	81.5	70.2	27.85	96.4	4.37	0	4328.89
	SLTS	0	98	99.8	84.6	64.98	0	16.57	100	$2.72 \times 10^4$
	PAWLS	5	92	99.5	38.7	21.25	7.2	0.5	90	1731
	APAWLS	74	15	97.7	8.4	11.67	8.1	0.34	90	2536.55
	A T	0	0	21.0	70.0	10				e 70
	ALasso SROS-2	0	0 55	31.8	70.8	$10 \\ 61.26$	0 5 5	150	0	$6.78 \\ 4786.5$
	ASROS-2	$0 \\ 0$	99 0	$92.2 \\ 49.1$	84.6 75	17.57	$85.5 \\ 98.9$	$15.8 \\ 0.91$	0	$\frac{4780.5}{2236.44}$
E	ASROS-2 SLTS	0	96	49.1 99.6	84.6	65.06	98.9	16.61	100	$2230.44$ $2.74 \times 10^4$
	PAWLS	33	90 67	100	11.4	11.49	0	10.01	100	$2.74 \times 10$ $1166.13$
	APAWLS	33 80	0	97.2	11.4	9.72	0	0	100	1700.13 $1729.78$
	711 /11/1 [10]		0	91.4	0	9.14		0	100	1120.10