




Oracle Designer

Report : TABLE DEFINITION

Run by : MATEJSRM

Report Date : 02 March 2004

Total Pages : 16

Parameter Values

Workarea : AIMCS

Container : SIR_MK

Container Version :

Recurse Sub-Containers : N

Tab/View/Snap Name : %

Diagram : ANALYSES

Includes

Tables : Yes

Views : Yes

Snapshots : Yes

Column Details : Yes

Tables Created

On/After :

and On/Before : 02 March 2004

Tables Changed

On/After :

On/Before : 02 March 2004

Table Definition

Container : SIR_MK Version :

Table Name : GN_ANALYSES Alias : GRE
 Display Title : Gn Risk Analyses

Comment : risk analyses code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ANALYSIS	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	D_INSERT	NOT NULL	DATE
40	ID_INSERTER	NOT NULL	NUMBER (10, 0)
50	ACTIVITY	NOT NULL	VARCHAR2 (1)
60	VALID_TO	NULL	DATE
62	ID_RA_QUERY	NOT NULL	NUMBER (10, 0)
64	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
GRE_PK	ID_ANALYSIS

Foreign Keys

GRE_GRQE_FK

ID_RA_QUERY	references	GN_ANLS_QUERIES.ID_ANLS_QUERY
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

GRE_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
GRE_ID_RA_QUERY_IDX	2	ID_RA_QUERY	NOT UNIQUE
GRE_ID_SESSION_IDX	2	ID_SESSION	NOT UNIQUE

Table Definition

Container : SIR_MK Version :

Column Detail

10 ID_ANALYSIS
primary key of the table
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_RISK_ANALYSIS_SEQ ;

20 NAME
name of risk analysis
Optional ? :No ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;

30 D_INSERT
date of creating record
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

40 ID_INSERTER
user who created record
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

50 ACTIVITY
is record valid or not
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

60 VALID_TO
ladt date untill record was valid
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

62 ID_RA_QUERY
query id for retrieving farms on which RA will be done (foreign key)
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

64 ID_SESSION
session within which recor was created
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Table Name : GN_ANLS_PARAMS Alias : GRM
 Display Title : Gn Ra Params
 Comment : Risk analysis parameters table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ANLS_PARAM	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	DESCRIPTION	NULL	VARCHAR2 (250)
40	VALUE	NULL	VARCHAR2 (30)
50	PARAM_WEIGHT	NOT NULL	NUMBER (5, 2)
60	ID_ANALYSIS	NOT NULL	NUMBER (10, 0)
70	ID_ANALIS_QUERY	NOT NULL	NUMBER (10, 0)
80	D_INSERT	NOT NULL	DATE
90	ID_INSERTER	NOT NULL	NUMBER (10, 0)
92	ACTIVITY	NOT NULL	VARCHAR2 (1)
94	VALID_TO	NULL	DATE
96	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
GRM_PK	ID_ANLS_PARAM

Column Detail

10 ID_ANLS_PARAM
 primary key of table
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_RA_PARAM_SEQ ;

20 NAME
 name of risk analysis parameter
 Optional ? :No ; Varchar2 (30) ; () ; ; Domain :NAME_30 ; Uppercase ? :No ;

30 DESCRIPTION
 description of RA parameter
 Optional ? :Yes ; Varchar2 (250) ; () ; ; Domain :NOTES_250 ; Uppercase ? :No ;

40 VALUE

Table Definition

Container : SIR_MK Version :

Foreign Keys

GRM_GRE_FK

ID_ANALYSIS references GN_ANALYSES.ID_ANALYSIS
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

GRM_GRQE_FK

ID_ANALIS_QUERY references GN_ANLS_QUERIES.ID_ANLS_QUERY
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

GRM_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Column Detail

value for parameter (can be eneterd by user or derived at runtime)
 Optional ? :Yes ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;

50 PARAM_WEIGHT
 weight of parameter (sum of all weights for one analysis mudt be 100%)
 Optional ? :No ; Number (5, 2) ;() ; ; Domain :PERCENT ; Uppercase ? :No ;

60 ID_ANALYSIS
 foreign key to risk analyses code table
 Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

70 ID_ANALIS_QUERY
 foreign key to queries of risk analyses
 Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

80 D_INSERT
 date of insert of record
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

90 ID_INSERTER
 user who inserted (created) record
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

92 ACTIVITY
 is recodr valid (active) or not
 Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;

94 VALID_TO
 lats date untill record was valid (null if it is still)
 Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Column Detail

96 ID_SESSION
session within which record was created
Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Table Name : GN_ANLS_QUERIES Alias : GRQE
 Display Title : Gn Ra Queries
 Comment : risk analyses queries code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ANLS_QUERY	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	TEXT	NOT NULL	VARCHAR2 (2500)
40	D_INSERT	NOT NULL	DATE
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
60	ACTIVITY	NOT NULL	VARCHAR2 (1)
70	VALID_TO	NULL	DATE
72	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
GRQE_PK	ID_ANLS_QUERY

Foreign Keys

GRQE_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
GRQE_ID_SESSION_IDX	2	ID_SESSION	NOT UNIQUE

Column Detail

10 ID_ANLS_QUERY
 primary key of table
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_RA_QUERY_SEQ ;

Table Definition

Container : SIR_MK Version :

Column Detail

```
20  NAME
    name of query
    Optional ? :No ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;
30  TEXT
    query text (select clause)
    Optional ? :No ; Varchar2 (2500) ;() ; ; Domain :NOTES_250 ; Uppercase ? :No ;
40  D_INSERT
    date of creation of record
    Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
50  ID_INSERTER
    user who created record
    Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
60  ACTIVITY
    is record still valid or not
    Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
    Default Value :1 ;
70  VALID_TO
    last date untill which record was valid (null value if it is still)
    Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
72  ID_SESSION
    session within which record was created
    Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : SIR_MK Version :

Table Name : GN_ANLS_RESULTS Alias : GRT
 Display Title : Gn Ra Results
 Comment : table that holds results of risk analyses

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ANLS_RESULT	NOT NULL	NUMBER (10, 0)
20	ID_FARM	NOT NULL	NUMBER (10, 0)
30	RESULT	NULL	VARCHAR2 (30)
35	ID_ANLS_RUNTIME	NOT NULL	NUMBER (10, 0)
40	D_INSERT	NOT NULL	DATE
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
60	ACTIVITY	NOT NULL	VARCHAR2 (1)
70	VALID_TO	NULL	DATE
74	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
GRT_PK	ID_ANLS_RESULT

Other Unique Keys

<u>Name</u>	<u>Column</u>
GRT_UK	ID_FARM
	ID_ANLS_RUNTIME

Foreign Keys

GRT_GRTM_FK

ID_ANLS_RUNTIME	references	GN_ANLS_RUNTIMES.ID_ANLS_RUNTIME
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

GRT_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Table Definition

Container : SIR_MK Version :

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
GRT_ID_RA_RUNTIME_IDX	0	ID_ANLS_RUNTIME	NOT UNIQUE
GRT_ID_SESSION_IDX	0	ID_SESSION	NOT UNIQUE

Column Detail

10 ID_ANLS_RESULT
primary key of table
Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_RA_RESULT_SEQ ;

20 ID_FARM
farm for which result of RA was calculated
Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

30 RESULT
final result of RA for farm
Optional ? :Yes ; Varchar2 (30) ; () ; ; Domain :NAME_30 ; Uppercase ? :No ;

35 ID_ANLS_RUNTIME
execution (runtime) of RA that produced result
Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

40 D_INSERT
date of creation of record
Optional ? :No ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;

50 ID_INSERTER
user who created record
Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

60 ACTIVITY
is record still valid or not
Optional ? :No ; Varchar2 (1) ; () ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

70 VALID_TO
last date untill record was valid (null if it is still)
Optional ? :Yes ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;

74 ID_SESSION
session within which record was
Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Table Name : GN_ANLS_RUNTIMES Alias : GRTM
 Display Title : Gn Ra Runtime Params
 Comment : execution (runtimes) or risk analyses

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ANLS_RUNTIME	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (50)
30	D_SCHEDULE	NOT NULL	DATE
40	ID_JOB	NULL	NUMBER (10, 0)
50	ID_ANALYSIS	NOT NULL	NUMBER (10, 0)
60	D_INSERT	NOT NULL	DATE
70	ID_INSERTER	NOT NULL	NUMBER (10, 0)
80	ACTIVITY	NOT NULL	VARCHAR2 (1)
82	VALID_TO	NULL	DATE
84	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
GRTM_PK	ID_ANLS_RUNTIME

Foreign Keys

GRTM_GRE_FK

ID_ANALYSIS references GN_ANALYSES.ID_ANALYSIS
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

GRTM_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Column Detail

10 ID_ANLS_RUNTIME
 primary key of table

Table Definition

Container : SIR_MK Version :

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
GRTM_ID_RISK_ANALYSIS_IDX	2	ID_ANALYSIS	NOT UNIQUE
GRTM_ID_SESSION_IDX	2	ID_SESSION	NOT UNIQUE

Column Detail

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_RA_RUNTIME_SEQ ;

20 NAME
name of runtime
Optional ? :No ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

30 D_SCHEDULE
date when RA is scheduled
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

40 ID_JOB
Oracle job that was created as result of scheduled RA
Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

50 ID_ANALYSIS
risk analysis that is foundation for runtime - foreign key
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

60 D_INSERT
date of creation of record
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

70 ID_INSERTER
user who created record
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

80 ACTIVITY
is record valid or not
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

82 VALID_TO
last date untill record was valid
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

84 ID_SESSION
session within which record was created
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Table Name : SM_SESSIONS Alias : SSN
 Display Title : Sm Sessions

Comment : Session code table to enable beter tracebility of users' interaction with syste
Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_SESSION	NOT NULL	NUMBER (10, 0)
20	ID_SESSION_SUP	NULL	NUMBER (10, 0)
30	ID_USER	NOT NULL	NUMBER (10, 0)
40	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
50	ID_MODULE	NOT NULL	NUMBER (10, 0)
60	D_INSERT	NOT NULL	DATE
70	ACTIVITY	NOT NULL	VARCHAR2 (1)
80	VALID_TO	NULL	DATE
82	ID_SCHEMA	NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SSN_PK	ID_SESSION

Column Detail

10 ID_SESSION
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_SESSION_SEQ ;

20 ID_SESSION_SUP
 code of superior session
 Optional ? :Yes ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

30 ID_USER
 user who is logged in session
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

40 ID_LANGUAGE
 session' language
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

50 ID_MODULE

Table Definition

Container : SIR_MK Version :

Foreign Keys

SSN_SLE_FK

ID_LANGUAGE references SM_LANGUAGES.ID_LANGUAGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SSN_SME_FK

ID_MODULE references SM_MODULES.ID_MODULE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SSN_SSA_FK

ID_SCHEMA references SM_SCHEMAS.ID_SCHEMA
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

SSN_SSN_FK

ID_SESSION_SUP references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

SSN_SUR_FK

ID_USER references SM_USERS.ID_USER
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SSN_ID_LANGUAGE_IDX	5	ID_LANGUAGE	NOT UNIQUE
SSN_ID_MODULE_IDX	5	ID_MODULE	NOT UNIQUE
SSN_ID_SESSION_IDX	5	ID_SESSION_SUP	NOT UNIQUE
SSN_ID_USER_IDX	5	ID_USER	NOT UNIQUE

Column Detail

module that "created" session
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 60 D_INSERT
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 70 ACTIVITY
 Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;

Table Definition

Container : SIR_MK Version :

Column Detail

80 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

82 ID_SCHEMA

Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Oracle Designer

TABLE DEFINITION

End of Report