




Oracle Designer

Report : TABLE DEFINITION

Run by : MATEJSRM

Report Date : 02 March 2004

Total Pages : 28

Parameter Values

Workarea : AIMCS
Container : SIR_MK
Container Version :
Recurse Sub-Containers : N
Tab/View/Snap Name : %
Diagram : EARTAGS

Includes

Tables : Yes
Views : Yes
Snapshots : Yes
Column Details : Yes

Tables Created

On/After :
and On/Before : 02 March 2004

Tables Changed

On/After :
On/Before : 02 March 2004

Table Definition

Container : SIR_MK Version :

Table Name : ET_CONTINGENTS Alias :
Display Title :

Comment : contingets of eartags code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_CONTINGENT	NOT NULL	NUMBER (6, 0)
20	EARTAG_NO	NOT NULL	NUMBER (6, 0)
30	CONTINGENT_TYPE	NULL	VARCHAR2 (15)
40	ID_ORGANIZATION	NOT NULL	NUMBER (6, 0)
50	D_INSERT	NOT NULL	DATE
60	ID_INSERTER	NOT NULL	NUMBER (6, 0)
70	D_UPDATE	NULL	DATE
80	ID_UPDATER	NULL	NUMBER (6, 0)
90	ID_ORG_TYPE	NULL	NUMBER (6, 0)
100	STATUS	NULL	VARCHAR2 (30)
106	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
UKI_PK	ID_CONTINGENT

Column Detail

10	ID_CONTINGENT	primary key Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ; Sequence :ID_CONTINGENT_SEQ ;
20	EARTAG_NO	numer of eartags for contingent Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;
30	CONTINGENT_TYPE	continget type (supplier,VD) Optional ? :Yes ; Varchar2 (15) ;() ; ; Uppercase ? :No ;
40	ID_ORGANIZATION	orgainzation which contingent of ET was given to (foreign key)

Table Definition

Container : SIR_MK Version :

Foreign Keys

ECT_EOE_FK

ID_SESSION references ET_ORG_TYPES.ID_ORG_TYPE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

ECT_SON_FK

ID_ORGANIZATION references SM_ORGANIZATIONS.ID_ORGANIZATION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

ECT_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Column Detail

Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;
 50 D_INSERT
 date of creation of record
 Optional ? :No ; Date ;() ; ; Uppercase ? :No ;
 60 ID_INSERTER
 user who created record
 Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;
 70 D_UPDATE
 date of last update of record
 Optional ? :Yes ; Date ;() ; ; Uppercase ? :No ;
 80 ID_UPDATER
 user who last updated record
 Optional ? :Yes ; Number (6, 0) ;() ; ; Uppercase ? :No ;
 90 ID_ORG_TYPE
 type of eartag (and org. which provides them)
 Optional ? :Yes ; Number (6, 0) ;() ; ; Uppercase ? :No ;
 100 STATUS
 status of contingent
 Optional ? :Yes ; Varchar2 (30) ;() ; ; Uppercase ? :No ;
 106 ID_SESSION
 Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Table Name : ET_CONT_TAGS Alias :
Display Title :

Comment : eartags for supplier contingents

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_CONT_TAG	NOT NULL	NUMBER (10, 0)
20	D_INSERT	NOT NULL	DATE
30	ID_INSERTER	NOT NULL	NUMBER (6, 0)
40	D_UPDATE	NULL	DATE
50	ID_UPDATER	NULL	NUMBER (6, 0)
60	ID_CONTINGENT	NOT NULL	NUMBER (6, 0)
70	ID_ORDER	NULL	NUMBER (10, 0)
80	ID_SUPP_CONT	NULL	NUMBER (6, 0)
90	STATE	NULL	VARCHAR2 (2)
100	ID_ANIMAL	NULL	VARCHAR2 (12)
110	ID_TAKEOVER	NULL	NUMBER (6, 0)
120	STATUS	NULL	VARCHAR2 (15)
130	EARTAG_TYPE	NULL	VARCHAR2 (15)
140	NOTE	NULL	VARCHAR2 (100)
150	WARNING	NULL	VARCHAR2 (100)
160	ID_MARKER	NULL	NUMBER (6, 0)
166	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
UKE_PK	ID_CONT_TAG

Column Detail

10	ID_CONT_TAG	primary key	Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ; Sequence :ID_CONT_TAG_SEQ ;
20	D_INSERT	date of creation of record	

Table Definition

Container : SIR_MK Version :

Foreign Keys

ECG_ECT_FK

ID_CONTINGENT	references	ET_CONTINGENTS.ID_CONTINGENT
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

ECG_ECT_SUPP_FK

ID_SUPP_CONT	references	ET_CONTINGENTS.ID_CONTINGENT
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	No	Delete Rule : Restricted

ECG_EOR_FK

ID_ORDER	references	ET_ORDERS.ID_ORDER
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	No	Delete Rule : Restricted

ECG_ETR_FK

ID_TAKEOVER	references	ET_TAKEOVERS.ID_TAKEOVER
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	No	Delete Rule : Restricted

ECG_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Check Constraints

<u>Name</u>	<u>Where Validate Clause</u>
CHECK_STATUS_KZ	status in ('ZACETNI', 'PROSTA', 'PREVZETA', 'PREKLICANA', 'MIR OVANJE', 'VELJAVNA', 'DOBAVLJENA', 'STORNO_NAROC')

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
UKE_ID_NAROCILO_I	1	ID_ORDER	NOT UNIQUE
UKE_SATE_ID_ANIMAL_I	1	ID_ANIMAL	NOT UNIQUE
UKE_SATE_ID_ANIMAL_I	2	STATE	NOT UNIQUE

Column Detail

Table Definition

Container : SIR_MK Version :

Column Detail

```

Optional ? :No ; Date ;() ; ; Uppercase ? :No ;
30  ID_INSERTER
    user who created record
    Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;
40  D_UPDATE
    date of last update of record
    Optional ? :Yes ; Date ;() ; ; Uppercase ? :No ;
50  ID_UPDATER
    user who made last update of record
    Optional ? :Yes ; Number (6, 0) ;() ; ; Uppercase ? :No ;
60  ID_CONTINGENT
    contingent (foreign key)
    Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;
70  ID_ORDER
    order on which this eartag was (foreign key)
    Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;
80  ID_SUPP_CONT
    supplier's contingent (foreign key)
    Optional ? :Yes ; Number (6, 0) ;() ; ; Uppercase ? :No ;
90  STATE
    state of eartag
    Optional ? :Yes ; Varchar2 (2) ;() ; ; Uppercase ? :No ;
100 ID_ANIMAL
    iad_animmal
    Optional ? :Yes ; Varchar2 (12) ;() ; ; Uppercase ? :No ;
110 ID_TAKEOVER
    id of supplier's takeover (foreign key)
    Optional ? :Yes ; Number (6, 0) ;() ; ; Uppercase ? :No ;
120 STATUS
    last status
    Optional ? :Yes ; Varchar2 (15) ;() ; ; Uppercase ? :No ;
130 EARTAG_TYPE
    type of eartag (single, pair)
    Optional ? :Yes ; Varchar2 (15) ;() ; ; Uppercase ? :No ;
140 NOTE
    Optional ? :Yes ; Varchar2 (100) ;() ; ; Uppercase ? :No ;
150 WARNING
    warning that might occured during ordering of eartag
    Optional ? :Yes ; Varchar2 (100) ;() ; ; Uppercase ? :No ;

```

Table Definition

Container : SIR_MK Version :

Column Detail

160 ID_MARKER
marker to whom this eartag was assigned to
Optional ? :Yes ; Number (6, 0) ;() ; ; Uppercase ? :No ;

166 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Table Name : ET_CONT_TAGS_LOG Alias :
Display Title :

Comment : journal table for data in ET_CON_TAGS

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_CONT_TAG_LOG	NOT NULL	NUMBER (10, 0)
20	ID_INSERTER_LOG	NOT NULL	VARCHAR2 (30)
30	D_LOG	NOT NULL	DATE
40	D_INSERT	NOT NULL	DATE
50	OPERATION_LOG	NOT NULL	VARCHAR2 (15)
60	ID_CONT_TAG	NOT NULL	NUMBER (10, 0)
70	ID_INSERTER	NOT NULL	NUMBER ()
80	D_UPDATE	NULL	DATE
90	ID_UPDATER	NULL	NUMBER ()
100	ID_CONTINGENT	NOT NULL	NUMBER ()
110	ID_ORDER	NULL	NUMBER ()
120	ID_SUPP_CONT	NULL	NUMBER ()
130	STATE	NULL	VARCHAR2 (2)
140	ID_ANIMAL	NULL	VARCHAR2 (12)
150	ID_TAKEOVER	NULL	NUMBER ()
160	STATUS	NULL	VARCHAR2 (15)
170	EARTAG_TYPE	NULL	VARCHAR2 (15)
180	NOTE	NULL	VARCHAR2 (100)
190	WARNING	NULL	VARCHAR2 (100)
200	ID_MARKER	NULL	NUMBER ()
210	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
UKG_PK	ID_CONT_TAG_LOG

Column Detail

10	ID_CONT_TAG_LOG	primary key
----	-----------------	-------------

Table Definition

Container : SIR_MK Version :

Column Detail

```

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ; Sequence
:ID_CONT_TAG_LOG_SEQ ;
20 ID_INSERTER_LOG
user who created log record
Optional ? :No ; Varchar2 (30) ;() ; ; Uppercase ? :No ;
30 D_LOG
date of log record
Optional ? :No ; Date ;() ; ; Uppercase ? :No ;
40 D_INSERT
Optional ? :No ; Date ;() ; ; Uppercase ? :No ;
50 OPERATION_LOG
operation that was logged (insert, update, delete)
Optional ? :No ; Varchar2 (15) ;() ; ; Uppercase ? :No ;
60 ID_CONT_TAG
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
70 ID_INSERTER
Optional ? :No ; Number () ;() ; ; Uppercase ? :No ;
80 D_UPDATE
Optional ? :Yes ; Date ;() ; ; Uppercase ? :No ;
90 ID_UPDATER
Optional ? :Yes ; Number () ;() ; ; Uppercase ? :No ;
100 ID_CONTINGENT
Optional ? :No ; Number () ;() ; ; Uppercase ? :No ;
110 ID_ORDER
Optional ? :Yes ; Number () ;() ; ; Uppercase ? :No ;
120 ID_SUPP_CONT
Optional ? :Yes ; Number () ;() ; ; Uppercase ? :No ;
130 STATE
Optional ? :Yes ; Varchar2 (2) ;() ; ; Uppercase ? :No ;
140 ID_ANIMAL
Optional ? :Yes ; Varchar2 (12) ;() ; ; Uppercase ? :No ;
150 ID_TAKEOVER
Optional ? :Yes ; Number () ;() ; ; Uppercase ? :No ;
160 STATUS
Optional ? :Yes ; Varchar2 (15) ;() ; ; Uppercase ? :No ;
170 EARTAG_TYPE
Optional ? :Yes ; Varchar2 (15) ;() ; ; Uppercase ? :No ;

```

Table Definition

Container : SIR_MK Version :

Column Detail

180 NOTE

Optional ? :Yes ; Varchar2 (100) ;() ; ; Uppercase ? :No ;

190 WARNING

Optional ? :Yes ; Varchar2 (100) ;() ; ; Uppercase ? :No ;

200 ID_MARKER

Optional ? :Yes ; Number () ;() ; ; Uppercase ? :No ;

210 ID_SESSION

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Table Name : ET_ORDERS Alias :
Display Title :

Comment : orders of (new and duplicate) eartags

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ORDER	NOT NULL	NUMBER (10, 0)
20	ORDER_TYPE	NOT NULL	VARCHAR2 (25)
30	ID_ORG_TYPE	NOT NULL	NUMBER (6, 0)
40	EARTAGS_NO	NOT NULL	NUMBER (5, 0)
50	D_ORDER	NOT NULL	DATE
60	KMG_MID	NULL	NUMBER (9, 0)
70	ID_INSERTER	NOT NULL	NUMBER (6, 0)
80	D_INSERT	NOT NULL	DATE
90	ID_UPDATER	NULL	NUMBER (6, 0)
100	D_UPDATE	NULL	DATE
110	STATUS	NOT NULL	VARCHAR2 (15)
120	RECIPIENT	NULL	VARCHAR2 (50)
130	ADDRESS	NULL	VARCHAR2 (100)
140	ZIP_CODE	NULL	VARCHAR2 (5)
150	ZIP_NAME	NULL	VARCHAR2 (60)
152	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
UNA_PK	ID_ORDER

Column Detail

10	ID_ORDER	primary key	Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ; Sequence :ID_ORDER_SEQ ;
20	ORDER_TYPE	type of order (new or duplicates)	Optional ? :No ; Varchar2 (25) ; () ; ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Foreign Keys

EOR_EOE_FK

ID_ORG_TYPE references ET_ORG_TYPES.ID_ORG_TYPE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

EOR_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
UNA_TIP_NAROCILA_I	1	ORDER_TYPE	NOT UNIQUE

Column Detail

30 ID_ORG_TYPE
 ET type (and supplier)
 Optional ? :No ; Number (6, 0) ; () ; ; Uppercase ? :No ;

40 EARTAGS_NO
 number of eartags on order
 Optional ? :No ; Number (5, 0) ; () ; ; Uppercase ? :No ;

50 D_ORDER
 date of order
 Optional ? :No ; Date ; () ; ; Uppercase ? :No ;

60 KMG_MID
 farm id
 Optional ? :Yes ; Number (9, 0) ; () ; ; Uppercase ? :No ;

70 ID_INSERTER
 user who created record
 Optional ? :No ; Number (6, 0) ; () ; ; Uppercase ? :No ;

80 D_INSERT
 date of creation of record
 Optional ? :No ; Date ; () ; ; Uppercase ? :No ;

90 ID_UPDATER
 user who last updated record
 Optional ? :Yes ; Number (6, 0) ; () ; ; Uppercase ? :No ;

100 D_UPDATE
 date of last update of record
 Optional ? :Yes ; Date ; () ; ; Uppercase ? :No ;

110 STATUS

Table Definition

Container : SIR_MK Version :

Column Detail

```
status of order
Optional ? :No ; Varchar2 (15) ;() ; ; Uppercase ? :No ;
120 RECIPIENT
user denormaliaztion to support duplicates special cases
Optional ? :Yes ; Varchar2 (50) ;() ; ; Uppercase ? :No ;
130 ADDRESS
addres denormaliaztion to support duplicates special cases
Optional ? :Yes ; Varchar2 (100) ;() ; ; Uppercase ? :No ;
140 ZIP_CODE
addres denormaliaztion to support duplicates special cases
Optional ? :Yes ; Varchar2 (5) ;() ; ; Uppercase ? :No ;
150 ZIP_NAME
addres denormaliaztion to support duplicates special cases
Optional ? :Yes ; Varchar2 (60) ;() ; ; Uppercase ? :No ;
152 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : SIR_MK Version :

Table Name : ET_ORG_TYPES Alias :

Display Title :

Comment : types of eartags (and organizations that supply them) code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ORG_TYPE	NOT NULL	NUMBER (6, 0)
20	ID_ORGANIZATION	NOT NULL	NUMBER (6, 0)
30	NAME	NOT NULL	VARCHAR2 (75)
40	STATUS	NOT NULL	VARCHAR2 (10)
50	D_INSERT	NOT NULL	DATE
60	ID_INSERTER	NOT NULL	NUMBER (6, 0)
70	D_UPDATE	NULL	DATE
80	ID_UPDATER	NULL	NUMBER (6, 0)
100	HOMEPAGE	NULL	VARCHAR2 (300)
110	PRINT_TYPE	NULL	VARCHAR2 (20)
115	TAKEOVER_TYPE	NULL	VARCHAR2 (10)
117	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
UOI_PK	ID_ORG_TYPE

Foreign Keys

EOE_SON_FK

ID_ORGANIZATION	references	SM_ORGANIZATIONS.ID_ORGANIZATION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

EOE_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Column Detail

Table Definition

Container : SIR_MK Version :

Column Detail

```

10  ID_ORG_TYPE
    primary key
    Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ; Sequence
    :ID_ORG_TYPE_SEQ ;
20  ID_ORGANIZATION
    organization that supplies eartags
    Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;
30  NAME
    description
    Optional ? :No ; Varchar2 (75) ;() ; ; Uppercase ? :No ;
40  STATUS
    Optional ? :No ; Varchar2 (10) ;() ; ; Uppercase ? :No ;
50  D_INSERT
    Optional ? :No ; Date ;() ; ; Uppercase ? :No ;
60  ID_INSERTER
    Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;
70  D_UPDATE
    Optional ? :Yes ; Date ;() ; ; Uppercase ? :No ;
80  ID_UPDATER
    Optional ? :Yes ; Number (6, 0) ;() ; ; Uppercase ? :No ;
100 HOMEPAGE
    homepage for presenting eartags and supplier
    Optional ? :Yes ; Varchar2 (300) ;() ; ; Uppercase ? :No ;
110 PRINT_TYPE
    type of output file for supplier
    Optional ? :Yes ; Varchar2 (20) ;() ; ; Uppercase ? :No ;
115 TAKEOVER_TYPE
    supplier's takeover type
    Optional ? :Yes ; Varchar2 (10) ;() ; ; Domain :TYPE ; Uppercase ? :No ;
117 ID_SESSION
    Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

```


Table Definition

Container : SIR_MK Version :

Table Name : ET_TAKEOVERS Alias :

Display Title :

Comment : table that holds data abotu supplier's takeovers of eartags

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_TAKEOVER	NOT NULL	NUMBER (6, 0)
20	ID_ORG_TYPE	NOT NULL	NUMBER (6, 0)
30	D_INSERT	NOT NULL	DATE
40	ID_INSERTER	NOT NULL	NUMBER (6, 0)
50	D_UPDATE	NULL	DATE
60	ID_UPDATER	NULL	NUMBER (6, 0)
70	STATUS	NOT NULL	VARCHAR2 (15)
72	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
UPI_PK	ID_TAKEOVER

Foreign Keys

ETR_EOE_FK

ID_ORG_TYPE	references	ET_ORG_TYPES.ID_ORG_TYPE
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

ETR_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Column Detail

10	ID_TAKEOVER
	primary key
	Optional ? :No ; Number (6, 0) ; () ; ; Uppercase ? :No ; Sequence :ID_TAKEOVER_SEQ ;

Table Definition

Container : SIR_MK Version :

Column Detail

```
20  ID_ORG_TYPE
    eartag(and supplier) type (foreign key)
    Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;

30  D_INSERT
    Optional ? :No ; Date ;() ; ; Uppercase ? :No ;

40  ID_INSERTER
    Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;

50  D_UPDATE
    Optional ? :Yes ; Date ;() ; ; Uppercase ? :No ;

60  ID_UPDATER
    Optional ? :Yes ; Number (6, 0) ;() ; ; Uppercase ? :No ;

70  STATUS
    last status of takeover
    Optional ? :No ; Varchar2 (15) ;() ; ; Uppercase ? :No ;

72  ID_SESSION
    Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : SIR_MK Version :

Table Name : ET_TAKEOVERS_LOG Alias :
Display Title :

Comment : journal for table ET_TAKEOVERS

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_TAKEOVER_LOG	NOT NULL	NUMBER ()
20	ID_INSERTER_LOG	NOT NULL	VARCHAR2 (30)
30	D_INSERT_LOG	NOT NULL	DATE
40	OPERATION_LOG	NOT NULL	VARCHAR2 (30)
50	ID_TAKEOVER	NOT NULL	NUMBER ()
60	ID_ORG_TYPE	NOT NULL	NUMBER ()
70	D_INSERT	NOT NULL	DATE
80	ID_INSERTER	NOT NULL	NUMBER ()
90	D_UPDATE	NULL	DATE
100	ID_UPDATER	NULL	NUMBER ()
110	STATUS	NOT NULL	VARCHAR2 (15)
112	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
UPG_PK	ID_TAKEOVER_LOG

Foreign Keys

ETG_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Column Detail

10	ID_TAKEOVER_LOG	primary key	Optional ? :No ; Number () ; () ; ; Uppercase ? :No ; Sequence :ID_TAKEOVER_LOG_SEQ ;
20	ID_INSERTER_LOG		

Table Definition

Container : SIR_MK Version :

Column Detail

```

        user who created log record
        Optional ? :No ; Varchar2 (30) ;() ; ; Uppercase ? :No ;
30  D_INSERT_LOG
        date of creation of log record
        Optional ? :No ; Date ;() ; ; Uppercase ? :No ;
40  OPERATION_LOG
        operation that produced log record (insert/update/delete)
        Optional ? :No ; Varchar2 (30) ;() ; ; Uppercase ? :No ;
50  ID_TAKEOVER
        Optional ? :No ; Number () ;() ; ; Uppercase ? :No ;
60  ID_ORG_TYPE
        Optional ? :No ; Number () ;() ; ; Uppercase ? :No ;
70  D_INSERT
        Optional ? :No ; Date ;() ; ; Uppercase ? :No ;
80  ID_INSERTER
        Optional ? :No ; Number () ;() ; ; Uppercase ? :No ;
90  D_UPDATE
        Optional ? :Yes ; Date ;() ; ; Uppercase ? :No ;
100 ID_UPDATER
        Optional ? :Yes ; Number () ;() ; ; Uppercase ? :No ;
110 STATUS
        Optional ? :No ; Varchar2 (15) ;() ; ; Uppercase ? :No ;
112 ID_SESSION
        Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : SIR_MK Version :

Table Name : ET_TAKEOVER_FILES Alias :
 Display Title :
 Comment : stored data that supplier received at takeovers

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_TAKEOVER_FILE	NOT NULL	NUMBER ()
20	ID_TAKEOVER	NOT NULL	NUMBER (6, 0)
30	ID_INSERTER	NOT NULL	NUMBER ()
40	D_INSERT	NOT NULL	DATE
50	LINE	NOT NULL	VARCHAR2 (3000)
54	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
UPE_PK	ID_TAKEOVER_FILE

Foreign Keys

ETE_ETR_FK

ID_TAKEOVER references ET_TAKEOVERS.ID_TAKEOVER
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

ETE_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Column Detail

10 ID_TAKEOVER_FILE
 primary key of table
 Optional ? :No ; Number () ;() ; ; Uppercase ? :No ; Sequence
 :ID_TAKEOVER_FILE_SEQ ;

20 ID_TAKEOVER
 foreign key to et_takeovers table

Table Definition

Container : SIR_MK Version :

Column Detail

```
Optional ? :No ; Number (6, 0) ;() ; ; Uppercase ? :No ;
30 ID_INSERTER
Optional ? :No ; Number () ;() ; ; Uppercase ? :No ;
40 D_INSERT
Optional ? :No ; Date ;() ; ; Uppercase ? :No ;
50 LINE
line of takeover file
Optional ? :No ; Varchar2 (3000) ;() ; ; Uppercase ? :No ;
54 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : SIR_MK Version :

Table Name : SM_ORGANIZATIONS Alias : SON
 Display Title : Sm Organizations

Comment : organizations code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ORGANIZATION	NOT NULL	NUMBER (10, 0)
20	NAME1	NOT NULL	VARCHAR2 (60)
30	NAME2	NULL	VARCHAR2 (50)
40	NAME3	NULL	VARCHAR2 (50)
50	ADDRESS1	NOT NULL	VARCHAR2 (50)
60	ADDRESS2	NULL	VARCHAR2 (50)
70	ADDRESS3	NULL	VARCHAR2 (50)
80	TEL	NULL	VARCHAR2 (15)
90	FAX	NULL	VARCHAR2 (15)
100	ID_ORG_SUPERIOR	NULL	NUMBER (10, 0)
110	D_INSERT	NOT NULL	DATE
120	ID_INSERTER	NOT NULL	NUMBER (10, 0)
130	TYPE	NOT NULL	VARCHAR2 (10)
140	ACTIVITY	NOT NULL	VARCHAR2 (1)
150	VALID_TO	NULL	DATE
152	ID_SESSION	NOT NULL	NUMBER (10, 0)
154	SSN_ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SON_PK	ID_ORGANIZATION

Column Detail

10 ID_ORGANIZATION
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_ORGANIZATION_SEQ ;

20 NAME1
 Optional ? :No ; Varchar2 (60) ; () ; ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Foreign Keys

SON_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SON_SSN_FK2

SSN_ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SON_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

30 NAME2
 Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

40 NAME3
 Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

50 ADDRESS1
 Optional ? :No ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

60 ADDRESS2
 Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

70 ADDRESS3
 Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

80 TEL
 Optional ? :Yes ; Varchar2 (15) ;() ; ; Uppercase ? :No ;

90 FAX
 Optional ? :Yes ; Varchar2 (15) ;() ; ; Uppercase ? :No ;

100 ID_ORG_SUPERIOR
 superior organization code
 Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

110 D_INSERT
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

120 ID_INSERTER
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

130 TYPE
 Optional ? :No ; Varchar2 (10) ;() ; ; Domain :TYPE ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Column Detail

140 ACTIVITY

Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;

150 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

152 ID_SESSION

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

154 SSN_ID_SESSION

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : SIR_MK Version :

Table Name : SM_SESSIONS Alias : SSN
 Display Title : Sm Sessions
 Comment : Session code table to enable beter traceability of users' interaction with syste
Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_SESSION	NOT NULL	NUMBER (10, 0)
20	ID_SESSION_SUP	NULL	NUMBER (10, 0)
30	ID_USER	NOT NULL	NUMBER (10, 0)
40	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
50	ID_MODULE	NOT NULL	NUMBER (10, 0)
60	D_INSERT	NOT NULL	DATE
70	ACTIVITY	NOT NULL	VARCHAR2 (1)
80	VALID_TO	NULL	DATE
82	ID_SCHEMA	NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SSN_PK	ID_SESSION

Column Detail

10 ID_SESSION
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_SESSION_SEQ ;

20 ID_SESSION_SUP
 code of superior session
 Optional ? :Yes ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

30 ID_USER
 user who is logged in session
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

40 ID_LANGUAGE
 session' language
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

50 ID_MODULE

Table Definition

Container : SIR_MK Version :

Foreign Keys

SSN_SLE_FK

ID_LANGUAGE references SM_LANGUAGES.ID_LANGUAGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SSN_SME_FK

ID_MODULE references SM_MODULES.ID_MODULE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SSN_SSA_FK

ID_SCHEMA references SM_SCHEMAS.ID_SCHEMA
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

SSN_SSN_FK

ID_SESSION_SUP references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

SSN_SUR_FK

ID_USER references SM_USERS.ID_USER
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SSN_ID_LANGUAGE_IDX	5	ID_LANGUAGE	NOT UNIQUE
SSN_ID_MODULE_IDX	5	ID_MODULE	NOT UNIQUE
SSN_ID_SESSION_IDX	5	ID_SESSION_SUP	NOT UNIQUE
SSN_ID_USER_IDX	5	ID_USER	NOT UNIQUE

Column Detail

module that "created" session
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 60 D_INSERT
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 70 ACTIVITY
 Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;

Table Definition

Container : SIR_MK Version :

Column Detail

80 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

82 ID_SCHEMA

Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Oracle Designer

TABLE DEFINITION

End of Report