




Oracle Designer

Report : TABLE DEFINITION

Run by : MATEJSRM

Report Date : 02 March 2004

Total Pages : 25

Parameter Values

Workarea : AIMCS

Container : SIR_MK

Container Version :

Recurse Sub-Containers : N

Tab/View/Snap Name : %

Diagram : HK-MK

Includes

Tables : Yes

Views : Yes

Snapshots : Yes

Column Details : Yes

Tables Created

On/After :

and On/Before : 02 March 2004

Tables Changed

On/After :

On/Before : 02 March 2004

Table Definition

Container : PRASICI_SIR Version :

Table Name : HK_ADDRESSES Alias : HAD
 Display Title : Hk Naslovi

Comment : holder keepers addresses

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
5	HS_MID	NOT NULL	NUMBER (10, 0)
50	CITY	NOT NULL	VARCHAR2 (30)
60	STREET	NULL	VARCHAR2 (50)
70	HN	NOT NULL	NUMBER (4, 0)
80	HN_ADD	NULL	VARCHAR2 (1)
90	ID_ZIP_CODE	NOT NULL	NUMBER (10, 0)
100	ID_COMMUNE	NULL	NUMBER (10, 0)
115	ID_ADMIN_UNIT	NULL	NUMBER (10, 0)
120	X_COORDINATE	NULL	NUMBER (10, 3)
130	Y_COORDINATE	NULL	NUMBER (10, 3)
135	Z_COORDINATE	NULL	NUMBER (10, 3)
140	D_INSERT	NOT NULL	DATE
150	ID_INSERTER	NOT NULL	NUMBER (10, 0)
160	ACTIVITY	NOT NULL	VARCHAR2 (1)
170	VALID_TO	NULL	DATE
172	ID_SESSION	NOT NULL	NUMBER (10, 0)
174	OWNER	NOT NULL	VARCHAR2 (5)

Primary Key

<u>Name</u>	<u>Column</u>
HNS_PK	HS_MID

Column Detail

5 HS_MID
 house unique identifier
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

50 CITY
 settlement (part of address)
 Optional ? :No ; Varchar2 (30) ; () ; ; Domain :NAME_30 ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

HAD_HAT_FK

ID_ADMIN_UNIT	references	HK_ADMIN_UNITS.ID_ADMIN_UNIT
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	No	Delete Rule : Restricted

HAD_HCE_FK

Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

HAD_HCE_FK2

ID_COMMUNE	references	HK_COMMUNES.ID_COMMUNE
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	No	Delete Rule : Restricted

HNS_HZE_FK

ID_ZIP_CODE	references	HK_ZIP_CODES.ID_ZIP_CODE
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

HNS_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
HNS_ID_ADMIN_UNIT_IDX	5	ID_ADMIN_UNIT	NOT UNIQUE
HNS_ID_COMMUNE_IDX	5	ID_COMMUNE	NOT UNIQUE
HNS_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE
HNS_ID_ZIP_CODE_IDX	5	ID_ZIP_CODE	NOT UNIQUE

Column Detail

60 STREET

Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

70 HN

house number

Optional ? :No ; Number (4, 0) ;() ; ; Uppercase ? :No ;

80 HN_ADD

additional house number (e.g. letters a..z 1a)

Optional ? :Yes ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

Table Definition

Container : PRASICI_SIR Version :

Column Detail

90 ID_ZIP_CODE
address zip code (foreign key)
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

100 ID_COMMUNE
Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;

115 ID_ADMIN_UNIT
Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;

120 X_COORDINATE
X coordinate of address
Optional ? :Yes ; Number (10, 3) ;() ; ; Domain :COORDINATE ; Uppercase ? :No ;

130 Y_COORDINATE
Y coordinate of address
Optional ? :Yes ; Number (10, 3) ;() ; ; Domain :COORDINATE ; Uppercase ? :No ;

135 Z_COORDINATE
Optional ? :Yes ; Number (10, 3) ;() ; ; Domain :COORDINATE ; Uppercase ? :No ;

140 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

150 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

160 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

170 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

172 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

174 OWNER
Who is owner (source) of current record (SIR, RKG)
Optional ? :No ; Varchar2 (5) ;() ; ; Domain :OWNER ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : HK_ADMIN_UNITS

Alias : HAT

Display Title : Hk Admin Units

Volumes

Start Rows :

End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ADMIN_UNIT	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (50)
30	AU_ID	NOT NULL	NUMBER (10, 0)
40	OWNER	NOT NULL	VARCHAR2 (5)
50	D_INSERT	NOT NULL	DATE
60	ID_INSERTER	NOT NULL	NUMBER (10, 0)
70	ACTIVITY	NOT NULL	VARCHAR2 (1)
80	VALID_TO	NULL	DATE
82	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
HAT_PK	ID_ADMIN_UNIT

Foreign Keys

HAT_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
HAT_ID_SESSION	5	ID_SESSION	NOT UNIQUE

Column Detail

10 ID_ADMIN_UNIT

Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

20

Table Definition

Container : PRASICI_SIR Version :

Column Detail

	NAME
	Optional ? :No ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
30	AU_ID
	Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
40	OWNER
	Optional ? :No ; Varchar2 (5) ;() ; ; Domain :OWNER ; Uppercase ? :No ;
50	D_INSERT
	Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
60	ID_INSERTER
	Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
70	ACTIVITY
	Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ; Default Value :1 ;
80	VALID_TO
	Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
82	ID_SESSION
	Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : HK_COMMUNES Alias : HCE
 Display Title : Hk Communes

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_COMMUNE	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (50)
30	D_INSERT	NOT NULL	DATE
40	ID_INSERTER	NOT NULL	NUMBER (10, 0)
50	OWNER	NOT NULL	VARCHAR2 (5)
60	ACTIVITY	NOT NULL	VARCHAR2 (1)
70	VALID_TO	NULL	DATE
72	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
HCE_PK	ID_COMMUNE

Foreign Keys

HCE_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
HCE_ID_SESSION	5	ID_SESSION	NOT UNIQUE

Column Detail

10 ID_COMMUNE
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 20 NAME

Table Definition

Container : PRASICI_SIR Version :

Column Detail

```
Optional ? :No ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
30 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
40 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
50 OWNER
Optional ? :No ; Varchar2 (5) ;() ; ; Domain :OWNER ; Uppercase ? :No ;
60 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;
70 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
72 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : PRASICI_SIR Version :

Table Name : HK_KMG Alias : HKG
 Display Title : Kh Kmg

Comment : kmg code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	KMG_MID	NOT NULL	NUMBER (10, 0)
50	HS_MID	NOT NULL	NUMBER (10, 0)
80	TYPE	NOT NULL	VARCHAR2 (10)
85	HOME_NAME	NULL	VARCHAR2 (50)
90	KMG_MID_SUP	NULL	NUMBER (10, 0)
100	D_INSERT	NOT NULL	DATE
110	ID_INSERTER	NOT NULL	NUMBER (10, 0)
122	ACTIVITY	NOT NULL	VARCHAR2 (1)
124	VALID_TO	NULL	DATE
126	ID_SESSION	NOT NULL	NUMBER (10, 0)
136	OWNER	NOT NULL	VARCHAR2 (5)

Primary Key

<u>Name</u>	<u>Column</u>
KKG_PK	KMG_MID

Column Detail

10 KMG_MID
 kmg_mid - unique identifier
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

50 HS_MID
 HS-MID -foreign key
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

80 TYPE
 kmg-type
 Optional ? :No ; Varchar2 (10) ; () ; ; Domain :TYPE ; Uppercase ? :No ;

85 HOME_NAME
 Optional ? :Yes ; Varchar2 (50) ; () ; ; Domain :NAME_50 ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

KKG_HNS_FK

HS_MID references HK_ADDRESSES.HS_MID
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

KKG_KKG_FK

KMG_MID_SUP references HK_KMG.KMG_MID
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

KKG_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
KKG_HS_MID_IDX	5	HS_MID	NOT UNIQUE
KKG_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE
KKG_KMG_MID_SUP_IDX	5	KMG_MID_SUP	NOT UNIQUE

Column Detail

90 KMG_MID_SUP
 superior kmg-mid (where hierarchy is needed)
 Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;

100 D_INSERT
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

110 ID_INSERTER
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

122 ACTIVITY
 Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;

124 VALID_TO
 Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

126 ID_SESSION
 Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

136 OWNER
 Optional ? :No ; Varchar2 (5) ;() ; ; Domain :OWNER ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : HK_KMG_SUBJ Alias : HKS
 Display Title : Hk Kmg Subj

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_KMG_SUBJ	NOT NULL	NUMBER (10, 0)
20	ID_SUBJ	NOT NULL	NUMBER (10, 0)
30	KMG_MID	NOT NULL	NUMBER (10, 0)
35	ROLE	NOT NULL	VARCHAR2 (30)
40	D_INSERT	NOT NULL	DATE
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
52	ACTIVITY	NOT NULL	VARCHAR2 (1)
54	VALID_TO	NULL	DATE
56	ID_SESSION	NOT NULL	NUMBER (10, 0)
66	OWNER	NOT NULL	VARCHAR2 (5)

Primary Key

<u>Name</u>	<u>Column</u>
HKJ_PK	ID_KMG_SUBJ

Foreign Keys

HKJ_HSJ_FK

ID_SUBJ references HK_SUBJ.ID_SUBJ
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

HKJ_KKG_FK

KMG_MID references HK_KMG.KMG_MID
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

HKJ_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Table Definition

Container : PRASICI_SIR Version :

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
HKJ_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE
HKJ_ID_SUBJ_IDX	5	ID_SUBJ	NOT UNIQUE
HKJ_KMG_MID_IDX	5	KMG_MID	NOT UNIQUE

Column Detail

10 ID_KMG_SUBJ
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_KMG_SUBJ_SEQ ;

20 ID_SUBJ
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

30 KMG_MID
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

35 ROLE
Optional ? :No ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;

40 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

50 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

52 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

54 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

56 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

66 OWNER
Who is owner (source) of current record (SIR, RKG)
Optional ? :No ; Varchar2 (5) ;() ; ; Domain :OWNER ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : HK_STATES Alias : HST
 Display Title :

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_STATE	NOT NULL	NUMBER (3)
20	TEXT	NOT NULL	VARCHAR2 (50)
30	SHORT_NAME	NOT NULL	VARCHAR2 (3)
40	D_INSERT	NOT NULL	DATE
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
60	ACTIVITY	NOT NULL	VARCHAR2 (1)
70	VALID_TO	NULL	DATE
72	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
STATES_PK	ID_STATE

Other Unique Keys

<u>Name</u>	<u>Column</u>
HSE_UK	SHORT_NAME

Foreign Keys

HSE_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
HSE_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

Table Definition

Container : PRASICI_SIR Version :

Column Detail

```
10  ID_STATE
    Optional ? :No ; Number (3) ;() ; ; Uppercase ? :No ;
20  TEXT
    Optional ? :No ; Varchar2 (50) ;() ; ; Uppercase ? :No ;
30  SHORT_NAME
    Optional ? :No ; Varchar2 (3) ;() ; ; Uppercase ? :No ;
40  D_INSERT
    Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
50  ID_INSERTER
    Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
60  ACTIVITY
    Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
    Default Value :1 ;
70  VALID_TO
    Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
72  ID_SESSION
    Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : PRASICI_SIR Version :

Table Name : HK_SUBJ Alias : HSB
 Display Title : Hk Subj

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_SUBJ	NOT NULL	NUMBER (10, 0)
20	SHORT_NAME	NOT NULL	VARCHAR2 (50)
25	SHORT_NAME_1	NULL	VARCHAR2 (50)
30	ID_SUBJ_SUP	NULL	NUMBER (10, 0)
40	FIRST_NAME	NULL	VARCHAR2 (30)
45	FIRST_NAME_1	NULL	VARCHAR2 (50)
50	LAST_NAME	NULL	VARCHAR2 (30)
55	LAST_NAME_1	NULL	VARCHAR2 (50)
60	HS_MID	NOT NULL	NUMBER (10, 0)
70	VAT_NO	NULL	NUMBER (10, 0)
80	PHONE_NO	NULL	VARCHAR2 (30)
90	D_INSERT	NOT NULL	DATE
100	ID_INSERTER	NOT NULL	NUMBER (10, 0)
102	ACTIVITY	NOT NULL	VARCHAR2 (1)
104	VALID_TO	NULL	DATE
106	ID_SESSION	NOT NULL	NUMBER (10, 0)
116	OWNER	NOT NULL	VARCHAR2 (5)

Primary Key

<u>Name</u>	<u>Column</u>
HSJ_PK	ID_SUBJ

Column Detail

10 ID_SUBJ
 subject unique identifier
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

20 SHORT_NAME
 subject's (person, organization,..) short name
 Optional ? :No ; Varchar2 (50) ; () ; ; Domain :NAME_50 ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

HSB_HAD_FK

HS_MID references HK_ADDRESSES.HS_MID
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

HSJ_HSJ_FK

ID_SUBJ_SUP references HK_SUBJ.ID_SUBJ
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

HSJ_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
HSJ_HM_MID_IDX	5	HS_MID	NOT UNIQUE
HSJ_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE
HSJ_ID_SUBJ_SUP_IDX	5	ID_SUBJ_SUP	NOT UNIQUE

Column Detail

25 SHORT_NAME_1
 subject's (person, organization,..) alternate short name
 Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

30 ID_SUBJ_SUP
 superior subject id (where hierarchy is needed)
 Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;

40 FIRST_NAME
 subject's name
 Optional ? :Yes ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;

45 FIRST_NAME_1
 subject's first name (in different language)
 Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

50 LAST_NAME
 subject's family name (additioanl name where subject is organization)
 Optional ? :Yes ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;

55 LAST_NAME_1
 subject's last name (in different language)
 Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Column Detail

60 HS_MID
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

70 VAT_NO
value added tax no
Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

80 PHONE_NO
Optional ? :Yes ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;

90 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

100 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

102 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

104 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

106 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

116 OWNER
Who is owner (source) of current record (SIR, RKG)
Optional ? :No ; Varchar2 (5) ;() ; ; Domain :OWNER ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : HK_SYNC_ERRORS

Alias : HSE

Display Title : Hk Sync Errors

Volumes

Start Rows :

End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_SYNC_ERROR	NOT NULL	NUMBER (10, 0)
20	KMG_MID	NULL	NUMBER (10, 0)
25	HS_MID	NULL	NUMBER (10, 0)
30	ID_SUBJ	NULL	NUMBER (10, 0)
40	ID_ZIP_CODE	NULL	NUMBER (10, 0)
45	JN_ID	NULL	NUMBER ()
50	NOTE	NOT NULL	VARCHAR2 (4000)
60	TYPE	NOT NULL	VARCHAR2 (128)
70	D_INSERT	NOT NULL	DATE
80	ID_INSERTER	NOT NULL	NUMBER (10, 0)
91	ACTIVITY	NOT NULL	VARCHAR2 (1)
92	VALID_TO	NULL	DATE
102	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
HSR_PK	ID_SYNC_ERROR

Foreign Keys

HSR_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
HSR_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Table Definition

Container : PRASICI_SIR Version :

Column Detail

```

10  ID_SYNC_ERROR
    Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
    Sequence :ID_SYNC_ERROR_SEQ ;

20  KMG_MID
    Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

25  HS_MID
    Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

30  ID_SUBJ
    Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

40  ID_ZIP_CODE
    Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

45  JN_ID
    Optional ? :Yes ; Number () ;() ; ; Domain :ID ; Uppercase ? :No ;

50  NOTE
    Optional ? :No ; Varchar2 (4000) ;() ; ; Domain :NOTES_250 ; Uppercase ? :No ;

60  TYPE
    Optional ? :No ; Varchar2 (128) ;() ; ; Domain :TYPE ; Uppercase ? :No ;

70  D_INSERT
    Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

80  ID_INSERTER
    Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

91  ACTIVITY
    Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
    Default Value :1 ;

92  VALID_TO
    Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

102 ID_SESSION
    Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

```

Table Definition

Container : PRASICI_SIR Version :

Table Name : HK_ZIP_CODES Alias : HZC
 Display Title : Hk Zip Codes

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ZIP_CODE	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (50)
30	ID_STATE	NOT NULL	NUMBER (3)
35	OWNER	NOT NULL	VARCHAR2 (5)
40	D_INSERT	NOT NULL	DATE
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
60	ACTIVITY	NOT NULL	VARCHAR2 (1)
62	VALID_TO	NULL	DATE
64	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
HZE_PK	ID_ZIP_CODE

Foreign Keys

HZE_HSE_FK

ID_STATE references HK_STATES.ID_STATE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

HZE_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Column Detail

10 ID_ZIP_CODE
 zip code unique identifier
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
HZE_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE
HZE_ID_STATE_IDX	5	ID_STATE	NOT UNIQUE

Column Detail

```

20  NAME
    zip name
    Optional ? :No ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
30  ID_STATE
    zip's state
    Optional ? :No ; Number (3) ;() ; ; Uppercase ? :No ;
35  OWNER
    Optional ? :No ; Varchar2 (5) ;() ; ; Domain :OWNER ; Uppercase ? :No ;
40  D_INSERT
    Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
50  ID_INSERTER
    Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
60  ACTIVITY
    Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
    Default Value :1 ;
62  VALID_TO
    Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
64  ID_SESSION
    Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

```

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_SESSIONS Alias : SSN

Display Title : Sm Sessions

Comment : Session code table to enable beter tracebility of users' interaction with syste
Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_SESSION	NOT NULL	NUMBER (10, 0)
20	ID_SESSION_SUP	NULL	NUMBER (10, 0)
30	ID_USER	NOT NULL	NUMBER (10, 0)
40	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
50	ID_MODULE	NOT NULL	NUMBER (10, 0)
60	D_INSERT	NOT NULL	DATE
70	ACTIVITY	NOT NULL	VARCHAR2 (1)
80	VALID_TO	NULL	DATE
82	ID_SCHEMA	NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SSN_PK	ID_SESSION

Column Detail

10	ID_SESSION	primary key (unique identifier) Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ; Sequence :ID_SESSION_SEQ ;
20	ID_SESSION_SUP	code of superior session Optional ? :Yes ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
30	ID_USER	user who is logged in session Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
40	ID_LANGUAGE	session' language Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
50	ID_MODULE	

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SSN_SLE_FK

ID_LANGUAGE references SM_LANGUAGES.ID_LANGUAGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SSN_SME_FK

ID_MODULE references SM_MODULES.ID_MODULE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SSN_SSA_FK

ID_SCHEMA references SM_SCHEMAS.ID_SCHEMA
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

SSN_SSN_FK

ID_SESSION_SUP references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

SSN_SUR_FK

ID_USER references SM_USERS.ID_USER
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SSN_ID_LANGUAGE_IDX	5	ID_LANGUAGE	NOT UNIQUE
SSN_ID_MODULE_IDX	5	ID_MODULE	NOT UNIQUE
SSN_ID_SESSION_IDX	5	ID_SESSION_SUP	NOT UNIQUE
SSN_ID_USER_IDX	5	ID_USER	NOT UNIQUE

Column Detail

module that "created" session
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 60 D_INSERT
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 70 ACTIVITY
 Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;

Table Definition

Container : PRASICI_SIR Version :

Column Detail

80 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

82 ID_SCHEMA

Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Oracle Designer

TABLE DEFINITION

End of Report