




Oracle Designer

Report : TABLE DEFINITION

Run by : MATEJSRM

Report Date : 02 March 2004

Total Pages : 58

Parameter Values

Workarea : AIMCS

Container : SIR_MK

Container Version :

Recurse Sub-Containers : N

Tab/View/Snap Name : %

Diagram : SYSTEM MANAGEMENT

Includes

Tables : Yes

Views : Yes

Snapshots : Yes

Column Details : Yes

Tables Created

On/After :

and On/Before : 02 March 2004

Tables Changed

On/After :

On/Before : 02 March 2004

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_BUSINESS_RULES Alias : SBE
 Display Title : Sm Business Rules

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_BUSINESS_RULE	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (50)
30	DESCRIPTION	NULL	VARCHAR2 (250)
40	D_INSERT	NOT NULL	DATE
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
60	ACTIVITY	NOT NULL	VARCHAR2 (1)
70	VALID_TO	NULL	DATE
72	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SBE_PK	ID_BUSINESS_RULE

Other Unique Keys

<u>Name</u>	<u>Column</u>
SBE_UK	NAME

Foreign Keys

SBE_SSN_FK
 ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SBE_ID_SESSION_IDX			NOT UNIQUE

Column Detail

Table Definition

Container : PRASICI_SIR Version :

Column Detail

10 ID_BUSINESS_RULE

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_BUSINESS_RULE_SEQ ;

20 NAME

Optional ? :No ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

30 DESCRIPTION

Optional ? :Yes ; Varchar2 (250) ;() ; ; Domain :NOTES_250 ; Uppercase ? :No ;

40 D_INSERT

Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

50 ID_INSERTER

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

60 ACTIVITY

Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

70 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

72 ID_SESSION

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_GROUPS Alias : SGP
 Display Title : Sm Groups

Comment : groups (roles) of users

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_GROUP	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	D_INSERT	NOT NULL	DATE
40	ID_INSERTER	NOT NULL	NUMBER (10, 0)
50	ACTIVITY	NOT NULL	VARCHAR2 (1)
60	VALID_TO	NULL	DATE
62	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SGP_PK	ID_GROUP

Foreign Keys

SGP_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SGP_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

10 ID_GROUP
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_GROUP_SEQ ;

20 NAME

Table Definition

Container : PRASICI_SIR Version :

Column Detail

```
name of group (role)
Optional ? :No ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;
30 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
40 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
50 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
60 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
62 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_GRP_PRIVS Alias : SGV
 Display Title : Sm Grp Privs
 Comment : privileges inside groups (roles)

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_GRP_PRIV	NOT NULL	NUMBER (10, 0)
11	ID_GROUP	NOT NULL	NUMBER (10, 0)
12	ID_PRIVILEGE	NOT NULL	NUMBER (10, 0)
14	ID_SCHEMA	NOT NULL	NUMBER (10, 0)
24	D_INSERT	NOT NULL	DATE
34	ID_INSERTER	NOT NULL	NUMBER (10, 0)
44	ACTIVITY	NOT NULL	VARCHAR2 (1)
54	VALID_TO	NULL	DATE
56	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SGV_PK	ID_GRP_PRIV

Other Unique Keys

<u>Name</u>	<u>Column</u>
SGV_UK	ID_SCHEMA ID_PRIVILEGE ID_GROUP

Column Detail

10 ID_GRP_PRIV
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_GRP_PRIV_SEQ ;

11 ID_GROUP
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

12 ID_PRIVILEGE
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

14

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SGV_SGP_FK

ID_GROUP references SM_GROUPS.ID_GROUP
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SGV_SPE_FK

ID_PRIVILEGE references SM_PRIVILEGES.ID_PRIVILEGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SGV_SSA_FK

ID_SCHEMA references SM_SCHEMAS.ID_SCHEMA
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SGV_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SGV_ID_GROUP_IDX	5	ID_GROUP	NOT UNIQUE
SGV_ID_PRIVILEGE_IDX	5	ID_PRIVILEGE	NOT UNIQUE
SGV_ID_SCHEMA_IDX	5	ID_SCHEMA	NOT UNIQUE
SGV_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

ID_SCHEMA
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

24 D_INSERT
 Optional ? :No ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;

34 ID_INSERTER
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

44 ACTIVITY
 Optional ? :No ; Varchar2 (1) ; () ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;

54 VALID_TO
 Optional ? :Yes ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Column Detail

56 ID_SESSION
Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_LANGUAGES Alias : SLE
 Display Title : Sm Languages

Comment : language code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	D_INSERT	NOT NULL	DATE
40	ID_INSERTER	NOT NULL	NUMBER (10, 0)
50	ACTIVITY	NOT NULL	VARCHAR2 (1)
60	VALID_TO	NULL	DATE
62	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SLE_PK	ID_LANGUAGE

Foreign Keys

SLE_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SLE_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

10 ID_LANGUAGE
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_LANGUAGE_SEQ ;

20 NAME

Table Definition

Container : PRASICI_SIR Version :

Column Detail

```
name of language
Optional ? :No ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;
30 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
40 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
50 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
60 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
62 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_LOG_CODES Alias : PLE
 Display Title : Pc Log Codes

Comment : Logical codes for AIMCS

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_LOG_CODE	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	CODE	NOT NULL	VARCHAR2 (20)
40	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
50	D_INSERT	NOT NULL	DATE
60	TEXT	NOT NULL	VARCHAR2 (50)
70	DISP_CODE	NOT NULL	VARCHAR2 (20)
80	ID_INSERTER	NOT NULL	NUMBER (10, 0)
90	ACTIVITY	NOT NULL	VARCHAR2 (1)
100	VALID_TO	NULL	DATE
110	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
PLE_PK	ID_LOG_CODE

Other Unique Keys

<u>Name</u>	<u>Column</u>
PLE_UK	NAME
	CODE

Column Detail

10 ID_LOG_CODE
 Unique identifier
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_LOG_CODE_SEQ ;

20 NAME
 code (parameter) name
 Optional ? :No ; Varchar2 (30) ; () ; ; Domain :NAME_30 ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

PLE_SLE_FK

ID_LANGUAGE	references	SM_LANGUAGES.ID_LANGUAGE
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

PLE_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Column Detail

30 CODE

code id - value which is usually entered into DB

Optional ? :No ; Varchar2 (20) ;() ; ; Domain :TYPE ; Uppercase ? :No ;

40 ID_LANGUAGE

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

50 D_INSERT

Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

60 TEXT

code display text

Optional ? :No ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;

70 DISP_CODE

display code (e.g 1 for logical yes, 0 for log. no)

Optional ? :No ; Varchar2 (20) ;() ; ; Domain :TYPE ; Uppercase ? :No ;

80 ID_INSERTER

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

90 ACTIVITY

Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

100 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

110 ID_SESSION

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_MESSAGES Alias : SMSG
 Display Title : Us Messages

Comment : message code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_MESSAGE	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
22	TEXT	NOT NULL	VARCHAR2 (500)
25	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
30	TYPE	NOT NULL	VARCHAR2 (10)
40	D_INSERT	NOT NULL	DATE
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
60	ACTIVITY	NOT NULL	VARCHAR2 (1)
62	VALID_TO	NULL	DATE
64	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SMSG_PK	ID_MESSAGE

Other Unique Keys

<u>Name</u>	<u>Column</u>
SMSG_UK	ID_LANGUAGE NAME

Column Detail

10 ID_MESSAGE
 primary key
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_MESSAGE_SEQ ;

20 NAME
 Optional ? :No ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;

22 TEXT
 text of message

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

MSG_SLE_FK

ID_LANGUAGE references SM_LANGUAGES.ID_LANGUAGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

MSG_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
MSG_ID_LANGUAGE_IDX	5	ID_LANGUAGE	NOT UNIQUE
MSG_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

Optional ? :No ; Varchar2 (500) ;() ; ; Uppercase ? :No ;
 25 ID_LANGUAGE
 language of message
 Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
 30 TYPE
 type of message
 Optional ? :No ; Varchar2 (10) ;() ; ; Domain :TYPE ; Uppercase ? :No ;
 40 D_INSERT
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 50 ID_INSERTER
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 60 ACTIVITY
 Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;
 62 VALID_TO
 Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 64 ID_SESSION
 Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_MODULES Alias : SME
 Display Title : Us Modules

Comment : modules code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_MODULE	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
25	TITLE	NULL	VARCHAR2 (30)
30	TYPE	NOT NULL	VARCHAR2 (10)
35	ORDER_SEQ	NOT NULL	NUMBER (10, 0)
40	ID_MODULE_SUP	NULL	NUMBER (10, 0)
50	D_INSERT	NOT NULL	DATE
60	ID_INSERTER	NOT NULL	NUMBER (10, 0)
70	ACTIVITY	NOT NULL	VARCHAR2 (1)
72	VALID_TO	NULL	DATE
74	ID_SESSION	NOT NULL	NUMBER (10, 0)
79	DEFAULT_SCHEMA	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SME_PK	ID_MODULE

Column Detail

10 ID_MODULE
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_MODULE_SEQ ;

20 NAME
 name of module
 Optional ? :No ; Varchar2 (30) ; () ; ; Domain :NAME_30 ; Uppercase ? :No ;

25 TITLE
 title of module
 Optional ? :Yes ; Varchar2 (30) ; () ; ; Domain :NAME_30 ; Uppercase ? :No ;

30 TYPE

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SME_SME_FK

ID_MODULE_SUP	references	SM_MODULES.ID_MODULE
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	No	Delete Rule : Restricted

SME_SSA_FK

DEFAULT_SCHEMA	references	SM_SCHEMAS.ID_SCHEMA
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	No	Delete Rule : Restricted

SME_SSA_FK2

DEFAULT_SCHEMA	references	SM_SCHEMAS.ID_SCHEMA
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

SME_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SME_ID_MODULE_IDX	5	ID_MODULE_SUP	NOT UNIQUE
SME_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

```

Optional ? :No ; Varchar2 (10) ;() ; ; Domain :TYPE ; Uppercase ? :No ;
35 ORDER_SEQ
defines sequence of modules (e.g. forms)
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
40 ID_MODULE_SUP
key of superior module
Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;
50 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
60 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
70 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;

```

Table Definition

Container : PRASICI_SIR Version :

Column Detail

72 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

74 ID_SESSION

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

79 DEFAULT_SCHEMA

default schema code (foreign key)

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_MODULE_BR Alias : SMR
 Display Title : Sm Module Br

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_MODULE_BR	NOT NULL	NUMBER (10, 0)
20	EXECUTE_IF	NULL	VARCHAR2 (250)
30	ID_MODULE	NOT NULL	NUMBER (10, 0)
40	ID_BUSINESS_RULE	NOT NULL	NUMBER (10, 0)
50	D_INSERT	NOT NULL	DATE
60	ID_INSERTER	NOT NULL	NUMBER (10, 0)
62	ACTIVITY	NOT NULL	VARCHAR2 (1)
64	VALID_TO	NULL	DATE
66	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SMR_PK	ID_MODULE_BR

Other Unique Keys

<u>Name</u>	<u>Column</u>
SMR_UK	ID_BUSINESS_RULE ID_MODULE

Column Detail

10 ID_MODULE_BR
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_MODULE_BR_SEQ ;

20 EXECUTE_IF
 Optional ? :Yes ; Varchar2 (250) ; () ; ; Domain :NOTES_250 ; Uppercase ? :No ;

30 ID_MODULE
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

40 ID_BUSINESS_RULE

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SMR_SBE_FK

ID_BUSINESS_RULE references SM_BUSINESS_RULES.ID_BUSINESS_RULE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SMR_SME_FK

ID_MODULE references SM_MODULES.ID_MODULE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SMR_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SMR_ID_BUSINESS_RULE_IDX			NOT UNIQUE
SMR_ID_MODULE_IDX			NOT UNIQUE
SMR_ID_SESSION_IDX			NOT UNIQUE

Column Detail

Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;
 50 D_INSERT
 Optional ? :No ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;
 60 ID_INSERTER
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 62 ACTIVITY
 Optional ? :No ; Varchar2 (1) ; () ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;
 64 VALID_TO
 Optional ? :Yes ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;
 66 ID_SESSION
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_MODULE_CSS Alias : SMS
 Display Title : Us Module Css
 Comment : table that holds data about CSS (cascade style sheet) of certain module
Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_MODULE_CSS	NOT NULL	NUMBER (10, 0)
12	ID_MODULE	NOT NULL	NUMBER (10, 0)
22	TEXT	NOT NULL	VARCHAR2 (1000)
32	D_INSERT	NOT NULL	DATE
42	ID_INSERTER	NOT NULL	NUMBER (10, 0)
52	ACTIVITY	NOT NULL	VARCHAR2 (1)
62	VALID_TO	NULL	DATE
64	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SMS_PK	ID_MODULE_CSS

Foreign Keys

SMS_SME_FK

ID_MODULE	references	SM_MODULES.ID_MODULE
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

SMS_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SMS_ID_MODULE_IDX	5	ID_MODULE	NOT UNIQUE
SMS_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Table Definition

Container : PRASICI_SIR Version :

Column Detail

10 ID_MODULE_CSS
primary key (unique identifier)
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_MODULE_CSS_SEQ ;

12 ID_MODULE
foreign key (module code)
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

22 TEXT
CSS text
Optional ? :No ; Varchar2 (1000) ;() ; ; Uppercase ? :No ;

32 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

42 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

52 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

62 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

64 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_MODULE_ELEMENTS Alias : SMT
 Display Title : Us Module Elements
 Comment : table that holds data amout module elements (titles, fields,...)

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_MODULE_ELEMENT	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	ID_MODULE	NOT NULL	NUMBER (10, 0)
40	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
50	PROMPT_TEXT	NULL	VARCHAR2 (100)
60	HINT_TEXT	NULL	VARCHAR2 (100)
70	VALUE_TEXT	NULL	VARCHAR2 (400)
72	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SMT_PK	ID_MODULE_ELEMENT

Other Unique Keys

<u>Name</u>	<u>Column</u>
SMT_UK	NAME ID_LANGUAGE ID_MODULE

Column Detail

10 ID_MODULE_ELEMENT
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_MODULE_ELEMENT_SEQ ;

20 NAME
 element name
 Optional ? :No ; Varchar2 (30) ; () ; ; Domain :NAME_30 ; Uppercase ? :No ;

30 ID_MODULE
 foreign key - module code

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SMT_SLE_FK

ID_LANGUAGE references SM_LANGUAGES.ID_LANGUAGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SMT_SME_FK

ID_MODULE references SM_MODULES.ID_MODULE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SMT_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SMT_ID_LANGUAGE_IDX	5	ID_LANGUAGE	NOT UNIQUE
SMT_ID_MODULE_IDX	5	ID_MODULE	NOT UNIQUE
SMT_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
 40 ID_LANGUAGE
 language in whitch element related text is shown
 Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
 50 PROMPT_TEXT
 element prompt text
 Optional ? :Yes ; Varchar2 (100) ;() ; ; Uppercase ? :No ;
 60 HINT_TEXT
 element hint text
 Optional ? :Yes ; Varchar2 (100) ;() ; ; Uppercase ? :No ;
 70 VALUE_TEXT
 element value text
 Optional ? :Yes ; Varchar2 (400) ;() ; ; Uppercase ? :No ;
 72 ID_SESSION
 Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_MODULE_HTML Alias : SML
 Display Title : Sm Module Html
 Comment : table tat holds html of modules (where appropriate)

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_MODULE_HTML	NOT NULL	NUMBER (10, 0)
12	ID_MODULE	NOT NULL	NUMBER (10, 0)
22	TEXT	NOT NULL	CLOB ()
32	D_INSERT	NOT NULL	DATE
42	ID_INSERTER	NOT NULL	NUMBER (10, 0)
52	ACTIVITY	NOT NULL	VARCHAR2 (1)
62	VALID_TO	NULL	DATE
64	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SML_PK	ID_MODULE_HTML

Foreign Keys

SML_SME_FK

ID_MODULE	references	SM_MODULES.ID_MODULE
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

SML_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SML_ID_MODULE_IDX	5	ID_MODULE	NOT UNIQUE
SML_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Table Definition

Container : PRASICI_SIR Version :

Column Detail

10 ID_MODULE_HTML
primary key (unique identifier)
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_MODULE_HTML_SEQ ;

12 ID_MODULE
module code (foreign key)
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

22 TEXT
html text of module
Optional ? :No ; Clob () ;() ; ; Uppercase ? :No ;

32 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

42 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

52 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

62 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

64 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_MODULE_JS Alias : SMJ
 Display Title : Sm Module Js

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_MODULE_JS	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	TYPE	NOT NULL	VARCHAR2 (10)
40	ORDER_SEQ	NOT NULL	NUMBER (10, 0)
50	ID_MODULE	NOT NULL	NUMBER (10, 0)
60	TEXT	NOT NULL	VARCHAR2 (4000)
70	D_INSERT	NOT NULL	DATE
80	ID_INSERTER	NOT NULL	NUMBER (10, 0)
90	ACTIVITY	NOT NULL	VARCHAR2 (1)
92	VALID_TO	NULL	DATE
94	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SMJ_PK	ID_MODULE_JS

Foreign Keys

SMJ_SME_FK

ID_MODULE	references	SM_MODULES.ID_MODULE
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

SMJ_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Column Detail

10 ID_MODULE_JS

Table Definition

Container : PRASICI_SIR Version :

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SMJ_ID_MODULE_IDX	5	ID_MODULE	NOT UNIQUE
SMJ_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

```

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_MODULE_JS_SEQ ;
20  NAME
Optional ? :No ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;
30  TYPE
Optional ? :No ; Varchar2 (10) ;() ; ; Domain :TYPE ; Uppercase ? :No ;
40  ORDER_SEQ
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
50  ID_MODULE
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
60  TEXT
Optional ? :No ; Varchar2 (4000) ;() ; ; Uppercase ? :No ;
70  D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
80  ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
90  ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;
92  VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
94  ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

```

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_MODULE_PRIVS Alias : SMV
 Display Title : Sm Module Privs

Comment : privilegeges required by module

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_MODULE_PRIV	NOT NULL	NUMBER (10, 0)
11	ID_MODULE	NOT NULL	NUMBER (10, 0)
12	ID_PRIVILEGE	NOT NULL	NUMBER (10, 0)
14	ID_SCHEMA	NOT NULL	NUMBER (10, 0)
24	D_INSERT	NOT NULL	DATE
34	ID_INSERTER	NOT NULL	NUMBER (10, 0)
44	ACTIVITY	NOT NULL	VARCHAR2 (1)
54	VALID_TO	NULL	DATE
56	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SMV_PK	ID_MODULE_PRIV

Other Unique Keys

<u>Name</u>	<u>Column</u>
SMV_UK	ID_SCHEMA ID_PRIVILEGE ID_MODULE

Column Detail

10 ID_MODULE_PRIV
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_MODULE_PRIV_SEQ ;

11 ID_MODULE
 module code (foreign key)
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

12 ID_PRIVILEGE

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SMV_SME_FK

ID_MODULE references SM_MODULES.ID_MODULE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SMV_SPE_FK

ID_PRIVILEGE references SM_PRIVILEGES.ID_PRIVILEGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SMV_SSA_FK

ID_SCHEMA references SM_SCHEMAS.ID_SCHEMA
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SMV_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SMV_ID_MODULE_IDX	5	ID_MODULE	NOT UNIQUE
SMV_ID_PRIVILEGE_IDX	5	ID_PRIVILEGE	NOT UNIQUE
SMV_ID_SCHEMA_IDX	5	ID_SCHEMA	NOT UNIQUE
SMV_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

privilege code (foreign key)
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;
 14 ID_SCHEMA
 schema code (foreign key)
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;
 24 D_INSERT
 Optional ? :No ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;
 34 ID_INSERTER
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 44 ACTIVITY

Table Definition

Container : PRASICI_SIR Version :

Column Detail

Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

54 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

56 ID_SESSION

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_MODULE_TITLES Alias : SMTIT
 Display Title : Sm Module Titles

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_MODULE_TITLE	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
40	ID_MODULE	NOT NULL	NUMBER (10, 0)
50	D_INSERT	NOT NULL	DATE
60	ID_INSERTER	NOT NULL	NUMBER (10, 0)
62	ACTIVITY	NOT NULL	VARCHAR2 (1)
64	VALID_TO	NULL	DATE
66	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SMTIT_PK	ID_MODULE_TITLE

Other Unique Keys

<u>Name</u>	<u>Column</u>
SMTIT_UK	ID_LANGUAGE ID_MODULE NAME

Column Detail

10 ID_MODULE_TITLE
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_MODULE_TITLE_SEQ ;

20 NAME
 Optional ? :No ; Varchar2 (30) ; () ; ; Domain :NAME_30 ; Uppercase ? :No ;

30 ID_LANGUAGE
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

40

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SMTIT_SLE_FK

ID_LANGUAGE references SM_LANGUAGES.ID_LANGUAGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SMTIT_SME_FK

ID_MODULE references SM_MODULES.ID_MODULE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SMTIT_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SMTIT_ID_LANGUAGE_IDX			NOT UNIQUE
SMTIT_ID_MODULE_IDX			NOT UNIQUE
SMTIT_ID_SESSION_IDX			NOT UNIQUE

Column Detail

ID_MODULE
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

50 D_INSERT
 Optional ? :No ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;

60 ID_INSERTER
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

62 ACTIVITY
 Optional ? :No ; Varchar2 (1) ; () ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;

64 VALID_TO
 Optional ? :Yes ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;

66 ID_SESSION
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_ORGANIZATIONS Alias : SON
 Display Title : Sm Organizations

Comment : organizations code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ORGANIZATION	NOT NULL	NUMBER (10, 0)
20	NAME1	NOT NULL	VARCHAR2 (60)
30	NAME2	NULL	VARCHAR2 (50)
40	NAME3	NULL	VARCHAR2 (50)
50	ADDRESS1	NOT NULL	VARCHAR2 (50)
60	ADDRESS2	NULL	VARCHAR2 (50)
70	ADDRESS3	NULL	VARCHAR2 (50)
80	TEL	NULL	VARCHAR2 (15)
90	FAX	NULL	VARCHAR2 (15)
100	ID_ORG_SUPERIOR	NULL	NUMBER (10, 0)
110	D_INSERT	NOT NULL	DATE
120	ID_INSERTER	NOT NULL	NUMBER (10, 0)
130	TYPE	NOT NULL	VARCHAR2 (10)
140	ACTIVITY	NOT NULL	VARCHAR2 (1)
150	VALID_TO	NULL	DATE
152	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SON_PK	ID_ORGANIZATION

Foreign Keys

SON_SSN_FK

ID_SESSION	references	SM_SESSIONS.ID_SESSION
Transferable ?	Yes	Update Rule : Restricted
Mandatory ?	Yes	Delete Rule : Restricted

Column Detail

10 ID_ORGANIZATION

Table Definition

Container : PRASICI_SIR Version :

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SON_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

```

primary key (unique identifier)
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_ORGANIZATION_SEQ ;
20  NAME1
Optional ? :No ; Varchar2 (60) ;() ; ; Uppercase ? :No ;
30  NAME2
Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
40  NAME3
Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
50  ADDRESS1
Optional ? :No ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
60  ADDRESS2
Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
70  ADDRESS3
Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
80  TEL
Optional ? :Yes ; Varchar2 (15) ;() ; ; Uppercase ? :No ;
90  FAX
Optional ? :Yes ; Varchar2 (15) ;() ; ; Uppercase ? :No ;
100 ID_ORG_SUPERIOR
superior organization code
Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
110 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
120 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
130 TYPE
Optional ? :No ; Varchar2 (10) ;() ; ; Domain :TYPE ; Uppercase ? :No ;
140 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
150 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

```

Table Definition

Container : PRASICI_SIR Version :

Column Detail

152 ID_SESSION
Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_ORG_AREA Alias : SOA
 Display Title : Sm Org Area

Comment : areas for which organization is competent for

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_ORGANIZATION	NOT NULL	NUMBER (10, 0)
20	ID_COMMUNE	NOT NULL	NUMBER (10, 0)
30	D_INSERT	NOT NULL	DATE
40	ID_INSERTER	NOT NULL	NUMBER (10, 0)
50	ACTIVITY	NOT NULL	VARCHAR2 (1)
60	VALID_TO	NULL	DATE
62	ID_SESSION	NOT NULL	NUMBER (10, 0)

Foreign Keys

SOA_HCE_FK

ID_COMMUNE references HK_COMMUNES.ID_COMMUNE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SOA_SON_FK

ID_ORGANIZATION references SM_ORGANIZATIONS.ID_ORGANIZATION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SOA_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SOA_ID_ORGANIZATION_IDX	5	ID_ORGANIZATION	NOT UNIQUE
SOA_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Table Definition

Container : PRASICI_SIR Version :

Column Detail

```
10  ID_ORGANIZATION
    organization code (foreign key)
    Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
20  ID_COMMUNE
    commune code (foreign key)
    Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
30  D_INSERT
    Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
40  ID_INSERTER
    Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
50  ACTIVITY
    Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
    Default Value :1 ;
60  VALID_TO
    Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
62  ID_SESSION
    Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_ORG_GROUPS Alias : SOP

Display Title : Sm Org Groups

Comment : groups (roles) for which organizations (on certain schema) are competent

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
2	ID_ORG_GROUP	NOT NULL	NUMBER (10, 0)
10	ID_ORGANIZATION	NOT NULL	NUMBER (10, 0)
12	ID_GROUP	NOT NULL	NUMBER (10, 0)
14	ID_SCHEMA	NOT NULL	NUMBER (10, 0)
24	D_INSERT	NOT NULL	DATE
34	ID_INSERTER	NOT NULL	NUMBER (10, 0)
44	ACTIVITY	NOT NULL	VARCHAR2 (1)
54	VALID_TO	NULL	DATE
56	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SOP_PK	ID_ORG_GROUP

Other Unique Keys

<u>Name</u>	<u>Column</u>
SOP_UK	ID_SCHEMA
	ID_GROUP
	ID_ORGANIZATION

Column Detail

2	ID_ORG_GROUP	primary key (unique identifier)
		Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
		Sequence :ID_ORG_GROUP_SEQ ;
10	ID_ORGANIZATION	organization code (foreign key)
		Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;
12	ID_GROUP	

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SOP_SGP_FK

ID_GROUP references SM_GROUPS.ID_GROUP
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SOP_SON_FK

ID_ORGANIZATION references SM_ORGANIZATIONS.ID_ORGANIZATION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SOP_SSA_FK

ID_SCHEMA references SM_SCHEMAS.ID_SCHEMA
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SOP_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SOP_ID_GROUP_IDX	5	ID_GROUP	NOT UNIQUE
SOP_ID_ORGANIZATION_IDX	5	ID_ORGANIZATION	NOT UNIQUE
SOP_ID_SCHEMA_IDX	5	ID_SCHEMA	NOT UNIQUE
SOP_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

group (role) code (foreign key)
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

14 ID_SCHEMA
 schema code (foreign key)
 Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

24 D_INSERT
 Optional ? :No ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;

34 ID_INSERTER
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

44 ACTIVITY

Table Definition

Container : PRASICI_SIR Version :

Column Detail

Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

54 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

56 ID_SESSION

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_PRIVILEGES Alias : SPE
 Display Title : Sm Privileges

Comment : privileges code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
5	ID_PRIVILEGE	NOT NULL	NUMBER (10, 0)
10	NAME	NOT NULL	VARCHAR2 (30)
20	GEO_LIMITED	NOT NULL	VARCHAR2 (1)
30	TYPE	NOT NULL	VARCHAR2 (10)
40	ID_PRIVILEGE_SUP	NULL	NUMBER (10, 0)
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
60	D_INSERT	NOT NULL	DATE
70	ACTIVITY	NOT NULL	VARCHAR2 (1)
72	VALID_TO	NULL	DATE
74	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SPE_PK	ID_PRIVILEGE

Foreign Keys

SPE_SPE_FK

ID_PRIVILEGE_SUP references SM_PRIVILEGES.ID_PRIVILEGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

SPE_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Column Detail

5 ID_PRIVILEGE
 primary key (unique identifier)

Table Definition

Container : PRASICI_SIR Version :

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SPE_ID_PRIVILEGE_IDX	5	ID_PRIVILEGE_SUP	NOT UNIQUE
SPE_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
Sequence :ID_PRIVILEGE_SEQ ;

10 NAME
privilege name
Optional ? :No ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;

20 GEO_LIMITED
is privilege geographically limited?
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;

30 TYPE
privilege type
Optional ? :No ; Varchar2 (10) ;() ; ; Domain :TYPE ; Uppercase ? :No ;

40 ID_PRIVILEGE_SUP
code of superior privilege (not manadatory)
Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

50 ID_INSERTER
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

60 D_INSERT
Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

70 ACTIVITY
Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;

72 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

74 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_SCHEMAS Alias : SSA
 Display Title : Us Schemas
 Comment : schema (e.g. porcine, ovine, bovine) code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_SCHEMA	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (30)
30	D_INSERT	NOT NULL	DATE
40	ID_INSERTER	NOT NULL	NUMBER (10, 0)
50	ACTIVITY	NOT NULL	VARCHAR2 (1)
60	VALID_TO	NULL	DATE
62	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SSA_PK	ID_SCHEMA

Foreign Keys

SSA_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SSA_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

10 ID_SCHEMA
 primary key
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_SCHEMA_SEQ ;

20 NAME

Table Definition

Container : PRASICI_SIR Version :

Column Detail

```

    schema name
    Optional ? :No ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;
30  D_INSERT
    Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
40  ID_INSERTER
    Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
50  ACTIVITY
    Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
60  VALID_TO
    Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
62  ID_SESSION
    Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
```

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_SESSIONS Alias : SSN
 Display Title : Sm Sessions

Comment : Session code table to enable beter tracebility of users' interaction with syste
Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_SESSION	NOT NULL	NUMBER (10, 0)
20	ID_SESSION_SUP	NULL	NUMBER (10, 0)
30	ID_USER	NOT NULL	NUMBER (10, 0)
40	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
50	ID_MODULE	NOT NULL	NUMBER (10, 0)
60	D_INSERT	NOT NULL	DATE
70	ACTIVITY	NOT NULL	VARCHAR2 (1)
80	VALID_TO	NULL	DATE
82	ID_SCHEMA	NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SSN_PK	ID_SESSION

Column Detail

10 ID_SESSION
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_SESSION_SEQ ;

20 ID_SESSION_SUP
 code of superior session
 Optional ? :Yes ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

30 ID_USER
 user who is logged in session
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

40 ID_LANGUAGE
 session' language
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

50 ID_MODULE

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SSN_SLE_FK

ID_LANGUAGE references SM_LANGUAGES.ID_LANGUAGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SSN_SME_FK

ID_MODULE references SM_MODULES.ID_MODULE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SSN_SSA_FK

ID_SCHEMA references SM_SCHEMAS.ID_SCHEMA
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

SSN_SSN_FK

ID_SESSION_SUP references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? No Delete Rule : Restricted

SSN_SUR_FK

ID_USER references SM_USERS.ID_USER
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SSN_ID_LANGUAGE_IDX	5	ID_LANGUAGE	NOT UNIQUE
SSN_ID_MODULE_IDX	5	ID_MODULE	NOT UNIQUE
SSN_ID_SESSION_IDX	5	ID_SESSION_SUP	NOT UNIQUE
SSN_ID_USER_IDX	5	ID_USER	NOT UNIQUE

Column Detail

module that "created" session
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 60 D_INSERT
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 70 ACTIVITY
 Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;

Table Definition

Container : PRASICI_SIR Version :

Column Detail

80 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;

82 ID_SCHEMA

Optional ? :Yes ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_SYS_PARAMS Alias : SSM
 Display Title : Sm Sys Params

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_SYS_PARAM	NOT NULL	NUMBER (10, 0)
20	CODE	NOT NULL	VARCHAR2 (30)
30	VALUE	NOT NULL	VARCHAR2 (50)
40	D_INSERT	NOT NULL	DATE
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
60	ACTIVITY	NOT NULL	VARCHAR2 (1)
70	VALID_TO	NULL	DATE
72	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SSM_PK	ID_SYS_PARAM

Foreign Keys

SSM_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Column Detail

10 ID_SYS_PARAM
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

20 CODE
 Optional ? :No ; Varchar2 (30) ; () ; ; Domain :NAME_30 ; Uppercase ? :No ;

30 VALUE
 Optional ? :No ; Varchar2 (50) ; () ; ; Domain :NAME_50 ; Uppercase ? :No ;

40 D_INSERT
 Optional ? :No ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Column Detail

50 ID_INSERTER
Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

60 ACTIVITY
Optional ? :No ; Varchar2 (1) ; () ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

70 VALID_TO
Optional ? :Yes ; Date ; () ; ; Domain :D_DATE ; Uppercase ? :No ;

72 ID_SESSION
Optional ? :No ; Number (10, 0) ; () ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_USERS Alias : SUR
 Display Title : Sm Users

Comment : users code table

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_USER	NOT NULL	NUMBER (10, 0)
20	NAME	NOT NULL	VARCHAR2 (50)
30	ID_ORGANIZATION	NOT NULL	NUMBER (10, 0)
40	D_INSERT	NOT NULL	DATE
50	ID_INSERTER	NOT NULL	NUMBER (10, 0)
60	USERNAME	NULL	VARCHAR2 (30)
70	PASSWORD	NULL	VARCHAR2 (50)
75	GEO_UNLIMITED	NULL	VARCHAR2 (10)
80	ACTIVITY	NOT NULL	VARCHAR2 (1)
90	ID_LANGUAGE	NOT NULL	NUMBER (10, 0)
92	VALID_TO	NULL	DATE
94	ID_SESSION	NOT NULL	NUMBER (10, 0)
99	ID_MARKER	NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SUR_PK	ID_USER

Other Unique Keys

<u>Name</u>	<u>Column</u>
SUR_UK	USERNAME

Column Detail

10 ID_USER
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_USER_SEQ ;

20 NAME
 users' name

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SUR_SLE_FK

ID_LANGUAGE references SM_LANGUAGES.ID_LANGUAGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SUR_SON_FK

ID_ORGANIZATION references SM_ORGANIZATIONS.ID_ORGANIZATION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SUR_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SUR_ID_LANGUAGE_IDX	5	ID_LANGUAGE	NOT UNIQUE
SUR_ID_ORGANIZATION_IDX	5	ID_ORGANIZATION	NOT UNIQUE
SUR_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE

Column Detail

Optional ? :No ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
 30 ID_ORGANIZATION
 user's organization code (foreign key)
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 40 D_INSERT
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 50 ID_INSERTER
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 60 USERNAME
 Optional ? :Yes ; Varchar2 (30) ;() ; ; Domain :NAME_30 ; Uppercase ? :No ;
 70 PASSWORD
 Optional ? :Yes ; Varchar2 (50) ;() ; ; Domain :NAME_50 ; Uppercase ? :No ;
 75 GEO_UNLIMITED
 Optional ? :Yes ; Varchar2 (10) ;() ; ; Domain :TYPE ; Uppercase ? :No ;
 80 ACTIVITY

Table Definition

Container : PRASICI_SIR Version :

Column Detail

Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
90 ID_LANGUAGE
Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
92 VALID_TO
Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
94 ID_SESSION
Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;
99 ID_MARKER
Optional ? :Yes ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_US_HOLDINGS Alias : SUG
 Display Title : Sm Us Holdings
 Comment : table that holds tables about kmg-mids that user has access to
Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_US_HOLDING	NOT NULL	NUMBER (10, 0)
20	ID_USER	NOT NULL	NUMBER (10, 0)
30	KMG_MID	NOT NULL	NUMBER (10, 0)
40	TYPE	NOT NULL	VARCHAR2 (10)
50	D_INSERT	NOT NULL	DATE
60	ID_INSERTER	NOT NULL	NUMBER (10, 0)
70	ACTIVITY	NOT NULL	VARCHAR2 (1)
80	VALID_TO	NULL	DATE
82	ID_SESSION	NOT NULL	NUMBER (10, 0)

Primary Key

<u>Name</u>	<u>Column</u>
SUG_PK	ID_US_HOLDING

Other Unique Keys

<u>Name</u>	<u>Column</u>
SUG_UK	TYPE KMG_MID ID_USER

Column Detail

10 ID_US_HOLDING
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_USER_HOLDING_SEQ ;

20 ID_USER
 user's code (foreign key)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

30 KMG_MID

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SUG_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SUG_SUR_FK

ID_USER references SM_USERS.ID_USER
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SUG_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE
SUG_ID_USER_IDX	5	ID_USER	NOT UNIQUE

Column Detail

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 40 TYPE
 type of access to KMG-mid for user (read, write, read-write)
 Optional ? :No ; Varchar2 (10) ;() ; ; Domain :TYPE ; Uppercase ? :No ;
 50 D_INSERT
 Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 60 ID_INSERTER
 Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 70 ACTIVITY
 Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 Default Value :1 ;
 80 VALID_TO
 Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 82 ID_SESSION
 Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

Table Definition

Container : PRASICI_SIR Version :

Table Name : SM_US_PRIVS Alias : SUV
 Display Title : Sm Us Privs
 Comment : table that holds data about user's privileges on schema

Volumes

Start Rows : End Rows :

Storage

Index-organized ? No

Column Summary

<u>Col.Seq.</u>	<u>Column</u>	<u>Nulls ?</u>	<u>Type</u>
10	ID_US_PRIV	NOT NULL	NUMBER (10, 0)
12	ID_USER	NOT NULL	NUMBER (10, 0)
14	ID_PRIVILEGE	NOT NULL	NUMBER (10, 0)
64	ID_SCHEMA	NOT NULL	NUMBER (10, 0)
74	D_INSERT	NOT NULL	DATE
84	ID_INSERTER	NOT NULL	NUMBER (10, 0)
94	ACTIVITY	NOT NULL	VARCHAR2 (1)
104	VALID_TO	NULL	DATE
106	ID_SESSION	NOT NULL	NUMBER (10, 0)
116	DEFAULT_PRIV	NULL	VARCHAR2 (1)

Other Unique Keys

<u>Name</u>	<u>Column</u>
SUV_UK	ID_SCHEMA ID_PRIVILEGE ID_USER

Column Detail

10 ID_US_PRIV
 primary key (unique identifier)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 Sequence :ID_US_PRIV_SEQ ;

12 ID_USER
 user's code (foreign key)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

14 ID_PRIVILEGE
 privilege's code (foreign key)
 Optional ? :No ; Number (10, 0) ; () ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;

64 ID_SCHEMA
 schema's code (foreign key)

Table Definition

Container : PRASICI_SIR Version :

Foreign Keys

SUV_SPE_FK

ID_PRIVILEGE references SM_PRIVILEGES.ID_PRIVILEGE
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SUV_SSA_FK

ID_SCHEMA references SM_SCHEMAS.ID_SCHEMA
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SUV_SSN_FK

ID_SESSION references SM_SESSIONS.ID_SESSION
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

SUV_SUR_FK

ID_USER references SM_USERS.ID_USER
 Transferable ? Yes Update Rule : Restricted
 Mandatory ? Yes Delete Rule : Restricted

Index Summary

<u>Name</u>	<u>Seq.</u>	<u>Column</u>	<u>Index Type</u>
SUV_ID_PRIVILEGE_IDX	5	ID_PRIVILEGE	NOT UNIQUE
SUV_ID_SCHEMA_IDX	5	ID_SCHEMA	NOT UNIQUE
SUV_ID_SESSION_IDX	5	ID_SESSION	NOT UNIQUE
SUV_ID_USER_IDX	5	ID_USER	NOT UNIQUE

Column Detail

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 74 D_INSERT

Optional ? :No ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 84 ID_INSERTER

Optional ? :No ; Number (10, 0) ;() ; ; Domain :ID_NUM_DOM ; Uppercase ? :No ;
 94 ACTIVITY

Optional ? :No ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
 104 VALID_TO

Optional ? :Yes ; Date ;() ; ; Domain :D_DATE ; Uppercase ? :No ;
 106 ID_SESSION

Table Definition

Container : PRASICI_SIR Version :

Column Detail

Optional ? :No ; Number (10, 0) ;() ; ; Uppercase ? :No ;

116 DEFAULT_PRIV

Optional ? :Yes ; Varchar2 (1) ;() ; ; Domain :ACTIVITY ; Uppercase ? :No ;
Default Value :1 ;

Oracle Designer

TABLE DEFINITION

End of Report