



How is psychotherapy training perceived by psychiatric trainees? A cross-sectional observational study in Europe

Thomas Gargot Interne en 8ème sem.

www.efpt.eu

/wg/psychotherapy-wg/














# Des traitements rentables



Area	TX	NNT
Cardiology	Aspirin prophylaxis	176
Cardiology	Beta Blockers	40
Post menopausal osteoporosis	Risedronate	20
Influenza	Vaccine	12
Hematology thromboembolism	Warfarin	10
Smoking cessation	Nicotine Inhaler	10
Acute asthma	Budesonide	9
Sickle Cell Anemia	Transfusion	7
Acute myeloid leukemia	Bone marrow transplant	5
Mental health	Psychotherapy	3

NNT = number of patients needed to be treated to attain one additional success. Success = Better outcome than randomly chosen patient in control group

D'après Briffault, 2009




# Démographie

Recrutement entre 2013 à 2015

22 pays

574 réponses Moyenne de 25 par pays

69% femmes m = 32 ans 80% d'internes, 20% jeunes psychiatres






Studio

## La psychothérapie intéresse

92 % des internes considèrent que la psychothérapie est importante




**90** % voudrait pratiquer la psychothérapie après la formation

**96** % se formerait si la formation était gratuite



## Un intérêt diversifié





## Cours obligatoires

Les cours théoriques sont accessibles mais il y a peu de pratique et de supervision



#### > UEMS:

120 h formation théoriques en psychothérapie

soit 2h par mois

#### > UEMS:

100 h de pratique des psychotherapies supervisée pendant 5 ans



## En pratique, il est difficile de se former


- 52 % se formait en psychotherapie
- 41 % recevait une psychotherapie personnelle
- 33 % faisait une formation en psychothérapies de leur propre intiative

#### > UEMS:


Formation en psychothérapie obligatoire sur les heures de travail



### Une implémentation des recommandations mauvaise



#### La satisfaction est basse



# Ecoles d'été

# Psychotherapy guidebook

- Psychothérapie institutionnelle
- Thérapies centrée sur le patient
- RFBT
- Pleine cs

European Psychiatric Association

## Some examples of exercises used in nearly each program

- Breath awareness: Bring attention to each breath
- Body scan: Bring attention to body parts, from the toes and up towards the head
- Sitting meditation: Meditate in a seated posture
- Walking meditation: Walk with attention and careful pacing
- Loving kindness (Metta) meditation:
   Send love and kindness to oneself and others



EEG while meditating

- Passing thoughts and emotions: Notice and let go thoughts and feelings
- Three-minute breathing: Be aware (1 minute), focus attention (one minute), and grow attention (one minute)



#EPASummerSchool

http://efpt.eu/events

# Cours en ligne



**Gratuit** : ciblé aidant et médecin généralistes

Medicines Adherence: Supporting
Patients with their Treatment

How can healthcare professionals help patients to improve their health through medicines adherence?

http://efpt.eu/moocs



- **Concours** : Un cours gratuit sur dossier
- **Réduction** 100 \$ pour tout interne européen