

Name	:	Dummy	Collected	:	30/5/2022 11:03:00AM
Lab No.	:	F028001	Age: 25 Years	Gender: Female	Received : 30/5/2022 2:10:49PM
A/c Status	:	P	Ref By : SELF	Reported	: 31/5/2022 2:43:18PM
				Report Status	:

Test Name	Results	Units	Bio. Ref. Interval
ALCOHOL (ETHANOL) SCREEN, SERUM* (Alcohol Dehydrogenase UV)	4.00	mg/dL	

Interpretation

ETHANOL CONCENTRATION IN mg/dL	REMARKS
<10	Negative
10-50	Subclinical
30-120	Euphoria
90-250	Excitement
180-300	Confusion
250-400	Stupor
350-500	Coma

Note:

1. Ethanol is constantly formed endogenously from acetaldehyde which can be generated in situ from the metabolism of pyruvate, threonine, deoxyribose-5-phosphate, phosphor-ethanolamine, alanine and presumably from other substrates. The levels of blood and tissue endogenous ethanol may change as per function of various physiological conditions such starvation, aging, stress.
2. In addition to alcoholic beverages, ethyl alcohol (ethanol or alcohol) can also be found in high concentrations in a variety of products such as mouthwashes, colognes, candies and medicinal preparations.
3. The pharmacological response to blood alcohol levels may vary from individual to individual. The fatal concentration has been reported to be greater than 400.0 mg/dL.

Use

1. Detection of ethanol (alcohol) in blood to confirm prior consumption or administration of ethanol.
2. Quantification of ethanol concentration in blood correlates directly with degree of intoxication.
3. Diagnosis of Chronic alcoholism - such individuals will require higher levels than indicated above to achieve various states of intoxication.



LPL - PRODUCTION TEST COLLECTION
CENTRE
SECTOR - 18, BLOCK-E ROHINI
DELHI 110085

Name	:	Dummy	Collected	:	30/5/2022 11:03:00AM
Lab No.	:	F028001	Age: 25 Years	Gender: Female	Received : 30/5/2022 2:10:49PM
A/c Status	:	P	Ref By : SELF	Reported	: 31/5/2022 2:43:18PM
				Report Status	:

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

Dr.Kamal Modi
MD, Biochemistry
Consultant Biochemist
NRL - Dr Lal PathLabs Ltd

Dr Himangshu Mazumdar
MD, Biochemistry
Sr. Consultant Biochemist
NRL - Dr Lal PathLabs Ltd

Dr Nimmi Kansal
MD, Biochemistry
Technical Director - Clinical Chemistry
& Biochemical Genetics
NRL - Dr Lal PathLabs Ltd

Result/s to follow:
ALCOHOL (ETHANOL) SCREEN, SERUM

* Test conducted under NABL scope MC-2113,LPL-NATIONAL REFERENCE LAB at NEW DELHI

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory.
•Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Sample repeats are accepted on request of Referring Physician within 7 days post reporting. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes.
•Contact customer care Tel No. +91-11-39885050 for all queries related to test results.
(#) Sample drawn from outside source.

