

<<interface>> CustomerState
+getStatusName() : String
+updateState(points : int) : CustomerState
GoldState
+getStatusName() : String
+updateState(points : int) : CustomerState
SilverState
+getStatusName() : String
+updateState(points : int) : CustomerState
0..*
1
Book
-name : String
-price : double
+Book(name : String, price : double)
+getName() : String
+getPrice() : double
+toString() : String
Customer
-username : String
-password : String
-points : int
-state : CustomerState
+Customer(username : String, password : String, points : int)
+getUsername() : String
+getPassword() : String
+getPoints() : int
+getStatus() : String
+addPoints(amountSpent : double) : void
+redeemAndBuy(totalCost : double) : double
+toString() : String
1
0..*
DataStore
-instance : DataStore
-books : List<Book>
-customers : List<Customer>
-DataStore()
+getInstance() : DataStore
+getBooks() : List<Book>
+getCustomers() : List<Customer>
+addBook(b : Book) : void
+removeBook(b : Book) : void
+addCustomer(c : Customer) : void
+removeCustomer(c : Customer) : void
+authenticate(username : String, password : String) : Customer
+loadData() : void
+saveData() : void
MainFrame
-instance : MainFrame
-MainFrame()
+getInstance() : MainFrame
+showScreen(panel : JPanel) : void
BookstoreApp
+main(args : String[]) : void
LoginScreen
+LoginScreen()
OwnerStartScreen
+OwnerStartScreen()
OwnerBooksScreen
-tableModel : DefaultTableModel
-table : JTable
+OwnerBooksScreen()
OwnerCustomersScreen
-tableModel : DefaultTableModel
-table : JTable
+OwnerCustomersScreen()
CustomerStartScreen
-customer : Customer
-tableModel : DefaultTableModel
-table : JTable
-welcomeLabel : JLabel
+CustomerStartScreen(customer : Customer)
CustomerCostScreen
+CustomerCostScreen(customer : Customer, totalCost : double)
Made with
Visual Paradigm
For non-commercial use