

# Mongolian variant forms

Updated Thu 5 Apr 2018 • tags [mongolian](#) [scriptnotes](#)

This page shows the latest proposed shapes for positional and variant forms of Mongolian characters and what the major fonts currently produce.

There is some confusion about which shapes fonts should produce for Mongolian characters when combined with variation selectors, and sometimes also when not. Most letters have at least one isolated, initial, medial and final shape, but *other shapes are produced by contextual factors, such as vowel harmony*. Free variation selectors allow you to produce specific shapes regardless of rules in fonts or rendering software.

The other factor in this is what the actual fonts do. Sometimes they follow the Unicode standardised variants list, other times they diverge from it. Occasionally a majority of implementations appear to diverge in the same way, suggesting that the standardised list should be adapted to reality. The joining shapes produced by the fonts in this document are created by using ZWJ, without reference to other potential contextual factors.

This document was updated in September 2020 to show the actual font glyphs produced for the basic Mongolian character set. To see the results, you either have to view the document on a system where those fonts are installed, or you can view the PDF version (without notes). (Due to their font-handling policy, this document cannot be viewed on Safari or Apple devices.)

The highlighting was also changed to reflect differences from the Unicode 12 glyph list (rather than from the DS01 or WG2 list). Unicode 13 removed the mapping of glyphs to contextual and FVS forms, pending further research and work on the Mongolian character model.

Note that the shapes shown here are for use of characters or character sequences that are not part of actual words or text. The latter can introduce additional contextual rules that may override what you see here. Nevertheless, if showing a character alone, with ZWJ/nirugu, and/or with an FVS, there should be a standard result, and that is what this document aims to help with.

Sources: [Unicode Code Chart \(v12.0\)](#) • [DS01 \(16 Dec\)](#) • [L2/16-309 \(26 Oct\)](#)



## contents

[Index](#)

[Basic vowels](#)

[Basic consonants](#)

[Todo letters](#)

[Sibe letters](#)

[Manchu letters](#)

[Extensions for Sanskrit and Tibetan](#)

[Further reading](#)

## detailed information

---

### ▼ Background

Unicode proposed a [list of standardised variant shapes](#), dating from 27 November 2013, but that list is not complete and contains what are currently viewed by some as errors.

A [new proposal \(L2/14-031\)](#) was published on 20 January 2014, which attempted to resolve the current issues. The data in the **DS01** columns in this document is derived from **significant revisions** of that proposal, arrived at through discussion with the major Mongolian font vendors and Mongolian script experts. [The document called DS01](#) captures the results of that work and constitutes the newest set of proposals for Unicode.

The differences are being discussed by Mongolian experts on the public-i18n-mongolian list (see [the archive](#)). There is also a [document log](#) for these discussions.

This page also shows the [recommendations of a proposal](#) following a WG2 meeting of Mongolian and Chinese experts with Greg Eck in October 2016, that builds on and integrates DS01 with new information. Differences between that proposal and the previous DS01 proposal are highlighted.

### ▼ How to use the document

For each Mongolian script letter, this page shows graphics to indicate the shape of the character in a given context (described in the left column). The graphics are standardised, and do not represent the actual font glyph shape produced by a particular font.

Note that the large character in the box above the top left of each table is not a graphic, and the shape of the character shown depends on the font currently in use.

Character images are sometimes surrounded by a coloured border or background with the following meanings:

- **magenta** in the TUS12 column: a shape is shown, and it doesn't match the shape in either of the WG2 or DS01 columns.
- **magenta** in the WG2 column or the DS01 column: the proposal in L2/16-309 is different from the latest proposal in DS01.
- **orange** in the font columns: the shape produced for the font in question in that context doesn't match the Unicode standard.

**NOTE:** blank spaces in a font cell indicate that the font uses the default isolate, initial, medial or final shape, ie. that it does not match the shapes of the proposal columns to the left. (In some cases, however,

## Mongolian variant forms

those default shapes have been explicitly added in these cells, particularly where most of the row is full.)

- green in the font columns: although the glyph shape differs from the latest proposal, the glyph choice is thought to be a design decision because the letter is not actually used in a particular position, and the difference is probably not an issue.

### Columns 2-4

The **usage** column indicates script usage ( $x_1$ =Mongolian,  $x_2$ =Todo,  $x_3$ =Sibe,  $x_4$ =Manchu); positional glyphs which show no “x” at all are to be understood as undefined (such glyphs at this position are only the recommended form, not a required form).

If there is a **notes** column, it contains brief notes about how a given shape is used.

The **TUS12** column shows the information in the charts of [The Unicode Standard v12.0](#).

### The **DS01** and **WG2** columns

The **DS01** column shows the proposals in the [latest version of the DS01 document](#), (25 November, 2106) and includes consensus from discussions on public-i18n-mongolian@w3.org on what should be the result of a particular contextual or variant use of a character in the Mongolian script.

The column **WG2** represents the proposals in [L2/16-309, Proposed additions for Mongolian in 5th edition of UCS](#) (26 October, 2016).

### The font columns

The columns to the right of the DS01 column indicate the shapes produced by various fonts. See below for a key to the abbreviations used.

Where there are divergences but it is believed that agreement has been reached on a way forward per DS01 by the font vendors, the left-hand column is coloured green and a description of the resolution is given in the notes below the table. Where additional research is needed, the left-hand column is coloured blue.

### The text column

The font of the characters in the right-most column of the table can be set to a font on your system by opening the vertical blue bar at the bottom right of the page.

## Mongolian variant forms

### Changing fonts and other display features

Click on the vertical blue line at the bottom right of the browser window to reveal or hide a set of option controls. You can change various parameters here, such as the font and font size of mongolian text on the page.

When it is open, you can apply a specific font to the text in the right-hand column by selecting it from the top pull-down menu in this control panel.

If the font you want to test is not available in the list selector, click on **Add a font to these lists** (found below the two list selectors in the control panel just mentioned) and **enter the name of the font** you want to add in the dialog box that appears. The font name will be added to the selection controls. Open the top list selector again, and click on the name of the font to apply it to the text in the right column. (Fonts you add to a list selector only stay on the list for the duration of the session.)

In the text column I use `U+200D ZERO WIDTH JOINER` by default to establish the context for connecting characters. By clicking on the **Connectors** radio button in the font dialog box, you can **change the connector** to `U+180A MONGOLIAN NIRUGU`.

The CSS for the text column also attempts to apply **vertical text orientation** to the characters. In some Firefox the resulting display may clip some glyphs. By clicking on the **Direction** radio button in the font dialog box, you can change the direction to horizontal. This may resolve the display problem. The switch only works for Firefox and Chrome browsers.

#### ▼ Abbreviations and fonts tested

WG2: Working Group 2 proposal, based on [L2/16-309, Proposed additions for Mongolian in 5th edition of UCS](#) (26 October, 2016), which builds on DS01, and was produced during a meeting in Hohot.

DS01: Summary of discussions contained in the [DS01 document](#), which is an update to the Jan 2014 L2/14-031 proposal. The information was supplied by Greg Eck and the aforementioned Mongolian script experts, and builds on work by him, Aaron Bell, and Andrew Glass.

MB: Mongolian Baiti font. This column shows results for two versions of Mongolian Baiti. The base version is 5.53. Where a cell contains two images, separated by `>>`, the image to the right is for a pre-shipped version of Mongolian Baiti, which will be released in the future.

FZ: FangZhen's font, FZMWBTOT\_Uni, v1.00.

NSM: Noto Sans Mongolian font, v1.02.

MWC: the Mongolian Universal White font, v1.1.2015.418. This column also represents a collection of fonts from the same Almas source that all behave in the same way, including the following: Mongolian White, Mongolian Writing, Mongolian Title,

## Mongolian variant forms

**Mongolian Art.** The Mongolian White font provides only an isolate glyph for Todo, Sibe, Manchu or Ali Gali variants. The other fonts in the group do not cover these ranges at all. In the rare cases where the Mongolian White font produces a different glyph than the Mongolian Universal White, the table cell contains the former, then >>, then the latter.

**BS:** Bolorsoft's MongolianScript font, v1.1. This information was provided by Greg Eck and Badral Sanlig. This font does not provide more than an isolate glyph for Todo, Sibe, Manchu or Ali Gali variants, so most cells are left blank in these ranges. The table used to populate the BS column contained a few combinations that were not recorded for other fonts, although often the shape was the same as the form without FVS. Rather than create mostly empty new rows, those combinations are mentioned in notes after the table.

**MS:** Menksoft's Menk Qagan Tig font, v2.05.

**OQ:** IMUCS's (College of Computer Science, Inner Mongolia University Oyun Qagan Tig 2.05.

**fvs:** Free variant selector.


*is, in, m, f* isolate, initial, medial, final, respectively.

*n/s:* not specified. FVSx is not specified for this sequence. The implication is that the glyph that appears here will most likely be the default glyph at the given code-point at the given position.

[basic vowels](#)

---

↑



## U+1820 MONGOLIAN LETTER A

→ 0430 a cyrillic small letter a

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xxxx		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
is+fvs1	x---		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
is+fvs2	-x--			𠂇	n/s	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
initial	xxxx		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
in+fvs1	-x--			𠂇	n/s	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
medial	xxxx		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
m+fvs1	xx--		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
m+fvs2	x---	only NNBSP	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
m+fvs3	x---			𠂇	n/s	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇

Mongolian variant forms

m+VS1	x---				n/s									
m+VS2	x---				n/s									
final	xxxx													
f+fvs1	x---	only NNBSP/MVS												
f+fvs2	x---			n/s										
f+fvs3	x---			n/s										
f+VS1	x---			n/s										
f+VS2	x---			n/s										
f+VS3	x---			n/s										
f+VS4	x---			n/s										

↑



## U+1821 MONGOLIAN LETTER E


→ 044D ё cyrillic small letter e

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
initial	x---		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
in+fvs1	x---		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
medial	x---		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
m+fvs1	x---	only NNBSP		ж	ж	ж	ж	ж	ж	ж	ж	ж
m+fvs2	x---			ж	n/s	ж	ж	ж	ж	ж	ж	ж
m+fvs3	x---			ж	n/s	ж	ж	ж	ж	ж	ж	ж
m+VS1	x---			ж	n/s	ж	ж	ж	ж	ж	ж	ж
final	x---		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж

Mongolian variant forms

f+fvs1	x---	only MVS/NNBSP													
f+fvs2	x---				n/s										
f+fvs3	x---				n/s										
f+VS1	x---				n/s										
f+VS2	x---				n/s										
f+VS3	x---				n/s										
f+VS4	x---				n/s										

↑




## U+1822 MONGOLIAN LETTER I

→ 0438 и cyrillic small letter i

form	usage	notes	TUS12	WG2	DS01	Mongolian Balti	F2MWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---		𠁴	𠁴	𠁴	𠁴	𠁴	𠁴	𠁴	𠁴	𠁴	𠁴
initial	x---		𠁵	𠁵	𠁵	𠁵	𠁵	𠁵	𠁵	𠁵	𠁵	𠁵
medial	x---	also NNBSP	𠁶	𠁶	𠁶	𠁶	𠁶	𠁶	𠁶	𠁶	𠁶	𠁶
m+fvs1	x---		𠁷	𠁷	𠁷	𠁷	𠁷	𠁷	𠁷	𠁷	𠁷	𠁷
m+fvs2	x---	contextual		𠁸	𠁸	𠁸	𠁸	𠁸	𠁸	𠁸	𠁸	𠁸
m+fvs3	x---			n/s	𠁹		𠁹	𠁹	𠁹	𠁹	𠁹	𠁹
final	x---	also NNBSP	𠁺	𠁺	𠁺	𠁺	𠁺	𠁺	𠁺	𠁺	𠁺	𠁺
f+fvs1	x---	only NNBSP		𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻
f+fvs2	x---			𠁼	𠁼	𠁼	𠁼	𠁼	𠁼	𠁼	𠁼	𠁼

↑




U+1823 MONGOLIAN LETTER O

→ 043E o cyrillic small letter o

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x-xx		ө	ө	ө	ө	ө	ө	ө	ө	ө	ө
initial	x-xx		ө	ө	ө	ө	ө	ө	ө	ө	ө	ө
medial	x-xx		ө	ө	ө	ө	ө	ө	ө	ө	ө	ө
m+fvs1	x---		ө	ө	ө	ө	ө	ө	ө	ө	ө	ө
final	x-xx		ө	ө	ө	ө	ө	ө	ө	ө	ө	ө
f+fvs1	x-xx	contextual	ө	ө	ө	ө	ө	ө	ө	ө	ө	ө

↑



U+1824 MONGOLIAN LETTER U

→ 0443 y cyrillic small letter u

Unicode presentation form is


в

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
is+fvs1	----			ж	ж	ж	ж	ж	ж	ж	ж	ж
initial	x---		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
medial	x---	also NNBSP	ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
m+fvs1	x---		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
m+fvs2	x---			ж.	n/s	ж	ж	ж	ж	ж	ж	ж
final	x---	also NNBSP	ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
f+fvs1	x---	contextual		ж	ж	ж	ж	ж	ж	ж	ж	ж
f+fvs2	x---	also NNBSP		ж.	ж.	ж.	ж	ж	ж	ж	ж	ж

## Mongolian variant forms



↑



U+1825 MONGOLIAN LETTER OE


→ 04E9 e cyrillic small letter barred o

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---		ө	ө	ө	ө	ө	ө	ө	ө	ө	ө
is+fvs1	x---			勘	n/s			勘	ө	ө	勘	ө
initial	x---		ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ
i+fvs1	x---			ᠸ	n/s			ᠸ	ᠸ	ᠸ	ᠸ	ᠸ
medial	x---		ϙ	ϙ	ϙ	ϙ	ϙ	ϙ	ϙ	ϙ	ϙ	ϙ
m+fvs1	x---	contextual	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
m+fvs2	x---		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ϙ	ᠮ	ᠮ
final	x---		ϙ	ϙ	ϙ	ϙ	ϙ	ϙ	ϙ	ϙ	ϙ	ϙ

## Mongolian variant forms

f+fvs1	x---		<b>б</b>	<b>б</b>	<b>б</b>		<b>б</b>									
f+fvs2	x---				<b>б</b>	n/s		<b>б</b>								

↑



## U+1826 MONGOLIAN LETTER UE

→ 04AF γ cyrillic small letter straight u

Unicode presentation form is


ү

form	usage	notes	TUS12	W/G2	DS01	Mongolian Balti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---		Ү	Ү	Ү	ү	ү	ү	ү	ү	ү	ү
is+fvs1	x---		Ւ	Ւ	Ւ	Ւ	Ւ	Ւ	Ւ	Ւ	Ւ	Ւ
is+fvs2	---		Ւ	Ւ	Ւ	Ւ	Ւ	Ւ	Ւ	Ւ	Ւ	Ւ
initial	x---		Ү	Ү	Ү	ү	ү	ү	ү	ү	ү	ү
i+fvs1	x---				Վ	n/a	Վ	Վ	Վ	Վ	Վ	Վ
medial	x---	also NNBSP	Վ	Վ	Վ	վ	վ	վ	վ	վ	վ	վ
m+fvs1	x---	contextual	Վ	Վ	Վ	Վ	Վ	Վ	Վ	Վ	Վ	Վ
m+fvs2	x---		Վ	Վ	Վ	Վ	Վ	Վ	Վ	Վ	Վ	Վ

## Mongolian variant forms

m+fvs3	x---					n/s												
final	x---	also NNBSP																
f+fvs1	x---																	
f+fvs2	x---	also NNBSP																
f+fvs3	x---				n/s													

↑




U+1827 MONGOLIAN LETTER EE

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	x---	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ
medial	x---	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ
final	x---	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ

## basic consonants

↑



## U+1828 MONGOLIAN LETTER NA

→ 043D ᠥ cyrillic small letter en


form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xxxx		· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ
initial	xxxx	also NNBSP	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ
i+fvs1	x---		· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ
medial	xxxx		· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ
m+fvs1	xxxx	contextual	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ
m+fvs2	x---		· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ
m+fvs3	x---		· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ
m+VS1	-x--	only NNBSP		· ᠥ	n/s							
final	xxxx	contextual	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ	· ᠥ
f+fvs1	x---	also MVS		· ᠥ	n/s							

Mongolian variant forms

f+fvs2	x---				n/s		        
f+fvs3	x---				n/s		        
f+VS1	x---				n/s		        
f+VS2	x---				n/s		        

↑

U+1829 MONGOLIAN LETTER ANG




form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x--x	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie
initial	----	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie
medial	x--x	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie
m+fvs1	x--x		Angie	n/s	Angie	Angie	Angie	Angie	Angie	Angie	Angie
m+fvs2	x---		Angie	n/s	Angie	Angie	Angie	Angie	Angie	Angie	Angie
m+fvs3	x---		Angie	n/s	Angie	Angie	Angie	Angie	Angie	Angie	Angie
final	x--x	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie	Angie
f+fvs1	x---		Angie	n/s	Angie	Angie	Angie	Angie	Angie	Angie	Angie
f+fvs2	x---		Angie	n/s	Angie	Angie	Angie	Angie	Angie	Angie	Angie

## Mongolian variant forms

f+fvs3	x---			n/s		ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ
f+VS1	x---			n/s		ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ
f+VS2	x---			n/s		ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ	ᠡ

↑



## U+182A MONGOLIAN LETTER BA

→ 0431 б cyrillic small letter be

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	F2MWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x-xx		❶	❷	❸	❹	❺	❻	❻	❻	❻	❻
initial	x-xx		❶	❷	❸	❹	❺	❻	❻	❻	❻	❻
medial <sup>1</sup>	x-xx	also NNBSP	❶	❷	❸	❹	❺	❻	❻	❻	❻	❻
final	x-xx		❶	❷	❸	❹	❺	❻	❻	❻	❻	❻
f+fvs1	x---		❶	❷	❸	❹	❺	❻	❻	❻	❻	❻

↑




## U+182B MONGOLIAN LETTER PA

→ 043F n cyrillic small letter pe

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	xx--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	xx--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

↑



## U+182C MONGOLIAN LETTER QA

→ 0445 x cyrillic small letter ha

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---		?	?	?	?	?	?	?	?	?	?
is+fvs1	x---	feminine	:?:	?	?	?	?	?	?	?	?	?
is+fvs2	x---	feminine		:?:	:?:	?	?	?	?	?	?	?
initial	x---		?	?	?	?	?	?	?	?	?	?
i+fvs1	x---		..?.	..?.	..?.	?	?	?	?	?	?	?
i+fvs2	x---	feminine		?	?	?	?	?	?	?	?	?
i+fvs3	x---	feminine		..?.	..?.	?	?	?	?	?	?	?
medial	x---		?	?	?	?	?	?	?	?	?	?

Mongolian variant forms

m+fvs1	x---													
m+fvs2	x---													
m+fvs3	x---													
m+VS1	x---	feminine												
m+VS2	x---	feminine												
final	x---													
f+fvs1	x---				n/s	n/s								

↑



## U+182D MONGOLIAN LETTER GA


→ 0433 ⚡ cyrillic small letter ghe

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---		?	՞	՞	՞	՞	՞	՞	՞	՞	՞
is+fvs1	x---	feminine		՞	՞	՞	՞	՞	՞	՞	՞	՞
is+fvs2	x---	feminine		՞	՞	՞	՞	՞	՞	՞	՞	՞
initial	x---		՞	՞	՞	՞	՞	՞	՞	՞	՞	՞
i+fvs1	x---		՞	՞	՞	՞	՞	՞	՞	՞	՞	՞
i+fvs2	x---	feminine, contextual		՞	՞	՞	՞	՞	՞	՞	՞	՞
i+fvs3	x---	feminine, contextual		՞	՞	՞	՞	՞	՞	՞	՞	՞
medial	x---		՞	՞	՞	՞	՞	՞	՞	՞	՞	՞

## Mongolian variant forms

m+fvs1	x---	contextual	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
m+fvs2	x---	feminine, contextual	ᠮ	ᠴ	ᠴ		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
m+fvs3	x---	feminine, contextual	ᠴ	ᠴ	ᠴ	➤	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ
m+VS1	x---			n/s	ᠴ		ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ
final	x---	also MVS	ᠵ	ᠵ	ᠵ		ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
f+fvs1	x---		ᠵ	ᠵ	ᠵ		ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
f+fvs2	x---	feminine, contextual		ᠵ	ᠵ		ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
f+fvs3	x---	also MVS		ᠵ		n/s	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
f+VS1	x---	feminine		ᠵ		n/s	ᠵ	ᠴ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
f+VS2	x---	feminine		ᠵ		n/s	ᠵ	ᠴ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
f+VS3	x---	feminine		ᠵ		n/s	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
f+VS4	x---	feminine		ᠵ		n/s	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ

↑




## U+182E MONGOLIAN LETTER MA

→ 043C м cyrillic small letter em

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x-xx		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	x-xx		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	x-xx		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	x-xx	also MVS	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

↑



## U+182F MONGOLIAN LETTER LA

→043B л cyrillic small letter el

form	usage	notes	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xxxx		𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑
initial	xxxx	also NNBSP	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑
medial	xxxx		𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑
final	xxxx	also MVS	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑	𦠑

↑



## U+1830 MONGOLIAN LETTER SA

→ 0441 c cyrillic small letter es

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xxxx	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	xxxx	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	xxxx	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	xxxx	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
f+fvs1	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
f+fvs2	--x	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

↑




## U+1831 MONGOLIAN LETTER SHA

→ 0448 ѿ cyrillic small letter sha

	form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--		ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ
initial	xx--		ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ
medial	xx--		ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ
final	xx--		ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ

↑



## U+1832 MONGOLIAN LETTER TA

→ 0442 ᠰ cyrillic small letter te - 0442

	form	usage	notes	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---			ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	x---	also NNBSP		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
medial	x---			ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
m+fvs1	x---			ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
final	x---			ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ

↑

**U+1833 MONGOLIAN LETTER DA**

→ 0434 д cyrillic small letter de

form usage notes TUS12 WG2 DS01 Mongolian Baiti FZMWBTOT \_Unicode Noto Sans Mongolian Mongolian Universal Mongolian Script Menk Qagan Tig Oyun Qagan Tig

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---		痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
initial	x---	also NNBSP	痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
i+fvs1	x---		痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
medial	x---		痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
m+fvs1	x---	also NNBSP, contextual	痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
final	x---		痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
f+fvs1	x---		痘	痘	痘	痘	痘	痘	痘	痘	痘	痘

↑




## U+1834 MONGOLIAN LETTER CHA

→ 0447 ч cyrillic small letter che

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xxxx		Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч
initial	xxxx		Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч
medial	xxxx		Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч
m+fvs1	x---	interchange		Ч	n/s	Ч	Ч	Ч	Ч	Ч	Ч	Ч
m+fvs2	x---	interchange		Ч	n/s	Ч	Ч	Ч	Ч	Ч	Ч	Ч
m+fvs3	x---	interchange		Ч	n/s	Ч	Ч	Ч	Ч	Ч	Ч	Ч
final	x---		Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч

↑



## U+1835 MONGOLIAN LETTER JA

→ 0436 ж cyrillic small letter zhe

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x--x		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
initial	x--x		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
medial	x--x		ч	ч	ч	ч	ч	ч	ч	ч	ч	ч
m+fvs1	x---	interchange	ч	ч	ч	ч	ч	ч	ч	ч	ч	ч
m+fvs2	x---	interchange	ч	n/s		ч	ч	ч	ч	ч	ч	ч
m+fvs3	x---	interchange	ч	n/s		ч	ч	ч	ч	ч	ч	ч
m+VS1	x---	interchange, only MVS	ч	n/s		ч	ч	ч	ч	ч	ч	ч
m+VS2	x---	interchange, only MVS	ч	n/s		ч	ч	ч	ч	ч	ч	ч
final	x---		ж	ж	ж	ж	ж	ж	ж	ж	ж	ж
f+fvs1			n/s	n/s		ж	ж	ж	ж	ж	ж	ж

↑

**U+1836 MONGOLIAN LETTER YA**

→ 0493 й cyrillic small letter short i




form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x-xx		𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻
initial	x-xx	also NNBSP	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻
i+fvs1	x---	also NNBSP, contextual	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻
medial	x-xx		𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻
m+fvs1	x---		𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻
m+fvs2	x---	contextual	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻
m+fvs3	x---	interchange		𠁻	n/s	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻
m+VS1	x---	interchange		𠁻	n/s	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻
final	x---	also MVS	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻	𠁻

## Mongolian variant forms



↑




## U+1837 MONGOLIAN LETTER RA

→ 0440 p cyrillic small letter er

form	usage	notes	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xxx-		ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ
initial	xxx-		ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ
medial	xxx-		ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ
final	xxx- also MVS		ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ

↑



## U+1838 MONGOLIAN LETTER WA

→ 0432 б cyrillic small letter ve - 0432

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xxxx		ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ
initial	xxxx		ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ
medial	xxxx		ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ
m+fvs1	x---	contextual		ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ
final	xx--		ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ
f+fvs1	x---	contextual, also MVS	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ	ᠻ

↑




## U+1839 MONGOLIAN LETTER FA

→ 0444 ф cyrillic small letter ef

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ
initial	x---	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ
medial	x---	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ
final	x---	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ

↑




## U+183A MONGOLIAN LETTER KA

→ 0445 x cyrillic small letter ha

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xxxx	↪	↪	↪	↪	↪	↪	↪	↪	↪	↪
initial	xxxx	↪	↪	↪	↪	↪	↪	↪	↪	↪	↪
medial	xxxx	↪	↪	↪	↪	↪	↪	↪	↪	↪	↪
final	xx--	↪	↪	↪	↪	↪	↪	↪	↪	↪	↪

↑



## U+183B MONGOLIAN LETTER KHA

→ 043A κ cyrillic small letter ka

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	xx--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	xx--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	xx--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

↑



## U+183C MONGOLIAN LETTER TSA

→ 0446 ц cyrillic small letter tse

form	usage	TUS12	W/G2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

↑




## U+183D MONGOLIAN LETTER ZA

→ 0437 3 cyrillic small letter ze

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	x---	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

↑




## U+183E MONGOLIAN LETTER HAA

→ 0445 x cyrillic small letter ha

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	x---	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
medial	x---	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
final	x---	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ

↑



## U+183F MONGOLIAN LETTER ZRA

→ 0436 ᶫ cyrillic small letter zhe

form	usage	TUS12	WG2	DSo1	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---										
initial	x---										
medial	x---										
final	x---										


↑

U+1840 MONGOLIAN LETTER LHA



form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	xx--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
i+fvs1	x---		ᠳ	n/s	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
medial	xx--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
final	----	?	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ

## Mongolian variant forms



U+1841 MONGOLIAN LETTER ZHI

↑

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
initial	x---		ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
medial	----		ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
final	----		ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ

↑

U+1842 MONGOLIAN LETTER CHI


form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---		█	█	█	█	█	█	█	█	█
initial	x---			█	█	█	█	█	█	█	█
medial	----			█	█	█	█	█	█	█	█
final	----			█	█	█	█	█	█	█	█

todo letters

## Mongolian variant forms

↑

U+1843 MONGOLIAN LETTER TODO LONG VOWEL SIGN



form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		?	—	—	—	—	—	—	—	—	—
initial	----		?	—	—	—	—	—	—	—	—	—
medial	-x--	contextual	—	—	—	—	—	—	—	—	—	—
final	-x--	contextual	—	—	—	—	—	—	—	—	—	—
f+fvs1				n/s	—	—	—	—	—	—	—	—

↑

U+1844 MONGOLIAN LETTER TODO E



form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		[?]	т	т	т	т	т	т	т	т	т
initial	-x--	also NNBSP	т	т	т	т	т	т	т	т	т	т
i+fvs1	-x--			т	n/s							
medial	-x--		т	т	т	т	т	т	т	т	т	т
m+fvs1	-x--		т	т	т	т	т	т	т	т	т	т
final	-x--		[?]	т	т	т	т	т	т	т	т	т

## Mongolian variant forms

↑

U+1845 MONGOLIAN LETTER TODO I




form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
is+fvs1	-x--			ᠮ		n/s						
initial	-x--	also NNBSP	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
i+fvs1	-x--			ᠳ		n/s						
i+fvs2	-x--			ᠳ		n/s						
medial	-x--		ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ
m+fvs1	-x--	contextual	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ
final	-x--		ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ

↑

U+1846 MONGOLIAN LETTER TODO O

	form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
is+fvs1	-x--			ᠮ	n/s							
initial	-x--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
i+fvs1	-x--		ᠮ	n/s								
medial	-x--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
m+fvs1	-x--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	-x--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

↑



U+1847 MONGOLIAN LETTER TODO U

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		ᠺ	ᠺ	ᠺ	ᠺ	ᠺ	ᠺ	ᠺ	ᠺ	ᠺ	ᠺ
is+fvs1	-x--		ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ
is+fvs2	-x--			ᠳ		n/s						
is+fvs3	-x--			ᠳ		n/s						
initial	-x--		ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ
i+fvs1	-x--			ᠸ		n/s						
medial	-x--		ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
m+fvs1	-x--	contextual	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
m+fvs2	-x--		ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ

## Mongolian variant forms

final	-x--		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
f+fvs1	-x--	contextual	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

↑

U+1848 MONGOLIAN LETTER TODO OE

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--	痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
is+fvs1	-x--		痘	n/s							
initial	-x--	痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
i+fvs1	-x--		痘	n/s							
medial	-x--	痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
m+fvs1	-x--	痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
m+fvs2	-x--		痘	n/s							
final	-x--	痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
f+fvs1	-x--		痘	n/s						痘	


↑

U+1849 MONGOLIAN LETTER TODO UE

	form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--	<b>ᠺ</b>	<b>ᠺ</b>	<b>ᠺ</b>	<b>ᠺ</b>	<b>ᠺ</b>	<b>ᠺ</b>	<b>ᠺ</b>	<b>ᠺ</b>	<b>ᠺ</b>	<b>ᠺ</b>	<b>ᠺ</b>
is+fvs1	-x--	<b>ᠳ</b>	<b>ᠳ</b>	<b>ᠳ</b>	<b>ᠳ</b>	<b>ᠳ</b>	<b>ᠳ</b>	<b>ᠳ</b>	<b>ᠳ</b>	<b>ᠳ</b>	<b>ᠳ</b>	<b>ᠳ</b>
is+fvs2	-x--		<b>ᠴ</b>		n/s							
is+fvs3	-x--		<b>ᠶ</b>		n/s							
initial	-x--	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>
i+fvs1	-x--		<b>ᠸ</b>		n/s							
medial	-x--	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>
m+fvs1	-x--	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>	<b>ᠸ</b>
final	-x--	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>	<b>ᠶ</b>		<b>ᠶ</b>	<b>ᠶ</b>



↑



U+184A MONGOLIAN LETTER TODO ANG

Unicode presentation form is

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	----	?	₳	₳	₳	Ɽ	Ɽ	Ɽ	Ɽ	₳	Ɽ
initial	----	?	₳	₳	₳	Ɽ	₳	₳		₳	₳
medial	-x--	₳	₳	₳	₳	₳	₳	₳		₳	₳
final	-x--	Ɽ	Ɽ	Ɽ	Ɽ	Ɽ	Ɽ	Ɽ		Ɽ	Ɽ

↑



U+184B MONGOLIAN LETTER TODO BA

Unicode presentation form is

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	----		❶	❶	❶	❷	❸	❹	❺	❻	❷	❹
initial	-x--	also NNBSP	❶	❶	❶	❷	❸	❹	❺	❻	❷	❹
medial	-x--		❶	❶	❶	❷	❸	❹	❺	❻	❷	❹
final	-x--		❹	❹	❹	❷	❸	❹	❺	❻	❷	❹

## Mongolian variant forms

U+184C MONGOLIAN LETTER TODO PA

↑



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
initial	-x--	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
medial	-x--	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
final	-x--	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ

↑

U+184D MONGOLIAN LETTER TODO QA												
form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		痘	痘	痘	痘 >>	痘	痘	痘	痘	痘	痘
is+fvs1	-x--	feminine		痘	痘	痘	痘	痘	痘	痘	痘	痘
initial	-x--		痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
i+fvs1	-x--	feminine	痘	痘	痘	痘 >>	痘	痘	痘	痘	痘	痘
medial	-x--		痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
m+fvs1	-x--	feminine	痘	痘	痘	痘 >>	痘	痘	痘	痘	痘	痘
final	-x--	feminine	痘	痘	痘	痘	痘	痘	痘	痘	痘	痘

↑

U+184E MONGOLIAN LETTER TODO GA




form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		?	_TODO GA	_TODO GA	_TODO GA	_TODO GA >>	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA
is+fvs1	-x--	feminine		?	?	?	?	?	?	?	?	?
initial	-x--		TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA
i+fvs1	-x--	also NNBSP		?	?	?	TODO GA >>		?	?		
medial	-x--		TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA
m+fvs1	-x--		TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA
m+fvs2	-x--	feminine, contextual		?	?	?	TODO GA >>	TODO GA	TODO GA	TODO GA	TODO GA	TODO GA

## Mongolian variant forms

final	-x--		ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
f+fvs1	-x--			”	n/s							”	
f+fvs2	-x--			”	n/s								

## Mongolian variant forms

↑



U+184F MONGOLIAN LETTER TODO MA

Unicode presentation form is

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--											
initial	-x--	also NNBSP										
medial	-x--											
final	-x--											


## Mongolian variant forms

↑

U+1850 MONGOLIAN LETTER TODO TA

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
initial	-x--	also NNBSP	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
medial	-x--		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
final	-x--		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ


↑



U+1851 MONGOLIAN LETTER TODO DA

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	-x--	also NNBSP	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
medial	-x--		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
final	-x--		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ

↑



U+1852 MONGOLIAN LETTER TODO CHA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	-x--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
medial	-x--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
final	-x--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ

## Mongolian variant forms



U+1853 MONGOLIAN LETTER TODO JA

↑

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
initial	xx--	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
medial	xx--	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
final	-x--	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇

## Mongolian variant forms

U+1854 MONGOLIAN LETTER TODO TSA

↑



form	usage	TUS12	WG2	DS01	Mongolian Baiti	F2MWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
initial	-x--	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
medial	-x--	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
final	-x--	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇

## Mongolian variant forms

↑

U+1855 MONGOLIAN LETTER TODO YA




form	usage	notes	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--		1	1	1	1	1	1	1	1	1	1
is+fvs1	-x--			2	n/s							
initial	-x--	also NNBSP	1	1	1	1	1	1	1	1	1	1
i+fvs1	-x--			2	n/s							
medial	-x--		1	1	1	1	1	1	1	1	1	1
m+fvs1	-x--			2	n/s							
final	-x--		?	2	1	1	1	1	2		2	1

↑

U+1856 MONGOLIAN LETTER TODO WA

	form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--			ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ
initial	-x--			ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ
medial	-x--			ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ
m+fvs1 <sup>1</sup>	-x--	contextual			¶	n/s						¶	
final	-x--			ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ	ণ
f+fvs1 <sup>1</sup>	-x--	contextual			¶	n/s						¶	


↑



U+1857 MONGOLIAN LETTER TODO KA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--	ც	ც	ც	ც	ც	ც	ც	ც	ც	ც
initial	-x--	ც	ც	ც	ც	ც	ც	ც	ც	ც	ც
medial	-x--	ც	ც	ც	ც	ც	ც	ც		ც	ც
final	-x--	ଡ	ଡ	ଡ	ଡ	ଡ	ଡ	ଡ		ଡ	ଡ


↑



U+1858 MONGOLIAN LETTER TODO GAA

form	usage	TUS12	WG2	DSo1	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	↷	↷	↷	↷	↷	↷	↷	↷	↷	↷
initial	xx--		↷	↷	↷	↷	↷	↷		↷	↷
medial	xx--		↷	↷	↷	↷	↷	↷		↷	↷
final	----		↷	↷	↷	↷	↷	↷		↷	↷

↑



U+1859 MONGOLIAN LETTER TODO HAA

Unicode presentation form is

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	----	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	-x--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
medial	-x--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
final	-x--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ

## Mongolian variant forms


↑



U+185A MONGOLIAN LETTER TODO JIA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	OG
isolate	-x--	痘	痘	痘	痘	痘	痘	痘	痘	痘	痘
initial	-x--		痘	痘	痘	痘	痘	痘		痘	痘
medial	-x--		痘	痘	痘	痘	痘	痘		痘	痘
final	----		痘	痘	痘	痘	痘	痘		痘	痘

↑



U+185B MONGOLIAN LETTER TODO NIA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	xx--		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
medial	xx--		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
final	----		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ


↑

U+185C MONGOLIAN LETTER TODO DZA												
	form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
initial	xx--		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
i+fvs1	-x--			𠂇	n/s							
medial	xx--		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
m+fvs1	-x--			𠂇	n/s							
final	-x--		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
f+fvs1	-x--			𠂇	n/s							

sibe letters

---

↑




U+185D MONGOLIAN LETTER SIBE E

Unicode presentation form is

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx											
initial	--xx											
medial	--xx											
m+fvs1	--xx	contextual										
final	--xx											
f+fvs1	--xx	contextual										

↑



## U+185E MONGOLIAN LETTER SIBE I

Unicode presentation form is

ᠤ

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--x-		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
initial	--x-		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
medial	--x-		ᠤ	ᠤ	ᠤ >>	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
m+fvs1	--x-	contextual	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
m+fvs2	--x-	contextual	ᠤ	ᠤ	ᠤ >>	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
final	--x-	also NNBSP	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
f+fvs1	--x-	contextual	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
f+fvs2	--x-		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ

## Mongolian variant forms

↑



U+185F MONGOLIAN LETTER SIBE IY


form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx										
initial	--xx										
medial	--xx										
final	--xx										

↑

U+1860 MONGOLIAN LETTER SIBE UE

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	--xx		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
medial	--xx		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
m+fvs1	--xx	contextual	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
final	--xx		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
f+fvs1	--xx	contextual	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
f+fvs2	--xx			ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
f+fvs3	--xx	contextual			ᠳ	n/s				ᠳ	ᠳ	ᠳ

↑




U+1861 MONGOLIAN LETTER SIBE U

Unicode presentation form is **᠟**

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	᠟	᠟	᠟	᠟	᠟	᠟	᠟	᠟	᠟	᠟
initial	---x	ᠠ	ᠠ	ᠠ	ᠠ	ᠠ	ᠠ	ᠠ	ᠠ	ᠠ	ᠠ
medial	--xx	ᠣ	ᠣ	ᠣ	ᠣ	ᠣ	ᠣ	ᠣ	ᠣ	ᠣ	ᠣ
final	--xx	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ

↑



U+1862 MONGOLIAN LETTER SIBE ANG

Unicode presentation form is

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	----	?	?	?	?	?	?	?	?	?	?
initial	----	?	?	?	?	?	?	?	?	?	?
medial	--x-	?	?	?	?	?	?	?	?	?	?
final	--x-	?	?	?	?	?	?	?	?	?	?

↑



U+1863 MONGOLIAN LETTER SIBE KA

Unicode presentation form is


form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--x-											
is+fvs1	--x-	feminine										
initial	--x-											
i+fvs1	--x-	feminine										
medial	--x-											
m+fvs1	--x-											
m+fvs2	--x-	feminine, contextual										

Mongolian variant forms



## Mongolian variant forms

↑



U+1864 MONGOLIAN LETTER SIBE GA

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx		ᠮ	ᠮ	ᠮ	ᠮ >> ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
is+fvs1	--xx	feminine		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	--xx		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
i+fvs1	---x			ᠮ		n/s				ᠮ		
i+fvs2	--xx	feminine		ᠮ	ᠮ	ᠮ >> ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	--xx		ᠮ.	ᠮ.	ᠮ.	ᠮ.	ᠮ.	ᠮ.	ᠮ.	ᠮ.	ᠮ.	ᠮ.
m+fvs1	--xx	feminine		ᠮ.	ᠮ.	ᠮ. >> ᠮ.	ᠮ.	ᠮ.	ᠮ.	ᠮ.	ᠮ.	ᠮ.

Mongolian variant forms



## Mongolian variant forms

↑

U+1865 MONGOLIAN LETTER SIBE HA



form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--XX		ᠮ	ᠮ	ᠮ	ᠮ > ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
is+fvs1	--XX	feminine		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	--xx		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
i+fvs1	--XX	feminine		ᠮ	ᠮ	ᠮ > ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	--xx		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
m+fvs1	--XX	feminine		ᠮ	ᠮ	ᠮ > ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	----		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

↑

U+1866 MONGOLIAN LETTER SIBE PA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ
initial	--xx	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ
i+fvs1	--x		Ԁ	n/s							
medial	--xx	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ
m+fvs1	--x		Ԁ	n/s							
final	----	?	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ	Ԁ

## Mongolian variant forms

U+1867 MONGOLIAN LETTER SIBE SHA

↑




form	usage	TUS12	WG2	DSo1	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Ogan Tig
isolate	--xx	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ
initial	--xx	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ		ᠥ	ᠥ
medial	--xx	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ		ᠥ	ᠥ
final	---x	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ

## Mongolian variant forms

↑

U+1868 MONGOLIAN LETTER SIBE TA



form	usage	notes	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx			ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
is+fvs1				n/s	n/s				ᠮ			
initial	--xx			ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
i+fvs1	--xx	contextual		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	--xx			ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
m+fvs1	--xx	contextual		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
m+fvs2	--xx			ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	--xx			ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

## Mongolian variant forms

↑

U+1869 MONGOLIAN LETTER SIBE DA

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	F2MWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx		ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ
initial	--xx		ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ		ᠱ	ᠱ
i+fvs1	--xx	contextual, also NNBSP	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ	ᠱ		ᠱ	ᠱ
medial	--xx		ᠱ.	ᠱ.	ᠱ.	ᠱ.	ᠱ.	ᠱ.	ᠱ.		ᠱ.	ᠱ.
m+fvs1	--xx	contextual	ᠱ.	ᠱ.	ᠱ.	ᠱ.	ᠱ.	ᠱ.	ᠱ.		ᠱ.	ᠱ.
final	----		[?]	ᠱ.	ᠱ.	ᠱ.	ᠱ	ᠱ.	ᠱ.		ᠱ.	ᠱ.

## Mongolian variant forms


↑

U+186A MONGOLIAN LETTER SIBE JA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--x-	1	۱	۱	۱ > ۱	۱	۱	۱	۱	۱	۱
initial	--x-	۱	۱	۱	۱	۱	۱	۱	۱	۱	۱
medial	--x-	۱	۱	۱	۱	۱	۱	۱	۱	۱	۱
final	----	[?]	۱	۱	۱	۱	۱	۱	۱	۱	۱


↑



U+186B MONGOLIAN LETTER SIBE FA

	form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--x-		τ	τ	τ	τ	τ	τ	τ	τ	τ	τ
initial	--x-		τ	τ	τ	τ	τ	τ	τ		τ	τ
medial	--x-		†	†	†	†	†	†	†		†	†
final	----		[?]	†	†	†	τ	τ	†		†	†


↑



U+186C MONGOLIAN LETTER SIBE GAA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx	菽	菽	菽	菽	菽	菽	菽	菽	菽	菽
initial	--xx		菽	菽	菽	菽	菽	菽		菽	菽
medial	--xx		菽	菽	菽	菽	菽	菽		菽	菽
final	----		菽	菽	菽	菽	菽	菽	菽		菽

↑




U+186D MONGOLIAN LETTER SIBE HAA

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx	菽	菽	菽	菽	菽	菽	菽	菽	菽	菽
initial	--xx		菽	菽	菽	菽	菽	菽		菽	菽
medial	--xx		菽	菽	菽	菽	菽	菽		菽	菽
final	----		菽	菽	菽	菽	菽	菽	菽		菽

## Mongolian variant forms

↑



U+186E MONGOLIAN LETTER SIBE TSA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ
initial	--xx	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ	ᠲ		ᠲ	ᠲ
medial	--xx	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
final	----	?	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ

## Mongolian variant forms


↑

U+186F MONGOLIAN LETTER SIBE ZA



form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	--xx		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
i+fvs1	--xx	contextual	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
medial	--xx		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
m+fvs1	--xx	contextual	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
final	----		?	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ

## Mongolian variant forms



U+1870 MONGOLIAN LETTER SIBE RAA

↑

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx	---	---	---	---	---	---	---	---	---	---
initial	--xx		---	---	---	---	---	---	---	---	---
medial	----		---	---	---	---	---	---		---	---
final	----		---	---	---	---	---	---		---	---


↑



U+1871 MONGOLIAN LETTER SIBE CHA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--xx	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч
initial	--xx	Ч	Ч	Ч	Ч	Ч	Ч	Ч		Ч	Ч
medial	--xx	Ч	Ч	Ч	Ч	Ч	Ч	Ч		Ч	Ч
final	----	?	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч	Ч

↑




U+1872 MONGOLIAN LETTER SIBE ZHA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	--x-	ᠤ	ᠤ	ᠤ	ᠤ > ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
initial	--x-	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
medial	--x-	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
final	--x-	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ

## manchu letters

---

↑



U+1873 MONGOLIAN LETTER MANCHU I

Unicode presentation form is

ᠮ

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	---x		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
medial	---x		᠎	᠎	᠎	᠎	᠎	᠎	᠎	᠎	᠎	᠎
m+fvs1	---x	contextual	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
m+fvs2	---x	contextual	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
m+fvs3	---x	contextual	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
final	---x	also NNBSP	᠎	᠎	᠎	᠎	᠎	᠎	᠎	᠎	᠎	᠎
f+fvs1	---x	contextual	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
f+fvs2 <sup>1</sup>	---x	contextual	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ

Mongolian variant forms



↑



U+1874 MONGOLIAN LETTER MANCHU KA

Unicode presentation form is :

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	----											
is+fvs1	---x	feminine										
is+fvs2	---x	feminine										
initial	---x											
i+fvs1	---x	feminine, contextual										
i+fvs2	---x	feminine										
medial	---x											


Mongolian variant forms

m+fvs1	---x	contextual	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	
m+fvs2	---x	feminine, contextual	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	
m+fvs3	---x	feminine	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	
final	---x		ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	
f+fvs1	---x	feminine, contextual	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	
f+fvs2	---x	feminine	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ	

↑

U+1875 MONGOLIAN LETTER MANCHU RA												
Unicode presentation form is 												
form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig	
isolate	----											
initial	--x											
medial	--x											
final	--x											

↑




## U+1876 MONGOLIAN LETTER MANCHU FA

Unicode presentation form is

ᡨ

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	----		ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ
initial	--x		ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ
i+fvs1	--x	contextual	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ
medial	--x		ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ
m+fvs1	--x	contextual	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ	ᡦ
final	----		?	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ	ᡨ

↑



U+1877 MONGOLIAN LETTER MANCHU ZHA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
medial	---x	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ		ᠴ	ᠴ
final	----		?	ᠴ	ᠴ	ᠳ	ᠴ	ᠳ		ᠴ	ᠴ

extensions for sanskrit and tibetan

## Mongolian variant forms



U+1880 MONGOLIAN LETTER ALI GALI ANUSVARA ONE

↑

→ oF83 \* tibetan sign sna ldan

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
first	xx-x	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ
second	xx-x	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ	ଓ		ଓ	ଓ

↑




## U+1881 MONGOLIAN LETTER ALI GALI VISARGA ONE

→ oF7F\* tibetan sign rnam bcad

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
first	xx-x	8	8	8	8	8	8	8	8	8	8
second	xx-x	8	8	8	8	8	8	8	8	8	8

## Mongolian variant forms



U+1882 MONGOLIAN LETTER ALI GALI DAMARU

↑

→ oF88<sup>z</sup> tibetan sign lce tsa can

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx-x										

## Mongolian variant forms

U+1883 MONGOLIAN LETTER ALI GALI UBADAMA [↑](#)



form usage TUS12 WG2 DS01 Mongolian Balti FZMWBTOT\_Unicode Noto Sans Mongolian Mongolian Universal White Mongolian Script Menk Qagan Tig Oyun Qagan Tig

isolate	xx-x												
---------	------	--	--	--	--	--	--	--	--	--	--	--	--

↑



U+1884 MONGOLIAN LETTER ALI GALI INVERTED UBADAMA

→ oF89<sup>”</sup> tibetan sign mchu can

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx-x	𠁢	𠁢	𠁢	𠁢	𠁢	𠁢	𠁢	𠁢	𠁢	𠁢

↑

U+1885 MONGOLIAN LETTER ALI GALI BALUDA  
→ 0F85 § tibetan mark paluta





form usage TUS12 WG2 DS01 Mongolian Baiti FZMWBTOT\_Unicode Noto Sans Mongolian Mongolian Universal White Mongolian Script Menk Qagan Tig Oyun Qagan Tig

isolate	xx-x	𢃠	𢃠	𢃠	𢃠	𢃠	𢃠	𢃠	𢃠	𢃠	𢃠	𢃠
---------	------	---	---	---	---	---	---	---	---	---	---	---


## Mongolian variant forms

U+1886 MONGOLIAN LETTER ALI GALI THREE BALUDA ↑



form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig	
isolate	xx-x											

↑



U+1887 MONGOLIAN LETTER ALI GALI A

form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx-x		ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
is+fvs1	-x--		ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ		ᠵ	ᠵ
initial	----		?	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
medial	----		?	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
final	x--x		ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
f+fvs1	xx--	contextual	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ
f+fvs2	xx--	contextual	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ	ӝ

Mongolian variant forms

f+fvs3	x--x		ᠵ	ᠵ	ᠵ		ᠵ	ᠵ	ᠵ	ᠵ		ᠵ	ᠵ		ᠵ	ᠵ
f+VS1	xx--			ᠵ	ᠵ		ᠵ	ᠵ	ᠵ	ᠵ		ᠵ	ᠵ		ᠵ	ᠵ
f+VS2	x---			ᠵ		n/s										

↑

U+1888 MONGOLIAN LETTER ALI GALI I



form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x--x	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
initial	xx-x	[?]	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
medial	xx-x	[?]	1	1	1	1	1	1	1	1	1
m+fvs1			n/s	[1]	1	1	1	1	1	1	1
final	x--x	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ
f+fvs1	--x	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ	ᠥ

## Mongolian variant forms

U+1889 MONGOLIAN LETTER ALI GALI KA


↑



form	usage	TUS12	WG2	D501	Mongolian Balti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	?	?	?	?	?	?	?	?	?	?
initial	xx--	?	?	?	?	?	?	?	?	?	?
medial	xx--	?	?	?	?	?	?	?	?	?	?
final	----	?	?	?	?	?	?	?	?	?	?

↑

U+188A MONGOLIAN LETTER ALI GALI NGA



form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
initial	xx--		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
i+fvs1	xx--	contextual	ᡳ	ᡳ	ᡳ	ᡳ	ᡳ	ᡳ	ᡳ	ᡳ	ᡳ	ᡳ
medial	xx--		ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ
m+fvs1	xx--	contextual	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ
final	----		?	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ	ᡃ

↑

U+188B MONGOLIAN LETTER ALI GALI CA



	form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--		А А А	А А А	А А А	А А А	А А А	А А А	А А А	А А А	А А А	А А А
initial	xx--		А А А	А А А	А А А	А А А	А А А	А А А	А А А	А А А	А А А	А А А
i+fvs1	-x--			А	n/s							
medial	xx--		А А А	А А А	А А А	А А А	А А А	А А А	А А А	А А А	А А А	А А А
m+fvs1	-x--		А	А	n/s							
final	----		?	А А	А А	А А	А А	А А	А А	А А	А А	А А

## Mongolian variant forms

↑

U+188C MONGOLIAN LETTER ALI GALI TTA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
initial	xx--	𠂇	𠂇		𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
medial	xx--	𠂇	𠂇		𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
final	----		𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇

## Mongolian variant forms

U+188D MONGOLIAN LETTER ALI GALI TTHA

↑

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	ბ	ბ	ბ	ბ	ბ	ბ	ბ	ბ	ბ	ბ
initial	xx--	ბ	ბ		ბ	ბ	ბ	ბ		ბ	ბ
medial	xx--	ბ	ბ		ბ	ბ	ბ	ბ		ბ	ბ
final	----	ბ	ბ		ბ	ბ	ბ	ბ		ბ	ბ

↑

U+188E MONGOLIAN LETTER ALI GALI DDA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
------	-------	-------	-----	------	-----------------	------------------	---------------------	---------------------------	------------------	----------------	----------------

isolate	xx--											
---------	------	---	---	---	---	--	---	---	---	---	---	---

initial	xx--										
---------	------	--	---	---	---	---	---	---	---	---	---


i+fvs1	-x--			n/s								
--------	------	--	---	-----	--	--	--	--	--	--	--	--

medial	xx--										
--------	------	--	---	---	---	---	---	---	---	---	---

m+fvs1	-x--			n/s							
--------	------	--	--	-----	--	--	--	--	--	--	--

final	----										
-------	------	--	--	---	---	--	---	---	---	---	---

↑



U+188F MONGOLIAN LETTER ALI GALI NNA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx-x	Г	Г	Г	Г	Г	Г	Г	Г	Г	Г
initial	xx-x	Г	Г		Г	Г	Г	Г		Г	Г
medial	xx-x	Г	Г		Г	Г	Г	Г		Г	Г
final	----		Г	Г	Г	Г	Г	Г		Г	Г

## Mongolian variant forms


U+1890 MONGOLIAN LETTER ALI GALI TA

↑



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	А	А	А	А	А	А	А	А	А	А
initial	xx--		А	А	А	А	А	А		А	А
medial	xx--		А	А	А	А	А	А		А	А
final	-x--		А	А	А	А	А	А		А	А

↑



U+1891 MONGOLIAN LETTER ALI GALI DA

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	xx--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
medial	xx--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
final	----		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ

↑

U+1892 MONGOLIAN LETTER ALI GALI PA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x-xx	Г	Г	Г	Г	Г	Г	Г	Г	Г	Г
initial	xx-x		Г	Г	Г	Г	Г	Г	Г	Г	Г
i+fvs1	-x--		ᠮ		n/s						
i+fvs2	-x--		ᠮ		n/s						
medial	x-xx		Г	Г	Г	Г	Г	Г	Г	Г	Г
m+fvs1	-x--		ᠮ		n/s						
m+fvs2	-x--		ᠮ		n/s						
final	----		Г	Г	Г	Г	Г	Г	Г	Г	Г

## Mongolian variant forms

↑



U+1893 MONGOLIAN LETTER ALI GALI PHA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ
initial	x---		Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ		Ⓜ	Ⓜ
medial	x---		Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ		Ⓜ	Ⓜ
final	----		Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ		Ⓜ

## Mongolian variant forms



U+1894 MONGOLIAN LETTER ALI GALI SSA

↑

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	xx--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
medial	xx--	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
final	----	[?]	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ

## Mongolian variant forms

↑



U+1895 MONGOLIAN LETTER ALI GALI ZHA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	x---	◐	◐	◐	◐	◐	◐	◐	◐	◐	◐
initial	x---		◐	◐	◐	◐	◐	◐		◐	◐
medial	x---		◐	◐	◐	◐	◐	◐		◐	◐
final	----			◐	◐	◐	◐	◐		◐	◐

↑




U+1896 MONGOLIAN LETTER ALI GALI ZA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
initial	xx--	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
medial	xx--	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
final	----	?	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ

## Mongolian variant forms


↑



U+1897 MONGOLIAN LETTER ALI GALI AH

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ	Ⓐ
initial	xx--	Ⓑ	Ⓑ	Ⓑ	Ⓑ	Ⓑ	Ⓑ	Ⓑ	Ⓑ	Ⓑ	Ⓑ
medial	xx--	Ⓒ	Ⓒ	Ⓒ	Ⓒ	Ⓒ	Ⓒ	Ⓒ	Ⓒ	Ⓒ	Ⓒ
final	----	Ⓓ	Ⓓ	Ⓓ	Ⓓ	Ⓓ	Ⓓ	Ⓓ	Ⓓ	Ⓓ	Ⓓ

↑



U+1898 MONGOLIAN LETTER TODO ALI GALI TA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	-x--		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
medial	-x--		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
final	----		ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ

## Mongolian variant forms



U+1899 MONGOLIAN LETTER TODO ALI GALI ZHA

↑

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ
initial	-x--		Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ		Ⓜ	Ⓜ
medial	-x--		Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ		Ⓜ	Ⓜ
final	----		Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ	Ⓜ		Ⓜ

## Mongolian variant forms


↑

U+189A MONGOLIAN LETTER MANCHU ALI GALI GHA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
i+fvs1	---x		ᠳ		n/s						
medial	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
final	----	?	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ

↑



U+189B MONGOLIAN LETTER MANCHU ALI GALI NGA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	ൻ	ນ	ນ	ນ	ນ	ນ	ນ	ນ	ນ	ນ
initial	---x	ນ	ນ	ນ	ນ	ນ	ນ	ນ		ນ	ນ
medial	---x	ນ	ນ	ນ	ນ	ນ	ນ	ນ		ນ	ນ
final	---x	?	՞	՞	՞	՞	՞	՞		՞	՞

## Mongolian variant forms

↑

U+189C MONGOLIAN LETTER MANCHU ALI GALI CA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ
initial	---x	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
medial	---x	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ
final	----	?	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ	ᠮ		ᠮ	ᠮ

↑


U+189D MONGOLIAN LETTER MANCHU ALI GALI JHA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ
initial	---x	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ		ᠶ	ᠶ
medial	---x	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ		ᠶ	ᠶ
final	----	?	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ		ᠶ	ᠶ

## Mongolian variant forms


↑



U+189E MONGOLIAN LETTER MANCHU ALI GALI TTA

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
initial	---x	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
medial	---x	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ
final	---x	?	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ		ᠤ	ᠤ

↑



U+189F MONGOLIAN LETTER MANCHU ALI GALI DDHA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
initial	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
medial	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ
final	----	?		ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ	ᠳ

## Mongolian variant forms

↑

U+18A0 MONGOLIAN LETTER MANCHU ALI GALI TA



form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x			𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.
initial	---x			𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.
i+fvs1	---x	contextual		𠂇.	𠂇.	𠂇. »	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.
medial	---x			𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.
m+fvs1	---x	contextual		𠂇.	𠂇.	𠂇. »	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.
final	----				𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.	𠂇.

↑

U+18A1 MONGOLIAN LETTER MANCHU ALI GALI DHA



form	usage	notes	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
initial	---x		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
i+fvs1	---x	contextual		ᠤ	ᠤ	ᠤ > ᠥ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
medial	---x		ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
m+fvs1	---x	contextual		ᠤ	ᠤ	ᠤ > ᠥ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ
final	----		?	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ	ᠤ

## Mongolian variant forms

↑



U+18A2 MONGOLIAN LETTER MANCHU ALI GALI SSA

form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ
initial	---x	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ
medial	---x	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ
final	----	?	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ

## Mongolian variant forms

↑



U+18A3 MONGOLIAN LETTER MANCHU ALI GALI CYA

	form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---	x										
initial	---	x										
medial	---	x										
final	----											

## Mongolian variant forms

↑

U+18A4 MONGOLIAN LETTER MANCHU ALI GALI ZHA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
initial	---x	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
i+fvs1	---x			𠂇	n/s						
medial	---x	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
m+fvs1	---x		𠂇	n/s							
final	----	?	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇

## Mongolian variant forms


↑

U+18A5 MONGOLIAN LETTER MANCHU ALI GALI ZA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMWBTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇
initial	---x	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
medial	---x	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇	𠂇		𠂇	𠂇
final	----	?	?	?	?	?	?	?		?	?

↑



U+18A6 MONGOLIAN LETTER ALI GALI HALF U

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT _Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	xx--	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ
initial	----		ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ		ᠶ	ᠶ
medial	----		ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ		ᠶ	ᠶ
final	xx--		ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ		ᠶ	ᠶ
f+fvs1	x---		ᠶ	n/s							

↑



U+18A7 MONGOLIAN LETTER ALI GALI HALF YA

form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMWBTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	-x--										
initial	----										
medial	-x--										
final	-x--										

↑


U+18A8 MONGOLIAN LETTER MANCHU ALI GALI BHA



form	usage	TUS12	WG2	DS01	Mongolian Baiti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	?	?	?	?	?	?	?	?	?	?
initial	---x		?	?	?	?	?	?		?	?
medial	---x		?	?	?	?	?	?		?	?
final	----		?	?	?	?	?	?	?		?

↑

U+18AA MONGOLIAN LETTER MANCHU ALI GALI LHA



form	usage	TUS12	WG2	DS01	Mongolian Balti	FZMW/BTOT_Unicode	Noto Sans Mongolian	Mongolian Universal White	Mongolian Script	Menk Qagan Tig	Oyun Qagan Tig
isolate	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	-	ᠳ
initial	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ
medial	---x	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ
final	----	?	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ		ᠳ

## further reading

1. Greg Eck, [Mongolian base forms, positional form & variant forms \(DS01\)](#)
2. Chen Zhuang, [Proposed additions for Mongolian in 5th edition of UCS](#)
3. Weizhe Zheng, [Comments on the Mongolian block \(L2-16/292\)](#)
4. Quejingzhabu, [Specification 9.0](#)
5. Erdenechimeg, Moore, Namsrai, [Traditional Mongolian Script in the ISO/IEC 10646 and Unicode Standards \(part 1\), part 2, part 3](#)
6. Bell, Eck, Glass, [Proposal to update the code charts for Mongolian.](#)

## Mongolian variant forms

7. Unicode Consortium, [Standardized Variants](#).
8. [public-i18n-mongolian list archive](#)
9. [Document log](#) for the mailing list discussions.

First published 21 Sep 2014. This version 2020-09-12 16:22e --> GMT. • Copyright [r12a@w3.org](mailto:r12a@w3.org). Licence CC-By.