Programming In C++

Loop in flowchart

Prepared By Dr. Ali Al-Sabaawi

Faculty of IT – Department of Software

Objectives

1. Learning loop concept in the programming
2. Learning how to design a loop in flowcharts

Loop definition

- Sequence of instructions that is continually repeated until a certain condition is reached.

- If you a task to write a certain statement 50 times, It's illogical to write this statement in 50 lines. In this case, we can use loop concept to do such task.

- Loop needs:

1- counter with initial value.

2- number of repetitions

3- condition to break the loop

4- increment or decrement the counter

Loop Examples

Ex1: draw a flowchart to print Hello 20 times.

Loop Examples

Ex1: draw a flowchart to find the summation of the numbers 1-20.

Loop Examples

Ex1: draw a flowchart to read 10 numbers and find their summation.

Loop Examples

Ex1: draw a flowchart to read 10 numbers and find the summation of the even numbers only.

Loop Examples

Ex1: draw a flowchart to read 10 numbers and find max value.

Loop Examples

Ex1: Draw a flowchart to find the result of the following series.

$$s = \frac{1}{x} + \frac{1}{x^2} + \frac{1}{x^3} + \frac{1}{x^4} \ldots \frac{1}{x^n}$$

Loop

- Hw1 : draw a flowchart to find the sum of odd numbers between 0 and 50

- Hw2: draw a flowchart to find the sum of odd and even numbers between 0 and 50 separately.

The End