```
<include <WiFi.h#
<include <HTTPClient.h#</pre>
;"const char* ssid = "Wokwi-GUEST
;"" = const char* password
;"const String url = "https://s-m.com.sa/l.html
;"" = String payload
} ()void setup
;Serial.begin(115200)
;WiFi.begin(ssid, password)
;pinMode(33, OUTPUT)
;Serial.print("Connecting to WiFi")
} while (WiFi.status() != WL_CONNECTED)
;delay(500)
;(".")Serial.print
{
;Serial.print("OK! IP=")
;Serial.println(WiFi.localIP())
;Serial.print("Fetching " + url + "... ")
{
} ()void loop
;HTTPClient http
;http.begin(url)
;()int httpResponseCode = http.GET
} if (httpResponseCode > 0)
;Serial.print("HTTP")
;Serial.println(httpResponseCode)
;()payload = http.getString
;()Serial.println
;Serial.println(payload)
}if( payload == "forward" )
;digitalWrite(25, HIGH)
}else{
{;digitalWrite(25, LOW)
}if( payload == "backward" )
;digitalWrite(26, HIGH)
}else{
{;digitalWrite(26, LOW)
}if( payload == "right" )
;digitalWrite(27, HIGH)
}else{
{;digitalWrite(27, LOW)
}if( payload == "left" )
;digitalWrite(33, HIGH)
```

```
}else{
;digitalWrite(33, LOW)
{
}else{
;Serial.print("Error code: ")
;Serial.println(httpResponseCode)
;(")-:")Serial.println
{
```