





## karabas-pro-revB

Ref Q-ty Value Footprint   BT1, 1 3V CR2032 Battery holder   C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23, C24, C25, C26, C27, C28, C29, C30, C24, C25, C26, C27, C28, C29, C30,	
C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21, C22, C23,	
C17, C18, C19, C20, C21, C22, C23,	
C17, C18, C19, C20, C21, C22, C23,	
C24, C25, C26, C27, C28, C29, C30,	
C31, C32, C33, C34, C35, C36, C37,	
C38, C39, C40, C41, C42, C43, C44, 35 100n C0805	
C1, C2 2 10uF C0805	
C3, 1 1uF C0805	
C4, C5, 2 22p C0805	
C6, C7, C8, C9, 4 10uF Tantalum D	
C45, 1 470uF CP_D12.5mm_P7.50mm	
CON1, 1 CF-CARD TE_1734451-1	
CON2, 1 SD SD_TE_2041021	
CON3, 1 VGA DSUB-15-HD_Female	
CON4, 1 Joystick DSUB-9_Male	
CON5, 1 Keyboard MDIN06SS	
CON6, 1 Mouse MDIN06SS	
CON7, 1 Audio Jack 3.5mm CUI SJ1-353	5NG
CON8, 15V DC BarrelJack Wuerth 6941xx	
D1, 1 LED1 L0805	
D2, 1 LED2 L0805	
J1, 1 Floppy IDC-Header_2x17	
J2, 1 FPGA JTAG IDC-Header 2x05	
J3, 1 Floppy 5V PinHeader 1x04	
J4, 1 uBus PinHeader_2x04	
J5, 1AVR JTAG IDC-Header 2x03	
J6, 1AVR UART PinHeader 1x04	
R1, R2, R3, 32k4 R0805	
R4, 127 R0805	
R5, R9, R30, R31, R32, R33, R34, R35,	
R36, R37, R38, R39, R40, R41, R42,	
R43, R44, R45 18 10k R0805	
R6, R11, R14, R17, 4 1k R0805	
R7, R8, R21, R22, R23, R24, 64k7 R0805	
R10, R13, R16, 3 1k8 R0805	
R12, R15, R18, R28, R29, 5470 R0805	
R19, R20, 2 75 R0805	
R25, 1820 R0805	
R26, R27, 2 750 R0805	
SW1, SW2, 2 SW_Push SPST_Angled_PTS645Vx5	8-2LFS
U1, 1EP4CE6E22C8N QFP-144	
U2, 1 CY62167EV30 TSOP-I-48_18.4x12mm_P0	
U3, 1 EPCS16   M25P16   SOIC-8_5.23x5.23mm_P1.2	
U4, 1 EPM3128ATC100 LQFP-100_14x14mm_P0.5	
U5, 1 ATMEGA328-AU TQFP-32_7x7mm_P0.8mm	ı
U6, 1 MB8877A DIP-40_W15.24mm	
U7, U8, 2 TXB0104PW TSSOP-14_4.4x5mm_P0.69	
U9, 1 DS1307Z+ SOIC-8_3.9x4.9mm_P1.27r	mm
U10, 1 ESP-12E ESP-12E	
U11, 1 TDA1543 DIP-8_W7.62mm	
U12, 1 AMS1117-3.3 SOT-223-3	

## karabas-pro-revB

U13,	1 AMS1117-2.5	SOT-223-3
U14,	1 AMS1117-1.2	SOT-223-3
U17,	1 74LS06	DIP-14_W7.62mm
U18,	1 74LS38	DIP-14_W7.62mm
X1,	1 SG-7050CAN	SG8002CA-4Pin_7.0x5.0mm
Y1,	1 32768Hz	AT310_D3.0mm_L10.0mm
Y2,	1 16MHz	HC49-S