


Stokvel Management Platform


UML 4+1 Diagram Package — Sprint 3


RateLimitRefugees • May 2026




Page index

■	Cover & 4+1 Overview
■	Logical View — Use Case Diagram
■	Development View — Component Diagram
■	Process View — Sequence Diagram
■	Physical View — Deployment Diagram
■	Scenario (+1) — ERD: auth.users, profiles, groups, payouts
■	Scenario (+1) — ERD: group_members, contributions, meetings









New Sprint 3

Error path

Maps artefacts to infrastructure nodes. Shows runtime environment and communication protocols.



Part 1 of 2: auth.users, profiles, groups, payouts | Green=PK Yellow=FK Teal=New Sprint 3



PK FK New Sprint 3

Design decisions & RLS notes

auth.users — Managed by Supabase Auth; app code never writes here directly.
profiles — trigger handle_new_user() auto-inserts on auth.users INSERT.
groups — Core entity; all child tables carry group_id FK back to this table.
payouts — initiated_by FK (Sprint 3) creates treasurer audit trail.
status: pending | completed | cancelled.
RLS — get_user_group_ids() and is_group_admin() helps prevent recursive joins.
Indexes — group_id on all child tables; user_id on group_members + contributions.

Part 2 of 2: group_members, contributions, meetings | All carry group_id FK → groups



RLS policy summary — these three tables

group_members — SELECT: rows for groups user belongs to (get_user_group_ids helper).
INSERT: user_id must equal auth.uid().
UPDATE: only group admin (is_group_admin helper) can change roles.
contributions — SELECT: own rows OR any row in user's groups (treasurer visibility).
INSERT/UPDATE: user_id = auth.uid(). Treasurer/admin confirm or flag.
reference + notes (Sprint 3): visible to all group members.
meetings — SELECT: all group members.
INSERT / UPDATE / DELETE: role in {admin, treasurer} only.