


NAMA : RAIF FAWWAZDZAKY

NIM : 1202200054

KELAS : SI4407

[TAMPILAN]



localhost / 127.0.0.1 / modul3 | x MODUL4 WAD RAIF FAWWAZDZ x +

localhost/MODUL3%20RAIF/pages/Login-Raif.php

Login


Email

Password

☐ Remember me

Login

Anda belum punya akun? [Daftar](#)



localhost / 127.0.0.1 / modul3 | x MODUL4 WAD RAIF FAWWAZDZ x +

localhost/MODUL3%20RAIF/pages/Registration-Raif.php

Registration

Email

Name


Telephone Number

Password

Confirmation Password*

Login

Sudah punya akun? [Login](#)




Selamat Datang Di Show Room Raif

best car for everybody!



Raif Fawwazdzaky_1202200054



Selamat Datang Di Show Room Raif

best car for everybody!

MyCar



Raif Fawwazdzaky_1202200054



My Showroom

List Showroom RAIF - 1202200054



Innova
Contoh 1

Detail Delete



Agera RS
Contoh 2

Detail Delete



testtsetsteset
sadjkadsjkadskdj

Detail Delete

Jumlah Mobil : 3

Profile

Email

raif@gmail.com

Nama

Raif

Handphone Number

085880853125

Password

Edit


localhost / 127.0.0.1 / modul3 | x

MODUL4 WAD RAIF FAWWAZDZ x

+

localhost/MODUL3%20RAIF/pages/Detail-Raif.php?id_mobil=1

Home MyCar



Nama Mobil

Innova

Nama Pemilik

Raif

Merk

Toyota

Tanggal Beli

10/11/2022

Deskripsi

Contoh 1

Status Pembayaran

☐ lunas

localhost/MODUL3 RAIF/pages/Detail-Raif.php?id_mobil=1

Links

21:05 27/11/2022 27

Ubah Data Mobil

Ubah Data Mobil Anda

Nama Mobil

Innova

Pemilik Mobil

Raif

Merk Mobil

Toyota

Tanggal Beli Mobil

10/11/2022

Deskripsi Mobil

Contoh 1

Links

localhost / 127.0.0.1 / modul3 | x MODUL4 WAD RAIF FAWWAZDZ x +
localhost/MODUL3%20RAIF/pages/Edit-Raif.php?id_mobil=1

Raif

Merk Mobil

Toyota

Tanggal Beli Mobil

10/11/2022

Deskripsi Mobil

Contoh 1



Foto

Choose File No file chosen

☐ Lunas ☐ Belum Lunas

Selesai

Links



localhost / 127.0.0.1 / modul3 | x MODUL4 WAD RAIF FAWWAZDZ x

localhost/MODUL3%20RAIF/pages/Add-Raif.php

Silahkan masukan nama mobilmu!

Merk Mobil

Silahkan masukan nama mobilmu!

Tanggal Beli Mobil

dd/mm/yyyy

Deskripsi Mobil

Contoh: Mobil ini adalah yang terbaik dimasanya ...

Foto

Choose File No file chosen

☐ Lunas ☐ Belum Lunas

Selesai

[SOURCE CODE]

Connect.php

```
File Edit Selection View Go Run Terminal Help connect.php - MODUL3 RAIF - Visual Studio Code
connect.php x delete.php insert.php logout.php register.php update.php
config > connect.php > ...
1 <?php
2
3 $connect = mysqli_connect("localhost","root","","modul3");
4
5 if($connect == false){
6     die('gagal mengkoneksikan ke database:'.mysqli_connect_error());
7 }
8
9 ?>
```


Delete.php

```
File Edit Selection View Go Run Terminal Help delete.php - MODUL3 RAIK - Visual Studio Code
config > delete.php > ...
1 <?php
2 include 'connect.php';
3
4 $id= $_GET['id_mobil'];
5 $query = mysql_query($connect,"SELECT * FROM showroom_raik_table where id_mobil = '$id'");
6 $data = mysql_fetch_assoc($query);
7 $foto = $data['foto_mobil'];
8
9
10 if(file_exists("../assets/upload-img/$foto")){
11     unlink("../assets/upload-img/$foto");
12     if(isset($_GET['id_mobil'])){
13         mysql_query($connect,"DELETE FROM showroom_raik_table WHERE id_mobil= $_GET[id_mobil]");
14     }
15     echo "<script>
16     alert('Mobil Berhasil Dihapus!');
17     window.location = '../pages/ListCar-Raik.php';
18     </script>";
19     // echo "Data telah Terhapus";
20     // echo "<meta http-equiv=refresh content=2;URL='../pages/ListCar-Raik.php'>";
21     // echo "<script>
22     // const toastTrigger = document.getElementById('liveToastBtn')
23     // const toastLiveExample = document.getElementById('liveToast')
24     // if (toastTrigger) {
25     //     toastTrigger.addEventListener('click', () => {
26     //         const toast = new bootstrap.Toast(toastLiveExample)
27     //         toast.show()
28     //     })
29     // }
30     // </script>";
31 }
32
33 ?>
```

Insert.php

```
File Edit Selection View Go Run Terminal Help insert.php - MODUL3 RAIK - Visual Studio Code
config > insert.php > ...
1 <?php
2
3 include 'connect.php';
4
5 if(isset($_POST['submit'])){
6     $direktori = "../assets/upload-img/";
7     $file_name = $_FILES['foto']['name'];
8
9     mysql_query($connect,"INSERT INTO showroom_raik_table set
10     nama_mobil = '$_POST[nama_mobil]',
11     pemilik_mobil = '$_POST[pemilik_mobil]',
12     merk_mobil = '$_POST[merk]',
13     tanggal_beli = '$_POST[tanggal_beli]',
14     deskripsi = '$_POST[deskripsi]',
15     status = '$_POST[status]',
16     foto_mobil = '$file_name'");
17
18     move_uploaded_file($_FILES['foto']['tmp_name'],$direktori.$file_name);
19
20     // mysql_query($connect,"INSERT INTO showroom_raik_table SET foto_mobil='$file_name'");
21
22     // echo "Mobil telah Tersimpan";
23     // echo "<meta http-equiv=refresh content=2;URL='../pages/ListCar-Raik.php'>";
24     echo "<script>
25     alert('Data Mobil Berhasil Ditambahkan!');
26     window.location = '../pages/ListCar-Raik.php';
27     </script>";
28
29
30 // echo var_dump($connect);
31
32 ?>
```

Logout.php




```
File Edit Selection View Go Run Terminal Help
logout.php - MODUL3 RAIF - Visual Studio Code

connect.php delete.php insert.php logout.php X register.php update.php

config > logout.php
1 <?php
2
3 session_start();
4 $_SESSION = [];
5 session_unset();
6 session_destroy();
7
8 header("Location: ../pages/Login-Raif.php");
9 exit;
10
11 ?>
```

Register.php




```
File Edit Selection View Go Run Terminal Help
register.php - MODUL3 RAIF - Visual Studio Code

connect.php delete.php insert.php logout.php X register.php X update.php

config > register.php
5 $nama = $_POST['name'];
6 $email = $_POST['email'];
7 $password1 = $_POST['password1'];
8 $password2 = $_POST['password2'];
9 $no_hp = $_POST['no_hp'];
10
11 $check_user = mysqli_query($connect, "SELECT * FROM users_raif WHERE email = '$email'");
12 $check_login = mysqli_num_rows($check_user);
13
14 if ($check_login > 0) {
15     echo "<script>
16     alert('email telah terdaftar');
17     window.location = '../pages/Registration-Raif.php';
18     </script>";
19 } else {
20     if ($password1 != $password2) {
21         echo "<script>
22         alert('Password tidak sesuai!');
23         window.location = '../pages/Registration-Raif.php';
24         </script>";
25     } else {
26         // encrypt password
27         $password = password_hash($password1, PASSWORD_DEFAULT);
28
29         // masukan data
30         mysqli_query($connect, "INSERT INTO users_raif VALUES ('', '$nama', '$email', '$password', '$no_hp')");
31         echo "<script>
32         alert('Registrasi Berhasil!');
33         window.location = 'Login-Raif.php';
34         </script>";
35     }
36 }
37 }
38
39 ?>
```

Update.php



Add-Raif.php

```
<?php
session_start();

if(!isset($_SESSION["login"])) {
    header("Location: Login-Raif.php");
    exit;
}
?>

<html lang="en">
    <!DOCTYPE html>
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>MODUL4 WAD RAIF FAWWAZDZAKY</title>

    <link rel="stylesheet" href="../bootstrap/css/bootstrap.css">
    <link rel="stylesheet" href="../bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="../bootstrap/css/style.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.0/css/all.min.css">
</head>
<body>
<!-- navbar -->
<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <div class="container">
```

```

        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
        <div class="navbar-nav">
            <a class="nav-link" aria-current="page" href="../index.php">Home</a>
            <a class="nav-link" href="ListCar-Raif.php">MyCar</a>
        </div>
    </div>
</div>
</nav>
<!-- navbar akhir -->

<!-- form -->
<div class="container mt-5 px-3" style="margin-bottom:100px">
    <h3 class="fw-bold">Tambah Mobil</h3>
    <p>Tambah Mobil Baru Anda ke List Show Room</p>
    <form action="../config/insert.php" method="POST" class="mt-5"
style="margin-right:250px" enctype="multipart/form-data">
        <!-- NAMA MOBIL -->
        <div class="mb-3">
            <label for="nama_mobil" class="form-label fw-bold">Nama
Mobil</label>
            <input type="text" class="form-control" name="nama_mobil"
placeholder="Silahkan masukan nama mobilmu!">
        </div>
        <!-- NAMA MOBIL -->
        <div class="mb-3">
            <label for="pemilik_mobil" class="form-label fw-bold">Pemilik
Mobil</label>
            <input type="text" class="form-control" name="pemilik_mobil"
placeholder="Silahkan masukan nama mobilmu!">
        </div>
        <!-- MERK MOBIL -->
        <div class="mb-3">
            <label for="merk" class="form-label fw-bold">Merk
Mobil</label>
            <input type="text" class="form-control" name="merk"
placeholder="Silahkan masukan nama mobilmu!">
        </div>
        <!-- TANGGAL BELI MOBIL -->
        <div class="mb-3">
            <label for="tanggal_beli" class="form-label fw-bold">Tanggal
Beli Mobil</label>
            <input type="date" class="form-control" name="tanggal_beli"
placeholder="">

```

```

        </div>
        <!-- DESKRIPSI MOBIL -->
        <div class="mb-3">
            <label for="deskripsi" class="form-label fw-bold">Deskripsi
Mobil</label>
            <textarea class="form-control" name="deskripsi" rows="3"
placeholder="Contoh: Mobil ini adalah yang terbaik
dimasanya ..." required></textarea>
        </div>
        <!-- FOTO MOBIL -->
        <div class="mb-3">
            <label for="foto" class="form-label fw-bold">Foto</label>
            <input type="file" name="foto" class="form-control">
        </div>
        <!-- STATUS -->
        <div class="mb-5 px-2">
            <input class="form-check-input" type="radio" name="status"
value="lunas">
            <label class="form-check-label" for="lunas">Lunas</label>
            <input class="form-check-input ms-5" type="radio"
name="status" value="belum lunas">
            <label class="form-check-label" for="lunas">Belum
Lunas</label>
        </div>
        <button type="submit" value="submit" name="submit" class="btn btn-
primary">Selesai</button>
    </form>
</div>
<!-- akhir form -->

</body>
</html>

```

Detail-Raif.php

```

<?php
session_start();

if(!isset($_SESSION["login"])) {
    header("Location: Login-Raif.php");
    exit;
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">

```

```

<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>MODUL4 WAD RAIF FAWWAZDZAKY</title>

<link rel="stylesheet" href="../../bootstrap/css/bootstrap.css">
<link rel="stylesheet" href="../../bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="../../bootstrap/css/style.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.2.0/css/all.min.css">
<body>
</head>
<!-- navbar -->
<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
  <div class="container">
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-
expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
      <div class="navbar-nav">
        <a class="nav-link" aria-current="page" href="../../index.php">Home</a>
        <a class="nav-link active" href="ListCar-Raif.php">MyCar</a>
      </div>
    </div>
  </div>
</nav>
<!-- navbar akhir -->
<?php
    include '../config/connect.php';
    $id_mobil = $_GET['id_mobil'];
    $query = "SELECT * FROM showroom_raif_table where id_mobil
='$id_mobil'";
    $show = mysqli_query($connect,$query);
    while ($data = mysqli_fetch_array($show)) {
        ?>

<div class="container mt-5 mb-5">
  <form>
    <div class="row">
      <!-- gambar -->
      <div class="col">
        <div class="d-flex align-items:center mt-2">
          
        </div>
      </div>
    </div>
    <!-- akhir gambar -->

```

```

        <!-- detail -->
        <div class="col">
            <form class="mt-5" style="margin-right:250px">
                <div class="mb-3">
                    <label for="nama_mobil" class="form-label fw-bold">Nama
Mobil</label>
                    <input type="text" class="form-control" name="nama_mobil"
value="<?php echo $data['nama_mobil']; ?>" readonly>
                </div>
                <div class="mb-3">
                    <label for="nama_pemilik" class="form-label fw-bold">Nama
Pemilik</label>
                    <input type="text" class="form-control" name="nama_pemilik"
value="<?php echo $data['pemilik_mobil']; ?>" readonly>
                </div>
                <div class="mb-3">
                    <label for="merk" class="form-label fw-bold">Merk</label>
                    <input type="text" class="form-control" name="merk"
value="<?php echo $data['merk_mobil']; ?>" readonly>
                </div>
                <div class="mb-3">
                    <label for="tanggal_beli" class="form-label fw-bold">Tanggal
Beli</label>
                    <input type="date" class="form-control" name="tanggal_beli"
value="<?php echo $data['tanggal_beli']; ?>" readonly>
                </div>
                <div class="mb-3">
                    <label for="deskripsi" class="form-label fw-
bold">Deskripsi</label>
                    <textarea class="form-control" name="deskripsi" rows="3"
readonly><?php echo $data['deskripsi']; ?></textarea>
                </div>
                <!-- <div class="mb-3">
                    <label for="foto" class="form-label fw-bold">Foto</label>
                    <input type="file" class="form-control" name="foto"
value="<?php echo $data['foto_mobil']; ?>" readonly>
                </div> -->
            </div>
            <div>
                <label for="status_pembayaran" class="form-label fw-
bold">Status Pembayaran</label>
            </div>
            <div class="mb-5 px-2">
                <input class="form-check-input" type="radio" name="status"
value="<?php echo $data['tanggal_beli']; ?>">
                <label class="form-check-label" for="lunas"><?php echo
$data['status']; ?></label>
            </div>

```

```

        <a href="../../../pages/Edit-Raif.php?id_mobil=<?php echo
$data['id_mobil'];?>" class="btn btn-primary" style="width:150px;">Edit</a>
    </form>
    <!-- akhir detail -->
</div>
</div>
</div>

<?php } ?>

    <!-- akhir form -->
<!-- akhir detail -->
<!-- akhir content -->

```

Home-Raif.php

```

<?php
session_start();

if(!isset($_SESSION["login"])) {
    header("Location: Login-Raif.php");
    exit;
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>MODUL4 WAD RAIF FAWWAZDZAKY</title>

    <link rel="stylesheet" href="../../../bootstrap/css/bootstrap.css">
    <link rel="stylesheet" href="../../../bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="../../../bootstrap/css/style.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.2.0/css/all.min.css">
    <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfspd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
    <script
src="https://cdn.jsdelivrivr.net/npm/@popperjs/core@2.9.2/dist/umd/popper.min.js"
integrity="sha384-
IQsoLX15PILFhosVNubq5LC7Qb9DXgDA9i+tQ8Zj3iwwAwPtgFTxbJ8NT4GN1R8p"
crossorigin="anonymous"></script>

```

```

    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.min.js"
integrity="sha384-
cVKIPhGWiC2Al4u+LWgxfKTRIcfu0JTxR+EQDz/bglldoEyl4H0zUF0QKbrJ0EcQF"
crossorigin="anonymous"></script>
<body>
</head>
<!-- navbar -->

<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <div class="container">
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-
expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
            <div class="navbar-nav me-auto mb-lg-0">
                <a class="nav-link active" href="../index.php">Home</a>
                <a class="nav-link" href="ListCar-Raif.php">MyCar</a>
            </div>
            <div class="navbar-nav ms-auto mb-lg-0">
                <!-- dropdown box -->
                <a class="btn btn-light text-primary" href="Add-Raif.php" role="button"
style="margin-right:15px;">Add Car</a>
                <div class="dropdown">
                    <button class="btn btn-light dropdown-toggle text-primary"
type="button" id="dropdownMenuButton1" data-bs-toggle="dropdown">
                        <?php echo $_SESSION['nama'];?>
                    </button>
                    <ul class="dropdown-menu" aria-labelledby="dropdownMenuButton1">
                        <li><a class="dropdown-item">Profile</a></li>
                        <li><a class="dropdown-item"
href="../config/logout.php">Logout</a></li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
</nav>
<!-- navbar akhir -->

<div class="container" style="margin-top:125px;">
    <div class="row align-items-center">
        <div class="col-5">
            <h1>Selamat Datang Di Show Room Raif</h1>
            <p>best car for everybody!</p>
            <!-- <button type="button" class="btn btn-primary">MyCar</button> -->

```



```

        <a href="ListCar-Raif.php" class="btn btn-primary">MyCar</a>
    <div class="row align-items-center mt-4">
        <div class="col-sm-3">
            
        </div>
        <div class="col-sm-8 mt-1">
            <p style="font-size:13px;">Raif Fawwazdzaky_1202200054</p>
        </div>
    </div>
</div>
<div class="col-6">
    
</div>
</div>
</div>
</body>
</html>

```

HomeSebelumLogin-Raif.php

```

<?php

if(isset($_SESSION["login"])){
    header("Location: pages/Home-Raif.php");
    exit;
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>MODUL4 WAD RAIF FAWWAZDZAKY</title>

    <link rel="stylesheet" href="bootstrap/css/bootstrap.css">
    <link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="bootstrap/css/style.css">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css">
</head>
<body>
</body>
</html>
<!-- navbar -->
<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <div class="container">

```

```

        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
        <div class="navbar-nav">
            <a class="nav-link active" aria-current="page" href="HomeSebelumLogin-
Raif.php">Home</a>
            <a class="nav-link d-flex" style="margin-left:1050px;"
href="pages/Login-Raif.php">Login</a>
        </div>
    </div>
</nav>
<!-- navbar akhir -->

<div class="container" style="margin-top:125px;">
    <div class="row align-items-center">
        <div class="col-5">
            <h1>Selamat Datang Di Show Room Raif</h1>
            <p>best car for everybody!</p>
            <!-- <a href="pages/ListCar-Raif.php" class="btn btn-
primary">MyCar</a> -->
            <div class="row align-item-center" style="margin-top:78px;">
                <div class="col-sm-3">
                    
                </div>
                <div class="col-sm-8 mt-1">
                    <p style="font-size:13px;">Raif Fawwazdzaky_1202200054</p>
                </div>
            </div>
        </div>
        <div class="col-6">
            
        </div>
    </div>
</div>

</body>
</html>

```

ListCar-Raif.php

```

<?php
session_start();

```

```

if(!isset($_SESSION["login"])) {
    header("Location: Login-Raif.php");
    exit;
}

include "../config/connect.php";
$carData = mysqli_query($connect,"SELECT * FROM showroom_raif_table");
$countCar = mysqli_num_rows($carData);

if($countCar <= 0){
    header("Location: Add-Raif.php");
    exit;
}

?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>MODUL4 WAD RAIF FAWWAZDZAKY</title>

    <link rel="stylesheet" href="../bootstrap/css/bootstrap.css">
    <link rel="stylesheet" href="../bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="../bootstrap/css/style.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.2.0/css/all.min.css">
    <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
    <script
src="https://cdn.jsdelivrivr.net/npm/@popperjs/core@2.9.2/dist/umd/popper.min.js"
integrity="sha384-
IQsoLX15PILFhosVNubq5LC7Qb9DXgDA9i+tQ8Zj3iwWAwPtgFTxbJ8NT4GN1R8p"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.min.js"
integrity="sha384-
cVKIPhGWiC2Al4u+LWgxfKTRICfu0JTxR+EQDz/bgldoEyl4H0zUF0QKbrJ0EcQF"
crossorigin="anonymous"></script>
</head>
<body>
<!-- navbar -->

```

```

<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
  <div class="container">
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-
expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
      <div class="navbar-nav me-auto mb-lg-0">
        <a class="nav-link" href=" ../index.php">Home</a>
        <a class="nav-link active" href="ListCar-Raif.php">MyCar</a>
      </div>
      <div class="navbar-nav ms-auto mb-lg-0">
        <!-- dropdown box -->
        <a class="btn btn-light text-primary" href="Add-Raif.php" role="button"
style="margin-right:15px;">Add Car</a>
        <div class="dropdown">
          <button class="btn btn-light dropdown-toggle text-primary"
type="button" id="dropdownMenuButton1" data-bs-toggle="dropdown">
            <?php echo $_SESSION['nama'];?>
          </button>
          <ul class="dropdown-menu" aria-labelledby="dropdownMenuButton1">
            <li><a class="dropdown-item">Profile</a></li>
            <li><a class="dropdown-item"
href=" ../config/logout.php">Logout</a></li>
          </ul>
        </div>
      </div>
    </div>
  </nav>
<!-- navbar akhir -->

<div class="container mt-5 px-5">
  <h1>My Showroom</h1>
  <p>List Showroom RAIF - 1202200054</p>
  <div class="row">
    <?php
      include ' ../config/connect.php';
      $query = "SELECT * FROM showroom_raif_table ORDER BY id_mobil ASC";
      $show = mysqli_query($connect,$query);
      while ($data = mysqli_fetch_array($show)) {
        ?>
        <div class="col">
          <div class="card mt-2" style="width: 18rem;margin-bottom:25px;">
            
            <div class="card-body" style="max-height:200px;">

```

```

                <h5 class="card-title"><?php echo $data['nama_mobil'];?></h5>
                <p class="card-text"><?php echo $data['deskripsi'];?></p>
                <div class="container px-5">
                    <a href="../pages/Detail-Raif.php?id_mobil=<?php echo
$data['id_mobil'];?>" class="btn btn-primary">Detail</a>
                    <a href="../config/delete.php?id_mobil=<?php echo
$data['id_mobil'];?>" class="btn btn-danger">Delete</a>
                </div>
            </div>
        </div>
    </div>
    <?php } ?>
</div>
<?php

$carData = mysqli_query($connect,"SELECT * FROM showroom_raif_table");
$countCar = mysqli_num_rows($carData);

?>
<div class="container mt-5">
    <p class="fw-bold opacity-50 fixed-bottom px-3">Jumlah Mobil : <?php
echo "$countCar" ?></p>
</div>
</div>

</body>
</html>

```

Login-Raif.php

```

<?php
session_start();

// cek cookie
if(isset($_COOKIE['login'])) {
    if($_COOKIE['login'] == 'true' ) {
        $_SESSION['login'] = true;
    }
}

if(isset($_SESSION["login"])){
    header("Location: Home-Raif.php");
    exit;
}

include "../config/connect.php";

```

```

if (isset($_POST["login"])) {
    $email = $_POST["email"];
    $password = $_POST["password"];

    $result = mysqli_query($connect, "SELECT * FROM users_raif WHERE
        email = '$email'");

// cek email
if(mysqli_num_rows($result) === 1) {

    // cek password
    $row = mysqli_fetch_assoc($result);

    $_SESSION["id"] = $row["id"];
    $_SESSION["email"] = $row["email"];
    $_SESSION["nama"] = $row["nama"];
    $_SESSION["no_hp"] = $row["no_hp"];

    if ( password_verify($password, $row["password"])){

        // // set session
        $_SESSION["login"] = true;

        // cek remember me
        if(isset($_POST['remember'])) {
            // buat cookie
            setcookie('login', 'true', time()+60);
        }

        header("Location: Home-Raif.php");
        exit;
    }
}

$error = true;

}

?>

<!DOCTYPE html>
<meta charset="UTF-8">
<html lang="en">
<head>
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>MODUL4 WAD RAIF FAWWAZDZAKY</title>

```

```

<link rel="stylesheet" href="../../bootstrap/css/bootstrap.css">
<link rel="stylesheet" href="../../bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="../../bootstrap/css/style.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.2.0/css/all.min.css">
</head>
<body>
    <div class="row">
        <div class="col-6">
            
        </div>
        <div class="col-6 px-5" style="margin-top:150px;">
            <h1>Login</h1>
            <div class="pe-5">
                <form action="" method="POST">
                    <!-- cek error -->
                    <?php if(isset($error)): ?>
                        <p style="color:red;font-style:italic;">Email /
Password Salah</p>
                    <?php endif; ?>
                    <!-- form login -->
                    <div class="mb-3">
                        <label for="exampleInputEmail1" class="form-
label">Email</label>
                        <input type="email" class="form-control" name="email">
                    </div>
                    <div class="mb-3">
                        <label for="exampleInputPassword1" class="form-
label">Password</label>
                        <input type="password" class="form-control"
name="password">
                    </div>
                    <div class="mb-3 form-check">
                        <label class="form-check-label" for="remember">Remember
me</label>
                        <input type="checkbox" class="form-check-input"
id="remember" name="remember">
                    </div>
                    <button type="submit" name="login" class="btn btn-primary mt-
3" style="width:100px;">Login</button>
                    <p class="mt-2">Anda belum punya akun? <a href="Registration-
Raif.php">Daftar</a></p>
                </form>
            </div>
        </div>
    </div>
</body>

```

```
</html>
```

Profile-Raif.php

```
<?php
session_start();

if(!isset($_SESSION["login"])) {
    header("Location: Login-Raif.php");
    exit;
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>MODUL4 WAD RAIF FAWWAZDZAKY</title>

    <link rel="stylesheet" href="../bootstrap/css/bootstrap.css">
    <link rel="stylesheet" href="../bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="../bootstrap/css/style.css">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
    integrity="sha384-
    EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
    crossorigin="anonymous">
    <script
    src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.2/dist/umd/popper.min.js"
    integrity="sha384-
    IQsoLX15PILFhosVNubq5LC7Qb9DXgDA9i+tQ8Zj3iwWAwPtgFTxbJ8NT4GN1R8p"
    crossorigin="anonymous"></script>
    <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.min.js"
    integrity="sha384-
    cVKIPhGWiC2Al4u+LWgxfKTRIcfu0JTxR+EQDz/bgldoEyl4H0zUF0QKbrJ0EcQF"
    crossorigin="anonymous"></script>
</head>
<!-- navbar -->

<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <div class="container">
```



```

        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNavAltMarkup" aria-controls="navbarNavAltMarkup" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
        <div class="navbar-nav me-auto mb-lg-0">
            <a class="nav-link active" href="../index.php">Home</a>
            <a class="nav-link" href="ListCar-Raif.php">MyCar</a>
        </div>
        <div class="navbar-nav ms-auto mb-lg-0">
            <!-- dropdown box -->
            <a class="btn btn-light text-primary" href="Add-Raif.php" role="button"
style="margin-right:15px;">Add Car</a>
            <div class="dropdown">
                <button class="btn btn-light dropdown-toggle text-primary"
type="button" id="dropdownMenuButton1" data-bs-toggle="dropdown">
                <?php echo $_SESSION['nama'];?>
                </button>
                <ul class="dropdown-menu" aria-labelledby="dropdownMenuButton1">
                    <li><a class="dropdown-item">Profile</a></li>
                    <li><a class="dropdown-item"
href="../config/logout.php">Logout</a></li>
                </ul>
            </div>
        </div>
    </div>
</nav>
<!-- navbar akhir -->

<div class="container mt-5 mb-5">
    <form>
        <h1>Profile</h1>
        <!-- detail -->
        <div class="col">
            <form class="mt-5" style="margin-right:250px">
                <div class="mb-3">
                    <label for="nama_mobil" class="form-label fw-
bold">Email</label>
                    <input type="text" class="form-control" name="email"
value="<?php echo $_SESSION['email'];?>" readonly>
                </div>
                <div class="mb-3">
                    <label for="nama_pemilik" class="form-label fw-
bold">Nama</label>
                    <input type="text" class="form-control" name="nama"
value="<?php echo $_SESSION['nama'];?>" readonly>

```

```

        </div>
        <div class="mb-3">
            <label for="merk" class="form-label fw-bold">Handphone
Number</label>
            <input type="text" class="form-control" name="no_hp"
value="<?php echo $_SESSION['no_hp'];?>" readonly>
        </div>
        <div class="mb-3">
            <label for="tanggal_beli" class="form-label fw-
bold">Password</label>
            <input type="password" class="form-control" name="password"
value="" readonly>
        </div>
        <a href="" class="btn btn-primary" style="width:150px;">Edit</a>
    </form>
    <!-- akhir detail -->
</div>
</div>
</div>
</body>
</html>

```

Registration-Raif.php

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>MODUL4 WAD RAIF FAWWAZDZAKY</title>

    <link rel="stylesheet" href="../bootstrap/css/bootstrap.css">
    <link rel="stylesheet" href="../bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="../bootstrap/css/style.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.2.0/css/all.min.css">
</head>
<body>
    <div class="row" style="width:100">
        <div class="col-6">
            
        </div>
        <div class="col-6 px-5" style="margin-top:25px;">
            <h1 class="mb-4">Registration</h1>

```

```

        <div class="pe-5">
            <form action="../../../config/register.php" method="POST">
                <div class="mb-2">
                    <label class="form-label">Email</label>
                    <input type="email" class="form-control" name="email"
placeholder="telkomuniversity@gmail.com">
                </div>
                <div class="mb-2">
                    <label class="form-label">Name</label>
                    <input type="text" class="form-control" name="name"
placeholder="Raif">
                </div>
                <div class="mb-2">
                    <label class="form-label">Telephone Number</label>
                    <input type="tel" class="form-control" name="no_hp"
placeholder="08123210932">
                </div>
                <div class="mb-2">
                    <label class="form-label">Password</label>
                    <input type="password" class="form-control"
name="password1" placeholder="*****">
                </div>
                <div class="mb-2">
                    <label class="form-label">Confirmation Password*</label>
                    <input type="password" class="form-control"
name="password2" placeholder="*****">
                </div>
                <button type="submit" class="btn btn-primary mt-3"
name="register" style="width:100px;">Login</button>
                <p class="mt-2">Sudah punya akun? <a href="Login-
Raif.php">Login</a></p>
            </form>
        </div>
    </div>
</div>
</body>
</html>

```