DS	**Session**	Linked List	**Question Information**	Level 1 Challenge 36

Question description

A long time ago, there was a desolate village in India. The ancient buildings, streets, and businesses were deserted. The windows were open, and the stairwell was in disarray. You can be sure that it will be a fantastic area for mice to romp about in! People in the community have now chosen to provide high-quality education to young people in order to further the village's growth.

As a result, they established a programming language coaching centre. People from the coaching centre are presently performing a test. Create a programme for the GetNth() function, which accepts a linked list and an integer index and returns the data value contained in the node at that index position.

Example

Input: 1->10->30->14, index = 2
Output: 30
The node at index 2 is 30

Constraints

1< N < 1000

1< X < 1000

1 < I < 1000

Input Format
First line contains the number of datas- N.
Second line contains N integers(the given linked list).
Third Line Index I

Output Format

First Line indicates the linked list

second line indicates the node at indexing position

Logical Test Cases

Test Case 1

INPUT (STDIN)

```
4
1 2 3 4
2
```

EXPECTED OUTPUT

```
Linked list:-->4-->3-->2-->1
Node at index=2:3
```

Test Case 2

INPUT (STDIN)

```
4
11 21 31 41
3
```

EXPECTED OUTPUT

```
Linked list:-->41-->31-->21-->11
Node at index=3:21
```

Mandatory Test Cases

Test Case 1

KEYWORD

```
struct node
```

Test Case 2

KEYWORD

```
struct node *next;
```

Test Case 3

KEYWORD

```
int GetNth(struct node*
head,int index)
```

Complexity Test Cases

Test Case 1

Test Case 2

Test Case 3

CYCLOMATIC COMPLEXITY	TOKEN COUNT	NLOC
10	385	74