


PAGE: DATE: / /

8. NO.3 =>.
1101 18 1211-121 21 20 29111 12270022 2 1.11
Domain model is the representation of real world
(A)
Conceptual class is an idea, thing love abject that
illustrates the requirements in each of the software
we are building. It provides all the necessities of
the problem.
It is considered in terms of symbols, intension
and extension.
· Le collins · Le
Domain model is representation of real would conceptua
Classes, not of Software Components.
It contains anneathal along
Conceptual classes and attributes
or conceptual dass.

a innin in ai



Association	THE PARTY OF THE P
Simple Ossociation.	rout masserts to make the
Il is structural	link hetwoon two poor
Classes.	Comment work to the
There is association	between Class 1
	na constate a application
Solid line Connectiv	of two classes
beautifu in go or	
Class 1	Closs 2
	1 - 2010

35A ³	PAGE: DATE: / /		
Aggrogotion. It is special type of associ a "pair of Relationship. — Class 2 is part of Cl Objects of class I and class lifeline	086 1 .		
association end connected to close Closs 1 Closs 2.	diomond of the sof Composite		
General Bright East & and Americans I	120,300 - 0.100		
The colours of the second tours of the second secon	ATT. 1811		
Composition			
when whole is destroyed.	ports ore dostroye		
objects Ofactos 2 live one			
1017 1011 10 partitions also said	61/92 4 .		
connected to Class of Compa			
Class 1 Class			
	0.1		

PAGE:	
Dependoncy.	
Detrocas 1	
Exist between two classes if the Changes definition of one may cause changes to one (but not way around).	10
(but not way around).	ror
cood around).	
· Class 1 depends on Class 2.	
depends on closs 2.	
e A door of w	
· A dushed line wim open orrow	
Closs 2	
	1