

Standard Operating Procedure (SOP)

Asset Inventory Management Tool

Document Details	
Document Title	Asset Inventory Tool – Standard Operating Procedure
Version	1.0
Audience	All Team Members
Last Updated	April 2026

Table of Contents

- 1. [Overview](#)
- 2. [User Roles & Permissions](#)
- 3. [Getting Started – Login](#)
- 4. [Navigation Layout](#)
- 5. [Dashboard](#)
- 6. [Asset List \(Main Inventory\).](#)
- 7. [Extended Asset List](#)
- 8. [Beijing Asset List](#)
- 9. [Physical Assets](#)
- 10. [Excel Smart Import](#)
- 11. [Report Builder](#)
- 12. [Configuration \(Dropdown Management\).](#)
- 13. [Custom Fields](#)
- 14. [User Management](#)
- 15. [Branding & Customization](#)
- 16. [Backup & Export](#)
- 17. [Email Notifications](#)
- 18. [Audit Explorer](#)
- 19. [Deleted Items](#)

20. [My Profile](#)
21. [Quick Reference – Common Tasks](#)

1. Overview

The **Asset Inventory Management Tool** is a centralised web application for tracking, managing, and reporting on all IT assets across the organisation. It provides a single source of truth for:

- **Server and VM inventory** (Asset List)
- **Non-standard and extended assets** (Extended Asset List)
- **Beijing region assets** (Beijing Asset List)
- **Physical hardware inventory** (Physical Assets)
- **Bulk import from Excel/CSV**
- **Audit trails, reporting, and notifications**

All data is stored in a PostgreSQL database and accessible through a browser-based interface — no software installation is required on end-user machines.

2. User Roles & Permissions

There are three user roles. Your role determines what you can see and do in the tool.

Feature	Admin	ReadWrite	ReadOnly
View all asset lists	✓	✓	✓
Add / Edit assets	✓	✓	✗
Delete assets	✓	✓	✗
Import assets (Excel/VMware)	✓	✗	✗
Export CSV	✓	✓	✓
View Dashboard	✓	✓	✓
Report Builder	✓	✓	✓
Configuration (dropdowns)	✓	✓	View only
Custom Fields management	✓	✗	✗


Feature	Admin	ReadWrite	ReadOnly
User Management	✓	✗	✗
Branding	✓	✗	✗
Backup & Export	✓	✗	✗
Email Notifications	✓	✗	✗
Audit Explorer	✓ (if enabled)	✗	✗
Deleted Items (Restore)	✓	✗	✗
View stored passwords	✓ (if granted)	✓ (if granted)	✗

Note: Individual page access can be further restricted by an Admin via the Password & Page Control settings.

3. Getting Started – Login

3.1 Logging In

1. Open your browser and go to the tool's URL (provided by your IT Administrator).
2. Enter your **Username** and **Password**.
3. Click **Login**.




3.2 Forgotten Password

Contact your system Administrator to reset your password. Admins can reset passwords from the **User Management** page.

3.3 Logging Out


Click your **profile avatar** (top-right corner) and select **Logout**.



4. Navigation Layout

After logging in, you will see the main layout:


Area	Description
Left Sidebar	Main navigation menu with links to all sections
Top Bar	Application name/logo, dark mode toggle, profile avatar
Main Content Area	The active page content



Sidebar Sections

The sidebar is grouped into the following sections:


- **Main** — Dashboard, Asset List, Extended Asset List, Physical Assets, Beijing Asset List
- **Import / Reports** — New Asset Import, Excel Smart Import, Import Audit Report, Report Builder, Tenable Report/Import
- **Settings** — Configuration, Custom Fields, User Management, Branding, Backup, Email Notifications, Audit Explorer, Deleted Items
- **My Account** — Profile



5. Dashboard



Route: `/dashboard` | **Access:** All users

The Dashboard is your home screen after logging in. It provides a live summary of the asset inventory.



5.1 Tabs

Tab	What It Shows
Executive Overview	Health score, total assets, alive servers, unmanaged count, onboard pending
Asset Inventory	VM count, physical servers, ME/Tenable agent stats, patching breakdown
Extended Inventory	Extended asset totals, active/inactive, agent status
Weekly Report	Historical trend charts over the past weeks



5.2 KPI Cards

Each card shows a metric (e.g., Total Assets, ME Installed, Auto Patch). Click any card to navigate directly to the relevant filtered list.

5.3 Charts

- **Dept-wise Endpoint Distribution** — Pie chart showing assets per department
- **Patching Compliance** — Breakdown of patching types
- **Location-wise Patching** — Bar chart showing patching status per location


5.4 Refreshing Data

The dashboard auto-refreshes based on the configured interval. Click the **Refresh** icon on any card to manually refresh that metric.

6. Asset List (Main Inventory)

Route: `/asset-list` | **Access:** All users (add/edit requires ReadWrite or Admin)

This is the primary inventory of all servers and virtual machines.



6.1 Viewing Assets (List Tab)


The list shows all assets in a paginated table with sticky columns for VM Name and IP Address.

Available Columns (toggle via the **Columns** button):

- VM Name, IP Address, Hostname, Asset Type, OS, OS Version
- Department, Location, Assigned User, Asset Tag, Serial Number
- Status, EOL, Patching Type, Patch Schedule
- ME Installed, Tenable Installed
- iDRAC, OME, Hosted IP
- Username, Password (permission-gated)
- Business Purpose, Additional Remarks
- Any configured Custom Fields

To adjust visible columns:


1. Click the **Columns** button in the toolbar (Eye icon).
2. Check or uncheck columns from the dropdown.



6.2 Searching and Filtering

Use the **filter bar** at the top of the list to narrow results:

Filter	Description
Search box	Type to search by VM Name, Hostname, IP Address
All Locations	Filter by office/data centre location
All Departments	Filter by department
All Statuses	Filter by server status (Alive, Powered Off, etc.)
All Types	Filter by asset type (VM, Physical, etc.)




6.3 Adding a New Asset


- 1. Click **Add Asset** (or switch to the **Add** tab).
- 2. Fill in the form sections:

Section	Key Fields
Basic Information	VM Name, Hostname, IP Address (<i>required</i>), Asset Type, OS, OS Version
Ownership	Assigned User, Department, Business Purpose, Asset Tag

Section	Key Fields
Status & Patching	Server Status, Patching Type, Server Patch Type, Schedule, Location, EOL Status
Agent Status	ME Installed (toggle), Tenable Installed (toggle)
Host Details	Serial Number, iDRAC Enabled, iDRAC IP, OME Status, Hosted IP
Credentials	Asset Username, Asset Password
Custom Fields	Any additional fields defined by Admin




3. **IP Address** is automatically checked for duplicates as you type. If the IP already exists, a warning message is shown and you cannot save.
4. Click **Save Asset** to create the record.




6.4 Editing an Asset

1. In the list, click the **pencil (Edit)** icon on the row you want to edit.
2. The row expands into an edit form inline.
3. Make your changes.
4. Click **Save** to apply, or **Cancel** to discard.



6.5 Deleting an Asset

1. Click the **trash (Delete)** icon on the asset row.
2. A confirmation dialog appears — type the asset name or click **Confirm**.
3. The asset is moved to **Deleted Items** (not permanently removed).




6.6 Exporting to CSV

Click **Export CSV** in the toolbar. The file downloads automatically with a timestamp in the filename.

6.7 Bulk Delete

(Requires ReadWrite or Admin)


1. Select multiple assets using the checkboxes on the left of each row.
2. The **Delete X** button appears in the toolbar.
3. Click it and confirm to bulk-delete selected assets.



6.8 Bulk Update

(Requires Admin)


1. Apply filters to target a group of assets.
2. Click **Bulk Update** in the toolbar.
3. Choose which fields to update (Department, Status, Patching, Location, EOL, Assigned User).
4. Use **Dry Run** first to preview how many assets will be affected.
5. Click **Apply Bulk Update** to execute.



7. Extended Asset List

Route: `/ext-asset-list` | **Access:** All users (add/edit requires ReadWrite or Admin)

Used for non-standard assets such as network switches, routers, cloud resources, appliances, and any device not in the main inventory.



The interface is **identical to the Asset List** with the following differences:


- Additional field: **Record Status** (Active / Inactive / Decommissioned / Maintenance)
- Additional field: **Description**
- Bulk Update includes a **Record Status** field

All actions (Add, Edit, Delete, Export, Bulk Update, Filters, Columns toggle) work the same as described in [Section 6](#).

8. Beijing Asset List

Route: `/beijing-asset-list` | **Access:** All users (add/edit requires Admin)

A dedicated inventory for the Beijing office/region assets.




8.1 Viewing Assets

The list behaves the same as the main Asset List — search, filter, column toggle, export, and pagination all work identically.

Filter Bar: Search | All Locations | All Departments | All Statuses | All Types


8.2 Adding a Beijing Asset (*Admin only*)

1. Switch to the **Add New Asset** tab.
2. Fill the form (same field groups as Asset List — Basic Information, Ownership, Status & EOL, Patching, Agent Status, Host Details, Credentials, Custom Fields).
3. **IP Address** is required and must be unique.
4. Click **Add Beijing Asset**.




8.3 Viewing Asset Details

Click the **eye (View)** icon on any row to open the full detail page for that asset.



On the detail page:

- All sections are displayed in read-only mode.
- Click **Edit** (top-right) to switch to edit mode.
- Make changes, then click **Save** or **Cancel**.



8.4 Editing Inline

Click the **pencil (Edit)** icon on a row in the list to edit inline (same as main Asset List).


8.5 Beijing Custom Fields (*Admin only*)

Admins can define additional custom fields specific to Beijing assets via **Settings → Beijing Asset Fields**.

9. Physical Assets

Route: `/physical-assets` and `/physical-server-list` | **Access:** All users

Used to register and manage the physical hardware details of servers.




9.1 Physical Server List

Shows all registered physical servers grouped by model. Columns include Model, Cores, RAM, Disk Count, Serial, Location, Rack Number.

Click any row to open the **Physical Asset Detail** page for that server.

9.2 Registering a Physical Asset

1. Go to **Physical Assets** in the sidebar.
2. Enter the **Hosted IP** of the server (or select from Asset List).
3. Fill in hardware details: Asset ID, Department, Location, Model, Cores, RAM, Disks, Serial, Rack Number.
4. Toggle **OEM Support Status** if applicable.
5. Add any custom fields defined by Admin.
6. Click **Save**.




9.3 Server Models

Admins can pre-define server hardware templates (models) under **Physical Server Models**. When registering a server, selecting a model pre-fills the hardware specs.

10. Excel Smart Import

Route: `/excel-smart-import` | **Access:** Admin only

Used to bulk-import or update assets from an Excel or CSV file.




Step 1 — Choose Target

Select the target inventory at the top of the page:

- **Asset List** — Main inventory
- **Extended Inventory** — Extended asset list
- **Beijing Assets** — Beijing office inventory

Step 2 — Download the Template


Click **Download Template** to get a pre-formatted Excel/CSV file with the correct column headers for the selected target.



Fill the template with your asset data. The only **required column** is **IP Address** — all other fields are optional and will be updated only if provided.


Step 3 — Upload and Verify

1. Click **Choose File** and select your filled Excel/CSV file.
2. (Optional) Check "**Verify if mapped fields differ from existing data (by IP)**" to identify which rows are new vs. updates to existing assets.
3. Click **Verify Data**.




The preview table will appear showing each row with a status:

Row Colour	Meaning
Green (Verified)	Row is valid and ready to import
Yellow (Update Required)	IP already exists; fields differ — will update existing asset
Red (Unverified)	Row has an error (e.g. missing IP, duplicate)



Step 4 — Select Rows to Import


- All verified rows are pre-selected.
- Uncheck any rows you do not want to import.
- Use **Select All Verified** to quickly re-select all valid rows.



Step 5 — Import

Click **Import Selected**. When complete, a summary is shown:

-  **Imported:** New assets created
-  **Updated:** Existing assets updated (if compare mode was on)
-  **Skipped:** Rows not imported (reason shown)
-  **Failed:** Rows that caused errors




Tips

- **Matching is by IP Address only.** If the IP already exists in the target list, the row updates that asset's fields.
- If a column is not in the file, that field is left unchanged for existing assets.
- After importing, visit **Import Audit Report** (sidebar) to review a full log of all imports.

11. Report Builder


Route: `/report-builder` | **Access:** All users

Create custom reports and visualisations from your asset data.



11.1 Creating a Report

1. **Select Data Source** — Asset List or Extended Inventory.
2. **Select Report Type:**
 - Table
 - Bar Chart
 - Pie Chart
 - Doughnut Chart
 - Line Chart
 - Pivot Table
3. **Apply Filters** — filter by department, status, OS type, location, date range, etc.
4. **Select Grouping** — for charts, choose what to group by (e.g., by Department, by OS Type).
5. The report renders in real time.



11.2 Exporting a Report

Click **Export CSV** or **Export PDF** to download the report data.


11.3 Saving a Report Configuration

Click **Save Report** to save the current filter and layout settings so you can re-run the same report later.

12. Configuration (Dropdown Management)

Route: `/configuration` | **Access:** All users (add/edit/delete requires ReadWrite or Admin)

Manages all the dropdown lists used throughout the tool.




Available Dropdown Categories

Category	Examples
Asset Types	VM, Physical Server, Network Switch
OS Types	Linux, Windows, ESXi, macOS
OS Versions	Ubuntu 22.04, Windows Server 2022
Departments	IT, DevOps, Security, Finance
Server Status	Alive, Powered Off, Not Alive
Patching Schedules	Weekly, Monthly, Quarterly
Patching Types	Auto, Manual, Exception
Server Patch Types	Critical, Non-Critical, Test
Locations	DC1, DC2, Azure, AWS

12.1 Adding an Item

- 1. Click **Expand** on the relevant category.

2. Type the new item name in the input field.
3. Click **Add** (or press Enter).




12.2 Editing an Item

1. Click the **pencil (Edit)** icon next to the item.
2. Update the name.
3. Press **Enter** or click the **tick** to save, or **Esc** to cancel.

12.3 Deleting an Item


Click the **trash (Delete)** icon. A confirmation dialog appears. Items currently in use by assets **cannot be deleted** until they are unlinked.



13. Custom Fields

Route: `/custom-fields` (and variants for Extended, Physical, Beijing) | **Access:** Admin only

Admins can add extra fields to any asset form beyond the built-in fields.




13.1 Custom Field Types

Type	Description
Text Box	Free-text input
Dropdown	Select from a predefined list of options
Toggle	Yes / No switch
Radio	Single-choice selection from options

13.2 Adding a Custom Field

1. Click **Add Custom Field**.
2. Fill in:
 - **Field Label** — The name displayed in the form (e.g., "Application Owner")
 - **Field Type** — Text Box, Dropdown, Toggle, or Radio
 - **Group** — Which section of the form this field appears in
 - **Options** (for *Dropdown/Radio*) — Comma-separated list of choices
 - **Display Order** — Numeric order within the group
3. Click **Add Field**.




The field immediately appears in the **Add/Edit** form for that inventory.

13.3 Editing a Custom Field

Click the **pencil (Edit)** icon on the field row. Update the settings and click **Update Field**.

13.4 Hiding a Custom Field

Toggle the **Active/Hidden** switch on the field row to hide the field from forms without deleting it.




13.5 Deleting a Custom Field

Click the **trash (Delete)** icon and confirm. **Warning:** Existing values stored in assets for this field will be lost.


14. User Management

Route: `/users` | Access: Admin only



14.1 Adding a User

1. Click **Add User**.
2. Fill in:
 - **Username** (*required, unique*)
 - **Full Name**
 - **Email**
 - **Password** (*minimum 6 characters*)
 - **Role** — Admin, ReadWrite, or ReadOnly
3. Click **Create User**.




14.2 Editing a User

Click the **pencil (Edit)** icon on the user row. You can update their Email, Full Name, and Role.

14.3 Resetting a Password

Click the **key (Reset Password)** icon on the user row. Enter and confirm the new password, then click **Reset**.




14.4 Deleting a User

Click the **trash (Delete)** icon and confirm. The user will no longer be able to log in.

14.5 Page & Password Permissions

From the **Password & Page Control** page (under Settings), Admins can:

- **Show or hide specific pages** for each individual user
- **Grant or revoke password view permission** (controls whether a user sees stored asset credentials or just *********)




To change permissions:

1. Go to **Settings** → **Password & Page Control**.
2. Find the user.
3. Toggle the switches for the pages they should access.
4. Toggle **Can View Passwords** on or off.
5. Click **Save**.

15. Branding & Customization

Route: `/branding` | **Access:** Admin only

Customise the application's appearance to match your organisation.




Setting	Description
App Name	Name shown in the sidebar and browser tab
Company Name	Shown in headers/footers
Theme Colour	Hex colour for buttons and accents
Logo	Upload a company logo (under 2 MB)
ME Agent Icon URL	Custom icon for ManageEngine agent status
Tenable Agent Icon URL	Custom icon for Tenable agent status

Changes take effect immediately across the application for all users.


16. Backup & Export

Route: `/backup` | Access: Admin only



16.1 Manual Database Backup

1. Go to the **PostgreSQL Backup** tab.
2. Click **Download Backup Now**.
3. A full SQL dump file (`.sql`) downloads to your browser.



16.2 Scheduled Backup


1. Toggle **Enable Scheduled Backups**.
2. Set the frequency: Daily / Weekly (Monday) / Monthly (1st).
3. Set the backup time (24-hour format).
4. Click **Save Schedule**.

The **Backup Log** at the bottom shows the history of all backup attempts with timestamps and statuses.

16.3 CSV Export

Switch to the **CSV Export** tab to download any inventory as a spreadsheet:


- Asset List
- Extended Inventory
- Beijing Assets



17. Email Notifications


Route: `/email-notifications` | **Access:** Admin only

Configure automatic email alerts for key events in the system.



17.1 SMTP Configuration


1. Go to the **SMTP** tab.
2. Enter your mail server details:
 - **Host** — SMTP server address
 - **Port** — 587 (STARTTLS), 465 (SSL), 25 (Plain), or 2525
 - **Username / Password** — SMTP credentials
 - **From Name / From Email** — Sender details
3. Click **Save SMTP Settings**.
4. Click **Send Test Email** to verify the connection works.



17.2 Notification Templates

Switch to the **Notification Templates** tab.


- Toggle the **Global Enable** switch to turn all notifications on or off.
- For each event type (Asset Created, Asset Updated, User Added, etc.):
 1. Toggle the event on or off.
 2. Edit the **Subject** and **Body** using available template variables (e.g., `{{vm_name}}`, `{{ip_address}}`, `{{department}}`).
 3. Set **Recipients** (comma-separated email list).
 4. Click **Save Template**.



18. Audit Explorer

Route: `/audit-explorer` | **Access:** Admin only (*must be enabled in Page Control*)

View a complete history of all changes made in the system.



18.1 Filtering the Audit Log


Filter	Options
Entity Type	Asset, Extended Item, Beijing Asset, User, Transfer
Action	Create, Update, Delete, Restore
Actor	The username who made the change
Date From / To	Date range picker
Only Changed	Toggle to show only records where something actually changed
Search	Full-text search across all fields

18.2 Reading an Audit Entry

Each row shows:

- **Timestamp** — When the change was made
- **Actor** — Who made the change
- **Action** — What was done (created / updated / deleted)
- **Entity** — Which asset or record was affected


Click **Expand** on a row to see the **before and after** values for every changed field.



19. Deleted Items

Route: `/deleted-list` | **Access:** Admin only

Assets deleted from any list are not permanently removed — they are moved here.




19.1 Tabs

Tab	Source
Asset List	Deleted main inventory assets
Extended Inventory	Deleted extended assets
Beijing Assets	Deleted Beijing assets
Physical Assets	Deleted physical server records


19.2 Restoring a Deleted Asset

1. Find the asset using the **Search** box.
2. Click **View** to confirm it is the correct record.
3. Click **Restore**. The asset returns to its original inventory.



19.3 Permanently Deleting


Click **Permanently Delete** and confirm. This action **cannot be undone**.



20. My Profile

Route: `/profile` | **Access:** All users

Every user can manage their own account settings.




20.1 Updating Profile Information

1. Click your **avatar** (top-right) → **Profile**, or navigate via the sidebar.
2. Update your **Email**, **Full Name**, and/or upload a **profile picture**.
3. Click **Save Changes**.

20.2 Changing Your Password

1. Scroll to the **Change Password** section.
2. Enter your **Current Password**.
3. Enter and confirm your **New Password** (minimum 8 characters, must include uppercase, number, and symbol).
4. The **password strength indicator** shows: Weak / Fair / Good / Strong.
5. Click **Save Password**.



20.3 Theme Toggle

Switch between **Light Mode** and **Dark Mode** using the toggle in the profile section or the moon/sun icon in the top bar.

21. Quick Reference – Common Tasks

Task	Where to Go	Who Can Do It
View all servers	Asset List → List tab	Everyone
Add a new server	Asset List → Add tab	ReadWrite, Admin
Update a server's details	Asset List → Edit icon	ReadWrite, Admin
Delete a server	Asset List → Delete icon	ReadWrite, Admin
Restore a deleted server	Deleted Items → Asset List tab	Admin
Bulk import from Excel	Excel Smart Import	Admin
Export server list to CSV	Asset List → Export CSV	Everyone
Add a dropdown option	Configuration	ReadWrite, Admin

Task	Where to Go	Who Can Do It
View audit history for a change	Audit Explorer	Admin
Create a new user	User Management	Admin
Reset someone's password	User Management → Key icon	Admin
Control which pages a user sees	Password & Page Control	Admin
Add a custom field to the form	Custom Fields	Admin
Change app name or logo	Branding	Admin
Download a database backup	Backup	Admin
Enable email alerts	Email Notifications	Admin

Appendix A — Field Reference: Asset List

Field	Required	Notes
IP Address	✓	Must be unique across all assets
VM Name	✗	Recommended; used for display and search
OS Hostname	✗	DNS name of the machine
Asset Type	✗	Dropdown — managed in Configuration
OS Type	✗	Dropdown — managed in Configuration
OS Version	✗	Dropdown — linked to OS Type
Assigned User	✗	Free text — person responsible
Department	✗	Dropdown — managed in Configuration
Location	✗	Dropdown — managed in Configuration
Business Purpose	✗	Free text
Asset Tag	✗	Department-scoped unique identifier
Serial Number	✗	Hardware serial
Server Status	✗	Dropdown (Alive, Powered Off, etc.)

Field	Required	Notes
EOL Status	✗	InSupport / EOL / Decom / Not Applicable
Patching Type	✗	Auto / Manual / Exception
Patching Schedule	✗	Weekly / Monthly / etc.
ME Installed	✗	Toggle — ManageEngine agent present
Tenable Installed	✗	Toggle — Tenable agent present
iDRAC Enabled	✗	Toggle — remote management board
iDRAC IP	✗	IP of iDRAC interface
OME Status	✗	OpenManage Enterprise status
Hosted IP	✗	IP of the physical host
Asset Username	✗	Credential — shown based on permission
Asset Password	✗	Credential — shown based on permission
Additional Remarks	✗	Free text notes

Appendix B — Excel Smart Import Column Reference

The following column headers are recognised by the import engine (case-insensitive, flexible naming):

Field	Accepted Column Names
IP Address	ip, ip address, ipaddress
VM Name	vm name, vmname, name, server name
Hostname	hostname, os hostname, dns name
Asset Type	asset type, assettype, type
OS Type	os type, operating system
OS Version	os version, osversion
Department	department, dept

Field	Accepted Column Names
Location	location, site
Assigned User	assigned user, owner, user
Server Status	server status, status
Patching Type	patching type, patch type
EOL Status	eol status, eol
ME Installed	me installed, me status
Tenable Installed	tenable installed, tenable status
Serial Number	serial number, serial
Asset Tag	asset tag, tag
Business Purpose	business purpose, purpose
Additional Remarks	additional remarks, remarks, notes

End of SOP Document

For issues or questions, contact your system Administrator.