

Threat hunting report

Browse through your security alerts, identifying issues and threats in your environment.


🕒 2026-08-20T14:58:28 to 2026-08-27T14:58:28

🔍 manager.name: socforgewazuh


Top 3 agents with level 15 alerts

ID	Name	IP address	Version	Manager	Operating system	Registration date	Last keep alive
002	OniNaruto	192.168.56.105	Wazuh v4.14.7	socforgewazuh	Microsoft Windows 11 Pro 10.0.22621.819	Aug 25, 2026 @ 17:29:00.000	Aug 27, 2026 @ 00:36:04.000


Top 10 Alert level evolution



Top 10 MITRE ATT&CKS



Alerts evolution - Top 5 agents



2,527
- Total -

73
- Level 12 or above alerts -


19

- Authentication failure -

280

- Authentication success -

Top 5 agents



Alerts summary

Rule ID	Description	Level	Count
5502	PAM: Login session closed.	3	278
5501	PAM: Login session opened.	3	266
92200	Scripting file created under Windows Temp or User folder	6	259
5402	Successful sudo to ROOT executed.	3	251
92154	Process loaded taskschd.dll module. May be used to create delayed malware execution	4	143
533	Listened ports status (netstat) changed (new port opened or closed).	7	47
60642	Software protection service scheduled successfully.	3	38
92153	Suspicious process loaded VaultCli.dll module. Possible use to dump stored passwords.	10	34
2904	Dpkg (Debian Package) half configured.	7	31
61104	Service startup type was changed	3	28
502	Wazuh server started.	3	26
92213	Executable file dropped in folder commonly used by malware	15	24
203	Agent event queue is full. Events may be lost.	9	23
2902	New dpkg (Debian Package) installed.	7	21
202	Agent event queue is 90% full.	7	18
205	Agent event queue is back to normal load.	3	18
92151	Binary loaded PowerShell automation library - Possible unmanaged Powershell execution by suspicious process	12	18
92217	Executable dropped in Windows root folder	6	15
204	Agent event queue is flooded. Check the agent configuration.	12	14
5715	sshd: authentication success.	3	12
60608	Summary event of the report's signatures.	4	10
61138	New Windows Service Created	5	10
92027	Powershell process spawned powershell instance	4	10
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Enforce password history' is set to '24 or more password(s)'.	3	3
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Choose how BitLocker-protected operating system drives can be recovered: Allow data recovery agent' is set to 'Enabled: False'.	7	2
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Basic authentication' is set to 'Disabled'.	3	2
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow unencrypted traffic' is set to 'Disabled'.	3	2
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Configure 'Accounts: Rename administrator account'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Configure 'Accounts: Rename guest account'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0:	7	1

Rule ID	Description	Level	Count
	Configure 'Interactive logon: Message text for users attempting to log on'.		
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Configure 'Interactive logon: Message title for users attempting to log on'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Disable IPv6 (Ensure TCPIP6 Parameter 'DisabledComponents' is set to '0xff (255)').	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Account lockout duration' is set to '15 or more minute(s)'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Account lockout threshold' is set to '5 or fewer invalid logon attempt(s), but not 0'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Accounts: Block Microsoft accounts' is set to 'Users can't add or log on with Microsoft accounts'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Clipboard synchronization across devices' is set to 'Disabled'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Cloud Search' is set to 'Enabled: Disable Cloud Search'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Cortana above lock screen' is set to 'Disabled'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Cortana' is set to 'Disabled'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Custom SSPs and APs to be loaded into LSASS' is set to 'Disabled'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Diagnostic Data' is set to 'Enabled: Diagnostic data off (not recommended)' or 'Enabled: Send required diagnostic data'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Message Service Cloud Sync' is set to 'Disabled'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Microsoft accounts to be optional' is set to 'Enabled'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Online Tips' is set to 'Disabled'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Print Spooler to accept client connections' is set to 'Disabled'.	7	1
19007	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow Remote Shell Access' is set to 'Disabled'.	7	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Accounts: Guest account status' is set to 'Disabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Accounts: Limit local account use of blank passwords to console logon only' is set to 'Enabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure	3	1

Rule ID	Description	Level	Count
	'Allow a Windows app to share application data between users' is set to 'Disabled'.		
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow indexing of encrypted files' is set to 'Disabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow remote server management through WinRM' is set to 'Disabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow user control over installs' is set to 'Disabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow users to connect remotely by using Remote Desktop Services' is set to 'Disabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Allow widgets' is set to 'Disabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Always install with elevated privileges' is set to 'Disabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Application: Control Event Log behavior when the log file reaches its maximum size' is set to 'Disabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Apply UAC restrictions to local accounts on network logons' is set to 'Enabled'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit Audit Policy Change' is set to include 'Success'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit Authentication Policy Change' is set to include 'Success'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit Logoff' is set to include 'Success'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit Logon' is set to 'Success and Failure'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit Other System Events' is set to 'Success and Failure'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit Security Group Management' is set to include 'Success'.	3	1
19008	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Audit Security State Change' is set to include 'Success'.	3	1
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Computer Browser (Browser)' is set to 'Disabled' or 'Not Installed'.	3	1
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Configure Automatic Updates: Scheduled install day' is set to '0 - Every day'.	3	1
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Download Mode' is NOT set to 'Enabled: Internet'.	3	1
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure 'Select when Quality Updates are received' is set to 'Enabled: 0 days'.	3	1
19009	CIS Microsoft Windows 11 Enterprise Benchmark v3.0.0: Ensure	3	1

Rule ID	Description	Level	Count
	'Support device authentication using certificate' is set to 'Enabled: Automatic'.		
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure GDM automatic mounting of removable media is disabled.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure GDM autorun-never is enabled.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure GDM autorun-never is not overridden.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure GDM disable-user-list option is enabled.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure GDM disabling automatic mounting of removable media is not overridden.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure GDM login banner is configured.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure GDM screen locks cannot be overridden.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure actions as another user are always logged.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure audit log files group owner is configured.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure audit log storage size is configured.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure audit logs are not automatically deleted.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure changes to system administration scope (sudoers) is collected.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure cryptographic mechanisms are used to protect the integrity of audit tools.	3	1
19009	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure default user umask is configured.	3	1
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd GSSAPIAuthentication is disabled.: Status changed from passed to failed	9	1
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd HostbasedAuthentication is disabled.: Status changed from passed to failed	9	1
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd IgnoreRhosts is enabled.: Status changed from passed to failed	9	1
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd LogLevel is configured.: Status changed from passed to failed	9	1
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd MACs are configured.: Status changed from passed to failed	9	1
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd MaxSessions is configured.: Status changed from passed to failed	9	1
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd	9	1

Rule ID	Description	Level	Count
	PermitEmptyPasswords is disabled.: Status changed from passed to failed		
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd PermitUserEnvironment is disabled.: Status changed from passed to failed	9	1
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd UsePAM is enabled.: Status changed from passed to failed	9	1
19011	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure systemd-timesyncd is enabled and running.: Status changed from passed to failed	9	1
19010	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd GSSAPIAuthentication is disabled.: Status changed from failed to passed	3	1
19010	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd HostbasedAuthentication is disabled.: Status changed from failed to passed	3	1
19010	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd IgnoreRhosts is enabled.: Status changed from failed to passed	3	1
19010	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd LogLevel is configured.: Status changed from failed to passed	3	1
19010	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd MACs are configured.: Status changed from failed to passed	3	1
19010	CIS Ubuntu Linux 24.04 LTS Benchmark v1.0.0.: Ensure sshd MaxSessions is configured.: Status changed from failed to passed	3	1