



Self-Healing Networks 自愈网络



INTELLINET®
NETWORK SOLUTIONS

以太联

德国创新网络



Intellinet is a brand of IC Intracom



Over 35 years of market experience



ISO 9001:2015 certified



Global expertise, local mentality



Guaranteed quality through our own QC team



Product management in Germany



Superior warranty



INTELLINET[®]
NETWORK SOLUTIONS



德国



美国



中国

PoE Product Family

产品系列



以太联
德国创新网络

PoE Switches / PoE交换机



5口PoE供电的千兆交换机 · PoE直通

561082



8端口千兆以太网PoE+交换机

560641



8口千兆以太网PoE+交换机

561204



8端口千兆以太网PoE+网络管理交换机 · 带2个SFP端口, 140W

561167



16口千兆以太网PoE+交换机

560993



16端口千兆以太网PoE+网络管理交换机 · 带2个SFP端口, 220W

561341



16端口千兆以太网PoE+网络管理交换机 · 带2个SFP端口, 374W

561198



24端口千兆以太网PoE+交换机 · 带2个SFP端口, 370W

561891



24口千兆以太网PoE+网络管理交换机 · 带2个SFP端口, 370W

560559



24端口千兆以太网PoE+网络管理交换机 · 带4个千兆Combo Base-T/SFP端口, 370W

561426



54端口L2+全网管PoE+交换机 · 带48个千兆端口和6个SFP+上行链路, 450W

561969



24口千兆以太网PoE+网络管理交换机 · 带四个10G SFP+上行链路, 370W

561846



54口,第3层网管型48端口千兆PoE+交换机 · 带6个SFP+上行链路 · 850W

562041

Product Family

产品系列



以太联
德国创新网络

Power over Ethernet Accessories/ 以太网供电设备



超长距离 1000M 户外快速
以太网 PoE+ 扩展器套件

524179



千兆高功率PoE+扩展中
继器(延长器)

560962



2端口千兆高功率PoE+
延长器中继器

561266



以太网供电 (PoE+) 分
配器

560443



2口千兆户外防破坏的PoE++延长器

561648



10G PoE++ 电源供应器, 95W

561945

Industrial Switches / PoE 工业交换机



4端口千兆以太网PoE+工业交
换机·带2个SFP端口,120W

508254



8端口千兆以太网PoE+工业交
换机·带2个SFP端口,240W

508261



8端口千兆以太网PoE+第2层
+网络管理工业交换机·带2个
SFP端口,240W

508278



千兆RJ45铜质
SFP收发器模块

523882



千兆光纤SFP光收
发模块

545006



万兆光纤SFP+光收
发模块

507479



万兆光纤SFP+光收
发模块

507462



千兆光纤SFP光
收发模块

506724



千兆光纤SFP光收
发模块

545013



万兆铜质SFP+收发
器模块

508179



工业级万兆(10G) 光
纤SFP+光收发模块

508667



工业级万兆(10G)
光纖SFP+光收发模
组

508681



万兆(10G) 光纖
SFP+光收发模组

508766



万兆(10G) 光纖
SFP+光收发模组

508759



SFP+ 10G無源DAC
雙軸電纜

508445
508483

Business Coverage Worldwide

业务范围遍及全球



Key Business Region

100+
countries




What is POE and how it can help you

什么是POE，它会如何协助您



How it works



What is POE and how it can help you

什么是POE，它会如何协助您

Benefits



Saves installation
time & money



5-port, 8-port, 16-port,
24-port & 48-port
versions



Min. 36 watts & max.
420 watts power budget
options



Managed, Un-managed, Fast
Ethernet, Gigabit & Gigabit
with SFP Port versions



IEEE 802.3at/af/bt
compliant

3
Year

Three-year
warranty



Rackmount &
desktop versions



Self-Healing Networks 自愈网络



Powered Device Monitor

电源设备监控



Link PoE Automation

PoE 群组控制



PoE Scheduling

POE调度



Watchdog

看门狗



Loop Back Protection

环回保护



Energy Efficient Ethernet

高效能以太网



Cloud Management

云管理



INTELLINET
NETWORK SOLUTIONS

以太联
德国创新网络



Powered Device Monitor

电源设备监控



Self-Healing
Networks
自愈网络



自动识别POE设备是否有反应，自动开启该端口的电源以重新启动设备，部分非管理型交换机以及所有管理型交换机皆具此功能

Intellinet automatically recognizes if POE devices aren't responding, and will cycle the power on that port to reboot the device
Available on some unmanaged switches as well as all managed models

Powered Device Monitor

电源设备监控



Self-Healing
Networks
自愈网络

Issues: 还在为不动作的终端设备各个广区跑?

Still busy by running around with the non-action of the end devices?



Powered Device Monitor

电源设备监控



Self-Healing
Networks
自愈网络

PDM 功能在您发现问题前, 已为您侦测到并提前排除问题

PDM detect and solve the problem by power on before you noticed

使用案例

试想一个周末的晚上, 半導體工厂的安全监控的摄像头不运作, 有此电源设备监控功能, 它可自动帮你重启该摄像头的. 网络维护员(或系统集成公司)不用在大周末的晚上特别跑到工厂去重新开启设备

Example

Imagine a weekend night when the security cameras in a semi-conductor plant are not working, and with this power device monitoring feature, it can automatically reboot the cameras for you. The network maintainer (or system integrator) doesn't have to go to the factory on a weekend night to reboot the device.




NO NEED

详细请见实
测影片在

Pls link video on our
website with solution

Link PoE Automation

PoE 群组控制 (新功能预计8月发布)



当一台PoE设备接上PoE交换机后，自动开启这台交换机相关群组埠的PoE功能；
断开后就关闭相关群组埠的PoE功能（就像一个开关一样来控制相关群组PoE功能）

When a master device is connected to the switch, it activates the connection with the corresponding group of ports. Upon disconnection, PoE is deactivated on those ports.

Link PoE Automation

PoE 群组控制 (新功能预计8月发布)



Blinds

Lights

TV

Router

当一台PoE设备接上PoE交换机后，自动开启这台交换机相关群组埠的PoE功能；
断开后就关闭相关群组埠的PoE功能（就像一个开关一样来控制相关群组PoE功能）


If a master port is connected, the switch activates additional ports to provide data and PoE connectivity

PoE Scheduling

POE调度



Self-Healing
Networks
自愈网络



使用者可依所需安排每个终端端口的电源，在指定时间启用和关闭终端设备

Schedule power to each port to enable and disable certain devices at specified times

PoE Scheduling

POE调度



Self-Healing
Networks
自愈网络

Issues: 在电价节节高升下, 如何节能,
节网, 只在需要时开启设备?

Under current rising power prices , how can we save energy ?
Setting equipment on when needed



PoE Scheduling

POE调度




Self-Healing
Networks
自愈网络

使用案例

用户还可以按计划关闭由网络供电的设备。想象一下，一个汽车的展示中心或卖场可使他们场所在不营业的时候关闭Wi-Fi网络，我们可让用户预设为他自动做到这一点，如此可帮助他们节约用电，同时可以延长终端网桥设备的寿命

Example

Users can also turn off devices powered by the network on a scheduled basis. Imagine a car showroom or store that can turn off the Wi-Fi network when their premises are not open for business, and we can do this automatically for the user by default, which helps them save power and extends the life of the endpoint bridge device.



To configure PoE Scheduling, select **Advanced Application>PoE Scheduling**

PoE Scheduling Configuration

Range Name: ☐ Daily

From Week: To Week:

From Time (HH:MM): To Time (HH:MM):

Total Entries: 0

Range Name	Start Weekday	Start Time	End Weekday	End Time
------------	---------------	------------	-------------	----------



监视网络 and 管理的交换机使用率，如果交换机没有及时响应，它自己会重新启动交换机,防止网络当机

Monitors network and managed switch utilization, and if the switch isn't responding in a timely manner has the ability to reboot the switch itself



Issues: 交换机的使用率过载时

When the switch overload



可设定交换机的使用率在95%时自动重启端口,防止网络当机

Switch can be configured to automatically reboot ports at 95% utilization to avoid network crash.


使用案例

交换机可能会因计算能力耗尽而宕机，导致整个网络崩溃。

看门狗功能可解决这种情况，在交换机宕机之前自动重启交换机，使交换机以全新的姿态维持网络正常。

Example

If there is a virus attach in the environment, the switch can be dead due to use out of computing power and lead whole network crash. The watch dog feature can ease the case by rebooting the switch automatically before the crash to maintain the network.



Loop Back Protection

环回保护



Self-Healing
Networks
自愈网络

一个经常被忽视的功能，在使用冗余交换机时用于防止环路，以太网同时使用 STP 和 RSTP 协议，避免了洪水和广播风暴，使交换机能够在半秒内从错误中恢复

An often-overlooked feature, which is used to prevent loops when using redundant switches.

Intellinet uses both STP and RSTP protocols, avoiding floods and broadcast storms, enabling the switch to recover from errors in less than half a second




Loop Back Protection

环回保护

Issues :接错线/或布线不正确时
导致网络当机

Network crash cause by wrong cabling / or incorrect wiring



Loop Back Protection

环回保护



Self-Healing
Networks
自愈网络

交换机能够在半秒内从错误中恢复, 避免网络风暴

Avoiding network broadcast storms, enabling the switch to recover from errors in less than half a second



使用案例

基本上，如果布线不正确，交换机在网络上连接超过一次，就会发生资料传送风暴，导致网络瘫痪；。我们可以防止这种情况的发生。避免安装接错线/防止佈線不正確的网络故障節省大量檢測時間

Example

In basic terms if cabling is done incorrectly and switches are connected more than once on a network a broadcast storm can occur bringing down the network, we can prevent this from occurring.

EEE – Energy Efficient Ethernet

高效能以太网



如果您的网络存在兼容性问题，Intellinet 以太联让您选择停用该功能。

Intellinet gives you the option to disable this feature, in case of compatibility issues on your network



EEE – Energy Efficient Ethernet

高效能以太网



Issues :如何节能，提效与避免兼容问题？

How to save energy and improve efficiency, while avoid compatibility problems?



EEE – Energy Efficient Ethernet

高效能以太网



EEE 功能可被关闭。
端口未传送数据时，进入休眠

EEE function can be turned off

When the port is not transmitting data it goes to sleep



使用案例

EEE 幫助用戶節約電能，在現今電價高漲的狀況，一年可節省大量費用。同時我們設計這功能可被關閉，以協助用戶排除與沒有此功能設備的相容問題

Example

EEE helps customers save energy, which can result in significant cost savings over the course of a year in today's high electricity prices. We also designed this feature to be disabled to help users troubleshoot compatibility issues with devices that do not have this feature.

Cloud Management and Reporting

云管理



可以通过Domotz从任何地方访问和管理交换机
网络记录的问题可向管理员的移动设备发出警报



Switches can be accessed and managed from anywhere via Domotz
Issues logged by the network can be alerted to the administrator's mobile device



Issues :如何降本，节能，在问题发 生前提前预防？

How to reduce costs, save energy and prevent problems before they happen



Cloud Management and Reporting


云管理



上列六龜大功能皆可透過雲端來管理，
同時以太联 Intellinet 特別與世界知
名的網路雲管理系統多默茲
(Domotz) 透過韌體的連結，用戶可
加購此 app 擴充更多好用的高效節
能的功能

All of the above six functions can be managed through the cloud, and Ethernet Intellinet is especially connected to the world-renowned network cloud management system (domotz) through the firmware, users can purchase this app to expand more useful and energy-efficient features

domotz



Use Domotz to work smarter, enhance customer service and improve your bottom line



Monitor – Anything

Internal/External IP, addresses, across multiple VLANs, SNMP variables, any ports or services



Device Identification & Network Mapping

Identifies any device on any network using reliable Fing technology – which has discovered over billions of connected devices



A Unified System

One place to view all information about networks and devices; the end of using bits and pieces of different software



Diagnostics & Troubleshooting


Powerful features to help monitor network and device health & fix issues with remote power management and device access

Cloud Management and Reporting 云管理




A. 显示Intellinet 产品选项, 选要设定的产品

Show a selection of switches discovered, click on the switch you would like to set



B. 电脑桌面或手机上APP显示PoE控制画面

Show PoE control from APP on Desktop or cell phone





Self-Healing Networks 自愈网络



Powered Device Monitor

电源设备监控



Link PoE Automation

PoE 群组控制



PoE Scheduling

POE调度



Watchdog

看门狗



Loop Back Protection

环回保护



Energy Efficient Ethernet

高效能以太网



Cloud Management

云管理



INTELLINET
NETWORK SOLUTIONS

以太联
德国创新网络



Select Product Highlights

Select product highlights

54-Port L3 Fully Managed PoE+ Switch with 48 Gigabit Ethernet Ports and 6 SFP+ Uplinks

符合 IEEE 802.3at/af (PoE+/PoE) 标准, 850 W PoE 功率预算, 第3层, 6 个 10G SFP+ 开放式插槽, 自愈式网络, 台式或 19" 机架安装
#562041

Coming soon, image may slightly vary



Select product highlights



10-Port L2+ Fully Managed PoE++ Switch with 8 Gigabit Ethernet Ports and 2 SFP Uplinks

符合 IEEE 802.3bt (4PPoE) 标准 (2 x 90 W 端口, 6 x 30 W 端口), 242 W PoE 功率预算, 第 2+ 层/第 3 层精简版, 两个 1G SFP 开放式插槽, 自愈式网络, 台式机格式, 包括可选的 19" 机架安装支架 #562003




#562003

Select product highlights



Industrial Outdoor PoE-Powered 5-Port Gigabit Switch with PoE Passthrough / 4-Port PoE+ Extender


一个 IEEE 802.3bt (PoE++ / 4PPoE) PD PoE 端口，90 W 输入功率，四个符合 IEEE 802.3at/af 标准的 PSE PoE 端口，IP65 防雨等级，适用于壁式安装和柱式安装，PoE 范围最远可达 100 米 #509220 - a



Select product highlights

Industrial Outdoor PoE-Powered 5-Port Gigabit Switch with PoE Passthrough / 4-Port PoE+ Extender

#509220 - b



Select product highlights




Ultra Long Range Outdoor Fast Ethernet PoE+ Extender Kit

PoE可扩展至1000米，一个PD端口高达95瓦，兼容IEEE 802.3bt (4PPoE)，IP67防水防尘，一套两个模块，灰色#561952

POWER & DATA DELIVERY OVER 1000 M


ULTRA LONG RANGE OUTDOOR PoE+ EXTENDER KIT



Case Sharing

個案分享






- Data
- Power
- - - PoE (Data+Power)



EU OEM Location sensor manufacturer + INT.POE switches be solutions for their customers


EU 的位置感測器製造商+我們的POE交換機為其客戶提供解決方案



Japan big chain store security system


日本知名的连锁店,店面遍布全球

for around 15K ip camera in the world



Taiwanese leasing company internet system

台資知名的企業租賃連鎖,連鎖點遍布中國。



User Feedback

用戶反饋



我从来没有意识到使用Intellinet 的 PoE 交换机可以为我节省这么多的时间和金钱！我安装了我的IP摄像机，只需要把它安装到我的电脑上！我安装了我的IP摄像机，每个摄像机只需要一根电缆，而且不需要铺设任何电源线。

MR Mark Rivers

自愈网络，Intellinet 的工具箱真不错。

DD Daniel Diaz

我只能说 Intellinet 的 PDM（供电设备监控器）是纯粹的天才！这个 PoE 看门狗执行的是一个非常重要的任务！这个 PoE 看门狗对所有连接的 PD 进行 PD存活检查，并自动重置无反应的设备

AF Ariel Furmanski

Intellinet 的云管理解决方案是100%必须的。除非你有足够的人员在每个地方都安排一名技术人员一直工作著

BF Bryan Froning

有了 Intellinet 交换机和 PDM，80%的支持服务电话都不再需要了。

BS Buck Savage



Self-Healing
Networks
自愈网络



Thanks



IC Intracom Asia Co. Ltd

TW 新北市汐止區新台五路一段77號4樓
+886 2 2698 8856

CH 东莞市长安镇德政中路78号四楼
+86 769 8539 1645

intellinet.com.cn