

Module 2: Assignment – 5

[Home](#) > [Storage accounts](#) >

Create a storage account ...

[Basics](#)[Advanced](#)[Networking](#)[Data protection](#)[Encryption](#)[Tags](#)[Review + create](#)[View automation template](#)

Basics

Subscription	Free Trial
Resource group	demo
Location	East US
Storage account name	assingmentrabi
Primary service	
Performance	Standard
Replication	Locally-redundant storage (LRS)

Advanced

Enable hierarchical namespace	Disabled
Enable SFTP	Disabled
Enable network file system v3	Disabled
Allow cross-tenant replication	Disabled
Access tier	Hot
Enable large file shares	Enabled

Security

Secure transfer	Enabled
Blob anonymous access	Disabled
Allow storage account key access	Enabled
Default to Microsoft Entra authorization in the Azure portal	Disabled

[Previous](#)[Next](#)[Create](#)

Microsoft Azure

Upgrade

Search resources, services, and docs (G+)

Home > assingmentrabi | Containers >

file

Container

Search

Upload

Change access level

Refresh

Delete

Change tier

Acquire lease

Break lease

Vi

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Authentication method: Access key (Switch to Microsoft Entra user account)

Location: file

Search blobs by prefix (case-sensitive)

Add filter

Name	Modified
<input checked="" type="checkbox"/> temp clean.bat	11/03/2025, 21:57:54

Change tier

temp clean.bat

Optimize storage costs by placing your data in the appropriate access tier. [Learn more](#)

Access tier

Archive

i Setting the access tier to "Archive" will make your blob inaccessible until it is rehydrated back to "Hot" or "Cool", which may take several hours.

i Changing the access tier may result in additional charges. [Learn more](#)