```
The list of available updates is more than a week old.
To check for new updates run: sudo apt update
The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo root" for details.
ubuntu@ip-172-31-85-113:~$ mkdir docker
ubuntu@ip-172-31-85-113:~$ cd docker
ubuntu@ip-172-31-85-113:~/docker$ sudo su
root@ip-172-31-85-113:/home/ubuntu/docker# nano Dockerfile
root@ip-172-31-85-113:/home/ubuntu/docker# cat Dockerfile
# Use the official Ubuntu image
FROM ubuntu:latest
# Update package lists and install Apache2
RUN apt update && apt install -y apache2
# Ensure Apache2 runs in the foreground
CMD ["apachectl", "-D", "FOREGROUND"]
# Expose port 80
EXPOSE 80
root@ip-172-31-85-113:/home/ubuntu/docker# docker build -t myapache .
Command 'docker' not found, but can be installed with:
apt install docker.io
root@ip-172-31-85-113:/home/ubuntu/docker# [
```

```
coot@ip-172-31-85-113:/home/ubuntu/docker# docker build -t myapache .
EPRECATED: The legacy builder is deprecated and will be removed in a future release.
            Install the buildx component to build images with BuildKit:
            https://docs.docker.com/go/buildx/
Sending build context to Docker daemon 2.048kB step 1/4: FROM ubuntu:latest
 ---> a04dc4851cbc
tep 2/4 : RUN apt update && apt install -y apache2
---> Using cache
---> 1a2898b21d0b
tep 3/4 : CMD ["apachectl", "-D", "FOREGROUND"]
 ---> Using cache
---> 3d83ea8a37ed
tep 4/4 : EXPOSE 80
---> Using cache
 ---> 1fd3ac85f855
uccessfully built 1fd3ac85f855
Successfully tagged myapache:latest
coot@ip-172-31-85-113:/home/ubuntu/docker#
```

```
Successfully built 1fd3ac85f855
Successfully tagged myapache:latest
root@ip-172-31-85-113:/home/ubuntu/docker# docker images
REPOSITORY
                       IMAGE ID
                                      CREATED
             TAG
                                                       SIZE
myapache
                       1fd3ac85f855
                                      4 minutes ago
                                                       238MB
             latest
                       1fd3ac85f855
                                      4 minutes ago
nywebapp
             latest
                                                       238MB
ubuntu
             latest
                       a04dc4851cbc
                                      8 days ago
                                                       78.1MB
root@ip-172-31-85-113:/home/ubuntu/docker# 🗍
```

```
root@ip-172-31-85-113:/home/ubuntu/docker# docker images
REPOSITORY TAG IMAGE ID CREATED SIZE
myapache latest 1fd3ac85f855 4 minutes ago 238MB
mywebapp latest 1fd3ac85f855 4 minutes ago 238MB
ubuntu latest a04dc4851cbc 8 days ago 78.1MB
root@ip-172-31-85-113:/home/ubuntu/docker# docker run -dit --name myapache-container -p 80:80 myapache
laeaaa23a60e3b6851e1271fd00338cf415e2a6017a7643839948b4336fd342b
root@ip-172-31-85-113:/home/ubuntu/docker# docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAM
laeaaa23a60e myapache "apachectl -D FOREGR..." 17 seconds ago Up 15 seconds 0.0.0.0:80->80/tcp, :::80->80/tcp myapache
root@ip-172-31-85-113:/home/ubuntu/docker# |
```



Apache2 Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at /var/www/html/index.html) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in /usr/share/doc/apache2/README.Debian.gz**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the apache2-doc package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows: