

Module-9: Kubernetes Assignment - 3

```
ubuntu@master:~$ kubectl get pods -o wide
```

| NAME | READY | STATUS | RESTARTS | AGE | IP | NODE | NOMINATED NODE | READINESS GATES |
|-----------------------------------|-------|---------|----------|-------|-----------------|-------|----------------|-----------------|
| nginx-deployment-7c79c4bf97-c8hp4 | 1/1 | Running | 0 | 7m47s | 192.168.104.4 | node2 | <none> | <none> |
| nginx-deployment-7c79c4bf97-flrs4 | 1/1 | Running | 0 | 7m47s | 192.168.166.130 | node1 | <none> | <none> |
| nginx-deployment-7c79c4bf97-pcdrp | 1/1 | Running | 0 | 7m47s | 192.168.166.129 | node1 | <none> | <none> |

```
ubuntu@master:~$
```

```
ubuntu@master:~$ kubectl scale deployment nginx-deployment --replicas=5
deployment.apps/nginx-deployment scaled
ubuntu@master:~$ kubectl get pods -o wide
```

| NAME | READY | STATUS | RESTARTS | AGE | IP | NODE | NOMINATED NODE | READINESS GATES |
|-----------------------------------|-------|---------|----------|-----|-----------------|-------|----------------|-----------------|
| nginx-deployment-7c79c4bf97-c8hp4 | 1/1 | Running | 0 | 11m | 192.168.104.4 | node2 | <none> | <none> |
| nginx-deployment-7c79c4bf97-flrs4 | 1/1 | Running | 0 | 11m | 192.168.166.130 | node1 | <none> | <none> |
| nginx-deployment-7c79c4bf97-kk929 | 1/1 | Running | 0 | 7s | 192.168.104.5 | node2 | <none> | <none> |
| nginx-deployment-7c79c4bf97-pcdrp | 1/1 | Running | 0 | 11m | 192.168.166.129 | node1 | <none> | <none> |
| nginx-deployment-7c79c4bf97-zhztv | 1/1 | Running | 0 | 7s | 192.168.166.131 | node1 | <none> | <none> |

```
ubuntu@master:~$
```