Der steinige Weg zu

Oconf Routing im eigenen RZ

March 2016

1 Data Center

80 % Centos 6

20 % Centos 7

March 2016

1 Data Center

80 % Centos 6 20 % Centos 7

4x Apache 2.2 classical RR 1 Public IP/Server

March 2016

1 Data Center

80 % Centos 6 20 % Centos 7

4x Apache 2.2 classical RR 1 Public IP/Server

4 Static Websites 1 Webshop with state (session)

März 2016

1 Data Center

80 % Centos 6 20 % Centos 7

4x Apache 2.2 classical RR 1 Public IP/Server

4 Static Websites 1 Webshop with state (session)

ca. 40 Microservices run by shell scripts

- Route Legacy and current Systems
- Service based Routing
- Reduce manual tasks
- Secure DMZ with modern Webserver Technology

- Route Legacy and current Systems
- Service based Routing
- Reduce manual tasks
- Secure DMZ with modern Webserver Technology



- Route Legacy and current Systems
- Service based Routing
- Reduce manual tasks
- Secure DMZ with modern Webserver Technology









- Route Legacy and current Systems
- Service based Routing
- Reduce manual tasks
- Secure DMZ with modern Webserver Technology












Georg Rabenstein

Deposit Solutions GmbH

https://github.com/raben2



Georg Rabenstein

Deposit Solutions GmbH

https://github.com/raben2

June 2016

2 Data Center

60 % Centos 6

60 % Centos 7

Two level Fabio 1.2 with Nginx Proxys & Cache

1 Public IP / TLS Cert

Multi Service Applications with docker-compose

December 2016

2 Data Center

55 % Centos 6

45 % Centos 7

Fabio 1.3.5 with Consul Cluster

1 Public IP / DC

Service Registration in Consul (on Deploy)

Next Steps

2-3 Data Center

40 % Centos 6 60 % Centos 7

Fabio with Consul Cluster

Inter Service Routing

Multi DC Routing

Let's Encrypt integration



https://github.com/raben2/0conf-routing-demo

https://github.com/eBay/fabio

https://github.com/hashicorp/consul

https://www.deposit-solutions.com

QUESTIONS?