

GOVERNMENT OF ODISHA

School & Mass Education Department — District Education Office, Ganjam

Letter No. SME-INSP-GNJ-2024/11 | Dated: 03-August-2024

Subject: Inspection Report — School Infrastructure and Mid-Day Meal Compliance, Ganjam District

Pursuant to the Directorate of Secondary Education's quarterly inspection schedule, the undersigned team inspected 8 Government and Government-aided secondary schools across Chhatrapur, Berhampur, and Aska blocks of Ganjam district during the period 15-22 July 2024.

The inspection assessed classroom-to-student ratio, availability of functional toilets (separate for girls), drinking water facilities, mid-day meal kitchen-cum-store compliance, and utilisation of School Grant funds released under Samagra Shiksha for the financial year 2023-24.

Overall infrastructure compliance across the sampled schools stood at 71%, an improvement of 6 percentage points over the previous inspection cycle. However, drinking water infrastructure and girls' toilet functionality remain areas of concern in three schools.

Infrastructure Compliance Summary

School	Block	Enrollment	Toilet Status	Drinking Water	MDM Kitchen	Grant Utilization
Govt. High School, Chhatrapur	Chhatrapur	612	Functional	Functional	Compliant	94%
Govt. UP School, Aska	Aska	348	Needs repair	Non-functional	Compliant	61%
Govt. High School, Berhampur-II	Berhampur	745	Functional	Functional	Minor gaps	88%
Govt. UP School, Rambha	Chhatrapur	289	Non-functional (girls)	Functional	Compliant	72%
Govt. High School, Sorada	Aska	421	Functional	Intermittent supply	Compliant	79%

Copy forwarded to:

Director, Secondary Education, Odisha; District Collector, Ganjam; Block Education Officers, Chhatrapur/Aska/Berhampur; Samagra Shiksha State Project Office.

Additional Secretary to Government