ASSIGNMENT-

NAME:

RABIA SHOAIB.

ROLL NO:

48

SECTION:

BS-CS-E

TASK 1:

INPUTS:

PROGRAM 1:

```
# include <iostream>
Using namespace std;
int main() {
char letter;
letter = 'A';
cout << letter << '\n';
letter = 'B';
cout << letter << '\n';
cin >> letter;
return 0; }
```

OUTPUT:

```
A
B
(Program finished.
```


PROGRAM 2:

INPUT:


```
# include <iostream>
using namespace std;
int main() {
char letter;
letter 65;
cout << letter << '\n';
letter 66;
cout << letter << '\n';
```


```
cin >> letter;
return 0; }
```


OUTPUT:





TASK 2:



5:49
new*
1 # include <iostream>
2 using namespace std;
3 int main (){
4 char letter ;
5 letter= 'A';
6 cout <<letter<< '\n';
7 letter='B';
8 cout<<letter<<'\n';
9 cin >> letter;
10 return 0;
11 }
Tab
{
}
:
;


1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)


5:49
59
TAB
A
B
6
[Program finished]
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
,
English (UK)
.


5:52
58
new*
1 # include <iostream>
2 using namespace std;
3 int main (){
4 char letter ;
5 letter= 65;
6 cout <<letter<< '\n';
7 letter=66;
8 cout<<letter<<'\n';
9 cin >> letter;
10 return 0;
11 }
Tab
{
}
:
;


1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
,
English (UK)
.


5:52
58
TAB
A
B
66
[Program finished]
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
,
English (UK)
.

```
cin >> letter;
return 0; }
```

OUTPUT:


```
65
66
```

TASK 2:

APPLY ATHEMATIC OPERATION


INPUT: (+)

```
# include <iostream>
Using namespace std;
int main() {
    int a,b;
    a = 24;
    b = 12;
    cout<<a+b;
    return 0;}
```




INPUT :(-)

```
#include <iostream>
 Using namespace std;
  int main () {
  int a, b;
    a=24;
    b=12;
   cout << a-b;
      return 0; }
```




INPUT: (*)


```
# include <iostream>
Using namespace std;
 int main(){
 int a,b;
  a=24;
   b=12;
 cout<< a*b;
  return 0; }
```





INPUT: (/)


```
# include <iostream>
Using namespace std;
  int main () {
   int a, b ;
    a = 24;
    b = 12;
   cout <<a/b;
     return 0; }
```






5:54
58
new*
1 # include <iostream>
2 using namespace std;
3 int main (){
4 int a,b;
5 a=24;
6
7 b=12;
8 cout<<a+b;
9
10 return 0;
11 }
Tab
{
}
:
;



1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
,
English (UK)
.



TAB
36
[Program finished]
English (UK)



new*
1 # include <iostream>
2 using namespace std;
3 int main (){
4 int a,b;
5 a=24;
6
7 b=12;
8 cout<<a-b;
9
10 return 0;
11 }
Tab
{
}
:
;


TAB
12
[Program finished]


new*
1 # include <iostream>
2 using namespace std;
3 int main (){
4 int a,b;
5 a=24;
6
7 b=12;
8 cout<<a*b;
9
10 return 0;
11 }
Tab
{
}
:
;


5:55
58
TAB
288
[Program finished]
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)


new*
1 # include <iostream>
2 using namespace std;
3 int main (){
4 int a,b;
5 a=24;
6
7 b=12;
8 cout<<a/b;
9
10 return 0;
11 }
Tab
{
}
:
;


TAB
2
[Program finished]
1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)

ASK 3:

INPUT:

```
#include<iostream>
using namespace std;
  int main(){
  int val1;
  int val2;
  int val3;
 cout<<"Please_enter_your_3-number:";
 cin>>val1>>val2>>val3;
 cout<<val1<<"\n"<<val2<<"\n"<<val3
 <<"\n";
 cout<<val3<<"\n"<<val2<<"\n"<<
 val1<<"\n";
 system("Pause");
  return 0; }
```

OUTPUT:

```
Please enter your 3 number
4
5
3
4
5
3
Press any key to continue...

(Program Finished)
```

6:05 56

new*

```cpp
# include <iostream>
using namespace std;
int main (){
   int val1;
   int val2;
   int val3;


cout<<"Please_enter_your_3_number
:";
   cin>> val1>>val2>>val3;


cout<<val1<<"\n"<<val2<<"\n"<<val3<
<"\n";

cout<<val3<<"\n"<<val2<<"\n"<<val1<
<"\n";
   system("pause");

   return 0;
}
```

Tab | { | } | : | ;


6:06
56
TAB
Please_enter_your_3_number:3
4
5
3
4
5
5
4
3
Press any key to continue . . .
[Program finished]


1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)

TASK 4:

FIND DISTANCE

$$d = (x_2 - x_1)^2 + (y_2 - y_1)^2$$

INPUT:

```
# include <iostream>
# include <cmath>
Using namespace std;
  int main ( ) {
double x1 , x2 , y1 , y2 ;
  double distance;
distance = sqrt ((x2-x1)* (x2-x1)+(y2-y1)*(y2-y1));
 cout<<"enter x1:";
 cin>> x1;
 cout << " Enter y2:";
  cin>> y2;
 Cout <<" Enter x2:";
  Cin >> x2;
 cout << " Enter y2:";
   cin >> y2;
 cout <<" distance ="<<distance<< endl;
   return0; }
```

OUTPUT:

$x_1 = 6$

$x_2 = 8$

$x_2 = 7$

$y_2 = 9$

distance = 0

Programa Finish

7:31 • 46

new*

```cpp
# include <iostream>
# include <cmath>
using namespace std;
int main(){
   double x1,x2,y1,y2;
   double distance;
   distance=sqrt((x2-x1)*(x2-x1)+(y2-y1)*(y2-y1));
   cout<<"enter x1:";
   cin>>x1;
   cout<<"enter y1:";
   cin>>y1;
   cout<<"enter x2:";
   cin>>x2;
   cout<<"enter y2:";
   cin>>y2;
   cout<<"distance="<<distance<<endl;
   return 0;
}
```

Tab | { | } | : | ;


TAB
enter x1:6
enter y1:8
enter x2:7
enter y2:9
distance=0
[Program finished]


1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)

ASK 5:

FIND AREA OF CIRCLE TRIANGLE RECTANGLE

INPUT:

```
# include <iostream>
using namespace std;
int main ( ) {
// 1. circle
double r = 7;
double area_circle;
cout << "area_of_circle=" << area_circle << endl;
//2. rectangle
double length = 5, width= 7;
double area_rec;
area_rec = length * width;
cout << " area_of_ rectangle = " << area_rec
<< end l;
//3. triangle
double base = 8, height = 9;
double area_tri;
area_tri = (base * height *0.5);
cout << " : area_of_triangle = " << area_tri
<< end l;
return 0; }
```

OUTPUT:


Area of circle= 153.86
Area of rec = 35
Area of tri = 36


8:10 40

new*

```
3  int main(){
4     //1.circle
5     double r=7;
6  double area_circle;
7   area_circle=3.14*r*r;
8
9  cout<<"area_of_circle="<<area_circle
   <<endl;
10  //2. rectangle
11  double length=5,width=7;
12  double area_rec;
13    area_rec=length*width;
14 cout<<"area_of_rectangle="<<area_r
   ec<<endl;
15 //3.triangle
16 double base=8,height=9;
17 double area_tri;
18 area_tri=(base*height*.5);
19 cout<<"area_of_triangle="<<area_tri
   <<endl;
20    return 0;
21 }
```

Tab | { | } | : | ;


TAB
area_of_circle=153.86
area_of_rectangle=35
area_of_triangle=36
[Program finished]


1 2 3 4 5 6 7 8 9 0
q w e r t y u i o p
a s d f g h j k l
z x c v b n m
!#1
English (UK)

TASK 6:

INPUT:

```
# include <iostream>
using namespace std;
int main () {
double price1;
Price1= 12-95; cout << "price_item1:" <<price1<<endl;
double price2;
price 2 = 24-95;
cout << "Price_item 2:" << price 2<<endl;
double price3;
price 3 = 6·95;
cout << "Price_item3:" << Price 3<<endl;
double price 4;
price 4 = 14·95;
cout<<"price_item4:" <<Price 4<<endl;
double Price 5;
Price 5 = 3·95;
cout<<"Price_item5:"<<Price 5<<endl;
double subtotal;
subtotal = price 1 + price 2+ price 3+ price 4+price5
cout << "subtotal:"<< subtotal <<endl;
double tax;
tax = subtotal x 0.06;
cout << "tax:" << tax <<endl;
```

```
double total;
total = subtotal + tax;
cout << " total : " << total << endl;
 return 0; }
```

OUTPUT:


```
Price of (1) item = 12.95
Price of (2) item = 24.95
Price of (3) item = 6.95
Price of (4) item = 14.95
Price of (5) item = 3.95
subtotal = 63.75
  tax = 3.825
  total = 67.575.
```

8:30 37

new*

```
using namespace std;
int main(){
double price1;
price1=12.95;
cout<<"price_item1:"<<price1<<endl;
double price2;
price2=24.95;
cout<<"price_item2:"<<price2<<endl;
double price3;
price3=6.95;
 cout<<"price_item3:"<<price3<<endl;
 double price4;
 price4=14.95;
 cout<<"price_item4:"<<price4<<endl;
 double price5;
 price5=3.95;
 cout<<"price_item5:"<<price5<<endl;
 double subtotal;
 subtotal=price1+price2+price3+
price4+price5;
 cout<<"subtotal:"<<subtotal<<endl;
 double tax;
 tax=subtotal*0.06;
 cout<<"tax:"<<tax<<endl;
 double total;
 total=subtotal+tax;
 cout<<"total:"<<total<<endl;
   return 0;
}
```

Tab { } : ;


TAB
price_item1:12.95
price_item2:24.95
price_item3:6.95
price_item4:14.95
price_item5:3.95
subtotal:63.75
tax:3.825
total:67.575
[Program finished]