PROGROMING FUNDAMENTAL

LAB 5.

NAME: RABIA SHOAIB.

SUBMITTED TO: SIR ASAD.

DEPARTMENT : COMPUTER SCIENCE



Lab Tasks:

Task1: C++ program to Print Table of any Number.

The concept of generating table of any number is multiply particular number from 1 to 10.javascript num * 1

num * 2

num * 3

num * 4

num * 5

num * 6


num * 7

num * 8

num * 9

num * 10.


HANDMADE CODING.



CODING ON PHONE.

```
5:23                                  52
new*
1  #include <iostream>
2  using namespace std;
3  int main (){
4  for(   int table_of_num=1;
   table_of_num<=10 ;table_of_num++
   ){
5    cout
   <<"table_of_num:"<<table_of_num<<
   endl;}
6  return 0;
7  }
```


OUTPUT



. Task2

Find power of any number using for loop.

HANDMADE CODING.




CODING ON PHONE.


```
new*
1  #include <iostream>
2  using namespace std;
3  int main (){
4  int number ,power,result=1;
5  cout<< "enter_number:";
6  cin>> number;
7  cout<<"enter_power:";
8  cin>>power;
9  for(int i=1;
10 i<=power;i++){
11    cout<<"result:"<<result;
12 }
13    return 0;
14 }
```

OUTPUT

```
TAB
enter_number:67
enter_power:89
result:1result:1result:1
```


HANDMADE CODING.





CODING ON PHONE

OUTPUT




Task4:

C++ program to find sum of digits of a number.


Sum of digits means add all the digits of any number, for example we take any number like 358. Its sum of

all digit is 3+5+8=16. Using given code we can easily write c++ program.


HANDMADE CODING.



CODING ON PHONE.



OUTPUT




Task5

Program to Generate Factorial a

Certain Number

Factorial of any number is the product of an integer and all the integers below it for example factorial of 4 is 4! = 4 _ 3 _ 2 * 1 = 24.


HANDMADE CODING.



CODING ON PHONE.

```
new*
1  #include <iostream>
2  using namespace std;
3  int main (){
4     int factorial_number;
5     int factorial=1;
6     cout<<"enter factorial number";
7     cin>>factorial_number;
8
9     for(int i=1; i<=factorial_number;i++
   )
10 {factorial=factorial*i;}
   cout<<"factorial_number:"<<factorial;
11    return 0;
12 }
```

OUTPUT



Task7:

Write a C++ program that will print the following pattern.javascript

*

**


***

****

*****

******

HANDMADE CODING.



CODING ON PHONE

```
8:30                                  32
new*
1  #include <iostream>
2  using namespace std;
3  int main (){
4  for(int i=1;i<=7;i++){
5     for(int j=1;j<=7;j++){
6     }
7     cout<<i<<"*";
8  }
9  cout<<endl;
10    return 0;
11 }
```


OUTPUT

```
8:30                                  32
TAB
1*2*3*4*5*6*7*


[Program finished]
```

Write a C program print total number of days in a month using switch case.


HANDMADE CODING



CODING ON PHONE




OUTPUT


TAB
enter_number_of_days_in_month:29
february
[Program finished]

Write a C program to check whether an alphabet is vowel or consonant using switch case

HANDMADE CODING



CODING ON PHONE

new*

```
#include <iostream>
using namespace std;
int main (){
int alphabet;
cout<<"enter_alphabet:";
cin>>alphabet;
switch (alphabet){
case 'A':
case 'E':
case 'I':
case 'O':
 case 'U':
 case 'a':
 case 'e':
 case 'i':
 case 'o':
 case 'u':

cout<<"vowels";
break;
default:
cout<<"consonent";
break;}
   return 0;
}
```

OUTPUT

