(Academic Collaboration with Asia Pacific University of Technology and Innovation, Malaysia)

Techspire College

CT053-3-1

Fundamental of Web Design & Development BSc.IT

2nd Semester

DATE: 18 August, 2025

Lab Report

Submitted By:

Name: Rabina Sijakhwa

Intake Code:

Section:

Submitted To:

Table of Contents

S.N.	LAB WORKS	SIGNATURE	REMARKS
1	Week 1		
2	Week 2		
3	Week 3		
4	Week 4		
5	Week 5		
6	Week 6		
7	Week 7		
8	Week 8		
9	Week 9		
10	Week 10		
11	Week 11		
12	Week 12		

WEEK_1

1. Task 1

task1.html > ...

```
<!DOCTYPE html>
<html lang="en">
<html>
<head>
    <title> My first Page</title>
</head>
<body>
    <h1>Introduction to HTML</h1>
    <p>It is the standard language language used to create
    webpages.<br> HTML describes the <strong> structure</strong>
    of a webpage.</p>
</body>
</html>
```

Output format:

Introduction to HTML

It is the standard language language used to create webpages.
HTML describes the **structure** of a webpage.

2. Task 2

task2.html > ...

```
<!DOCTYPE html>
<html lang="en">
<html>
<head>
    <title> My Profile</title>
</head>
<body>
    <h1>Rabina Sijakhwa</h1>
    <p>My name is Rabina Sijakhwa. I am currently studying in Techspire College,
    New Baneshor. I like keema noodles.</p>
    <h2>My Hobbies</h2>
    <ol>
        <li>Watching Drama</li>
        <li>Singing</li>
        <li>Travelling</li>
    </ol>
</body>
</html>
```

Output format:

Rabina Sijakhwa

My name is Rabina Sijakhwa. I am currently studying in Techspire College, New Baneshor. I like keema noodles.

My Hobbies

1. Watching Drama
2. Singing
3. Travelling

3. Task 3

task3.html > ...

```
<!DOCTYPE html>
<html lang="en">
<head>

    <title>A paragraph</title>
</head>
<body>
    <h1>Technology</h1>
    <p>Technology, broadly defined, is the application of
    <strong>scientific knowledge </strong>for practical purposes,
    encompassing a wide range of tools, techniques, and processes
    used to solve problems, improve lives, and achieve goals.<br>
    It involves the <em>development</em> and use of knowledge,
    skills, and methods to create or modify the physical and/or
    social world</p>
    <h3>Devices</h3>
    <ol>
    <li>Computer</li>
    <li>Mobile</li>
    <li>Laptop</li>
    </ol>
</body>
</html>
```

Output format:

Technology

Technology, broadly defined, is the application of **scientific knowledge** for practical purposes, encompassing a wide range of tools, techniques, and processes used to solve problems, improve lives, and achieve goals.
It involves the *development* and use of knowledge, skills, and methods to create or modify the physical and/or social world

Devices

1. Computer
2. Mobile
3. Laptop

4. Task 4


task4.html > ...

```html
<!DOCTYPE html>
<html lang="en">
<head>

    <title>Techspire</title>
</head>
<body>
    <h1>Welcome to Techspire College</h1>
    <h3>Fundamentals of Web Development</h3>
    <p>At Techspire college, we focus on building a strong forndation in<strong> web technologies</strong>. Our
    curriculum enphasizes practical skills and <em>innovation</em> to preapre students for real-world challenges.
    <br> HTMl is the first step toward web development. <br> Master it to unlock endless possibities.</p>

    <ol>
    <li>Understand the basic structure of an HTMl document.</li>
    <li>Learn how to use important tags like &lt;strong&gt;, &lt;em&gt;, &lt;br&gt;, and headings. </li>
    <li>Build simple webpages as part of your learning journey.</li>
    </ol>
</body>
</html>
```

Output format:



Welcome to Techspire College

Fundamentals of Web Development

At Techspire college, we focus on building a strong forndation in **web technologies**. Our curriculum enphasizes practical skills and *innovation* to preapre students for real-world challenges.
HTMl is the first step toward web development.
Master it to unlock endless possibities.

1. Understand the basic structure of an HTMl document.
2. Learn how to use important tags like , ,
, and headings.
3. Build simple webpages as part of your learning journey.

WEEK_2

1. Task 1


WEEK_2 > task1.html > ...

```
<!DOCTYPE html>
<html>
<head>
   <title>A Heritage Site</title>
</head>
<body bgcolor="lightblue"text="black">
    <h1 style="color:indigo">My Favourite Site</h1>
    <p style="color:brown">Bhaktapur, also known as Bhadgaon or Khwopa, is a historic city located in the Kathmandu
    Valley of Nepal. Renowned for its rich cultural heritage, stunning architecture, and well-preserved medieval
    streets, Bhaktapur is one of the three ancient kingdoms of the valley alongside Kathmandu and Patan.</p>

    <a href="https://www.bhaktapur.com/discover/bhaktapur-durbar-square-an-open-museum/"target="_blank">Visit
    Bhaktapur</a>
    <img src="bkt.jpg" alt="ops" width="300"height="200">
     <img src="bkt1.jpg" alt="ops" width="300"height="200">

</body>
</html>
```

Output format:



2. Task 2

WEEK_2 > <> task2.html > ...

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Table</title>
</head>
<body>
    <table>
        <tr>
            <th> Name</th>
            <th>Age</th>
            <th>City</th>
        </tr>
        <tr>
            <td>Sabina Bhandari</td>
            <td>21</td>
            <td>Sindhupalchowk</td>
        </tr>
        <tr>
            <td>Pragtai Ghale</td>
            <td>20</td>
            <td>Lamjung</td>
        </tr>
        <tr>
            <td>Prabin Khadka</td>
            <td>19</td>
            <td>Dang</td>
        </tr>
    </table>

</body>
</html>
```

Output format:

Name	Age	City
Sabina Bhandari	21	Sindhupalchowk
Pragtai Ghale	20	Lamjung
Prabin Khadka	19	Dang

3. Task 3

WEEK_2 > task3.html > html > body > table

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Personal Portfolio</title>
</head>
<body style ="background-color: rgb(238, 192, 192)">
    <h1 style="color: rgb(58, 128, 11)"> <strong> Rabina Sijakhwa</strong></h1>
    <img src="screenshot.png" alt="something.went.wrong" width="200" height="200">
    <img src="WhatsApp Image 2025-05-18 at 21.28.17_0ab04d9c.jpg" alt="something.went.wrong" width="185" height="200">
    <p>Hi!! I am Rabina, an IT passionate student(doing fine), currently pursuing BscIT from <a href="https://techspire.edu.np/"
    target="_blank">Techspire College</a>. You can see me in the picture above(right), the other picture was there just because I relate to that.
    <br> Anyway, the majestic cow riding a skateboard looks really cool. Trying really hard not to think about the past, the future, or, the
    present. Total picture of peace and sanity.
    </p>
    <h2>My hobbies</h2>
    <ul>
        <li>Drawing</li>
        <li>Reading Novel </li>
        <li><a href="https://kisskh.co.com" target="_blank">Watching dramas</a> </li>
        <li>Travelling</li>
    </ul>
    <h2>My Favourites❤️</h2>
    <ol>
        <li>Family and friends.</li>
        <li>Food.</li>
        <li>Makeup and accessories.</li>
        <li>Memes.</li>
        <li>Sleep.</li>
    </ol>
    <table border="1">
        <tr>
            <th>Level</th>
            <th>Institution</th>
            <th>Year</th>
            <th>GPA</th>
        </tr>
        <tr>
            <td>BLE</td>
            <td>Creative E.S.S.</td>
            <td>2018</td>
            <td>3.51</td>
        </tr>
        <tr>
            <td>SEE</td>
            <td>Creative E.S.S.</td>
            <td>2020</td>
            <td>3.80</td>
        </tr>
        <tr>
            <td>+2</td>
            <td>Khwopa H.S.S.</td>
            <td>2022</td>
            <td>3.40</td>
        </tr>
    </table>
    <br>
    <form>
        <label for="Name">Name:</label>
        <input type="text"  id="name"> <br> <br>
        <label for="email">email:</label>
        <input type="email"  id="email"> <br> <br>
        <label for="message">Message:</label>
        <input type="text"  id="message"> <br> <br>
        <button type="submit">Submit</button>

    </form>
</body>
</html>
```

Output format:

Rabina Sijakhwa





Hi!! I am Rabina, an IT passionate student(doing fine), currently pursuing BscIT from Techspire College. You can see me in the picture above(right), the other picture was there just because I relate to that.
Anyway, the majestic cow riding a skateboard looks really cool. Trying really hard not to think about the past, the future, or, the present. Total picture of peace and sanity.

My hobbies

- Drawing
- Reading Novel
- Watching dramas
- Travelling

My Favourites ❤️

1. Family and friends.
2. Food.
3. Makeup and accessories.
4. Memes.
5. Sleep.

Level	Institution	Year	GPA
BLE	Creative E.S.S.	2018	3.51
SEE	Creative E.S.S.	2020	3.80
+2	Khwopa H.S.S.	2022	3.40

Name:

email:

Message:

Submit

Week_3

1. Task 1

Html

Week_3 > task1.html > ...

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>CSS Example</title>
    <link rel="stylesheet" href="example.css">
</head>

<body>
    <h1 id="title">Welcome to CSS Learning</h1>
    <p id="introduction" class="emphasis">CSS helps style your web pages easily.</p>
    <p class="emphasis">This paragraph uses a class to emphasize its text.</p>
    <h2>CSS Class & ID</h2>
    <img src="techspire logo.png" alt="Sample Image" class="bordered">
    <p>This is a simple paragraph without any class or id.</p>
</body>

</html>

```

CSS

Week_3 > # example.css > ...

```css
body {
    font-family: Arial, sans-serif;
    margin: 20px;
}

#title {
    color: green;
    font-size: 32px;
}


.bordered {
    width: 300px;
    border: 3px solid #000000;
    float: right;
    margin-right: 20px;
}

#introduction {
    font-size: 20px;
    color: #4d7123;
}

.emphasis {
    font-style: italic;
    font-weight: bold;
    color: blue;
}

h1, h2 {
    font-family: "Verdana", sans-serif;
    color: aquamarine;
}
```

Output format:



Week_4

HTML

Week_4 > recipe.html > ...

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Classic Burger</title>
  <link rel="stylesheet" href="recipe.css">
</head>
<body>
  <div id="recipe-card">
    <h1>Burger</h1>
    <h2>Juicy and Flavorful Homemade Burger</h2>

    <img src="Burger.png" alt="Buzz" width="150"height="250" class="center-image">

    <p class="description">
      This classic burger is juicy, flavorful, and easy to make at home. Slices of raw onion, lettuce, tomato, mayonnaise, and other ingredients add flavor.
      Burgers are considered an American food but are popular around the world. Perfect for lunch, dinner, or weekend grilling!
    </p>

    <h3>Ingredients:</h3>
    <ul>
      <li> buff patty</li>
      <li>1 burger bun</li>
      <li>1 slice of cheese</li>
      <li>Tomato, onion and lettuce</li>
      <li>Mayonnaise</li>
    </ul>

    <h3>Instructions:</h3>
    <ol>
      <li>Grill or pan-fry the buff patty until fully cooked.</li>
      <li>Assemble the burger with bun, cheese, buff and any toppings you like (lettuce, tomato, ketchup, etc.).</li>
    </ol>

    <h3>Watch the Recipe:</h3>
    <a href="https://youtu.be/BIG1h2vG-Qg?si=h3wsrFqc1a8qoCsa" target="_blank">Watch on YouTube</a>

    <p id="note">Note: Toast the bun for extra flavor and texture!</p>
  </div>
</body>
</html>
```

CSS

recipe.css > ...

```css
h1, h2, h3 {
  color: rgb(55, 33, 5);
}

.description {
  background-color: #fff3e0;
  padding: 10px;
  border-radius: 5px;
}


#recipe-card {
  border: 2px solid #b37777;
  width: 600px;
  margin: 20px auto;
  background-color: #bcb2b2;
  padding: 20px;
  border-radius: 10px;
}

#note {
  font-style: italic;
  color: rgb(61, 57, 57);
  margin-top: 20px;
}


.center-image {
  display: block;
  margin-left: auto;
  margin-right: auto;
  width: 300px;
}
```

Output format:

Burger

Juicy and Flavorful Homemade Burger



This classic burger is juicy, flavorful, and easy to make at home. Slices of raw onion, lettuce, tomato, mayonnaise, and other ingredients add flavor. Burgers are considered an American food but are popular around the world. Perfect for lunch, dinner, or weekend grilling!

Ingredients:

- buff patty
- 1 burger bun
- 1 slice of cheese
- Tomato, onion and lettuce
- Mayonnaise

Instructions:

1. Grill or pan-fry the buff patty until fully cooked.
2. Assemble the burger with bun, cheese, buff and any toppings you like (lettuce, tomato, ketchup, etc.).

Watch the Recipe:

Watch on YouTube

Note: Toast the bun for extra flavor and texture!

Week_5

HTML

Week_5 > transform.html > ...

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>CSS Transform Demo</title>
    <link rel="stylesheet" href="transform.css">
</head>
<body>
    <h1>CSS Transform Examples</h1>
    <div class="box rotate">Rotate</div>
    <div class="box scale">Scale</div>
    <div class="box skew">Skew</div>
    <div class="box translate">Translate</div>

</body>
</html>
```

CSS

Week_5 > # transform.css > body


```css
body{
    font-family: Arial, sans-serif;
    padding: 30px;
    background: #f2f2f2
}
h1{
    text-align: center;
    margin-bottom: 30px;
}
.box{
    width: 15rem;
    height: 8rem;
    margin: 1rem auto;
    background-color: #4CAF50;
    color: white;
    display: flex;
    justify-content: center;
    align-items: center;
    transition: transform0.4s ease;
    border-radius: 10px;
    font-weight: bold;
}

.rotate:hover{
    transform: rotate(-45deg);
}

.scale:hover{
    transform: scale(1.2);
}
.skew:hover{
    transform: skew(20deg, 10deg);
}

.translate:hover{
    transform: translate(-50px, -30px);
}
```

Output format:





Week_6

HTML

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Grid Layout</title>
    <link rel="stylesheet" href="grid.css">
</head>
<body>
    <div class="gridbox">
        <div>Box 1</div>
        <div>Box 2</div>
        <div>Box 3</div>
        <div>Box 4</div>
        <div>Box 5</div>
        <div>Box 6</div>
        <div>Box 7</div>
        <div>Box 8</div>
    </div>
    <div class="gridbox1">
        <div>Box 1</div>
        <div>Box 2</div>
        <div>Box 3</div>
        <div>Box 4</div>
    </div>

</body>
</html>
```


CSS

```css
.gridbox{
    display: grid;
    grid-template-columns: 1fr 1fr;
    grid-template-rows: auto;
    gap: 10px;
    background-color: lightgreen;
}

.gridbox1{
    display: grid;
    grid-template-columns: 1fr 2fr;
    grid-template-rows: auto auto;
    gap: 10px;
    background-color: lightblue;
}

```

Output format:



Week_7

HTML

Second layout > homework.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Layout</title>
  <link rel="stylesheet" href="homework.css">
</head>
<body>
  <div class="circle-container">
    <div class="circle light-yellow">Text</div>
    <div class="circle light-green">Text</div>
    <div class="circle light-blue">Text</div>
  </div>
  <div class="menu-bar">
    <div class="menu-item">Menu 1</div>
    <div class="menu-item">Menu 2</div>
    <div class="menu-item">Menu 3</div>
    <div class="menu-item">Menu 4</div>
    <div class="menu-item">Menu 5</div>
  </div>

  <div class="content-row">
    <div class="content-box">
      <div class="img-box">image</div>
      <div class="text-box">Text text text text<br>text text text text<br>text text text</div>
    </div>
    <div class="content-box">
      <div class="img-box">image</div>
      <div class="text-box">Text text text text<br>text text text text<br>text text text</div>
    </div>
    <div class="content-box">
      <div class="img-box">image</div>
      <div class="text-box">Text text text text<br>text text text text<br>text text text</div>
    </div>
  </div>
</body>
</html>
```

CSS

Second layout > # homework.css > ...

```css
body {
  font-family: Arial, sans-serif;
  background-color: white;
  margin: 0;
  padding: 0;
  text-align: center;
}

.circle-container {
  display: flex;
  justify-content: center;
  gap: 40px;
  margin-top: 30px;
  margin-bottom: 20px;
}

.circle {
  width: 120px;
  height: 120px;
  border-radius: 50%;
  display: flex;
  justify-content: center;
  align-items: center;
  font-weight: bold;
  font-size: 16px;
  color: #333;
}

.light-yellow {
  background-color: #fdfd96;
}

.light-green {
  background-color: #b0f2b4;
}

.light-blue {
```

Second layout > # homework.css > ...

```css
.light-blue {
}

.menu-bar {
  display: flex;
  justify-content: space-around;
  background-color: #969619;
  padding: 10px 0;
  font-weight: bold;
}

.menu-item {
  flex: 1;
  text-align: center;
}

.content-row {
  display: flex;
  justify-content: center;
  gap: 40px;
  margin-top: 30px;
}

.content-box {
  display: flex;
  flex-direction: column;
  align-items: center;
}


.img-box {
  width: 300px;
  height: 120px;
  background-color: rgb(233, 137,
  border: 1px solid black;
  display: flex;
  justify-content: space-evenly;
  align-items: center;
```

Second layout > # homework.css > ...

```css
.img-box {
  width: 300px;
  height: 120px;
  background-color: rgb(233, 137, 137);
  border: 1px solid black;
  display: flex;
  justify-content: space-evenly;
  align-items: center;
  font-weight: bold;
  margin-bottom: 10px;
}

.text-box {
  background-color: #c0f5c0;
  width: 280px;
  padding: 10px;
  font-size: 14px;
  line-height: 1.5;
  text-align: center;
  box-shadow: 0 0 2px #ccc;
}
```

Output format:



Week_8

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Responsive</title>
    <link rel="stylesheet" href="newlayout.css">
</head>
<body>
    <div class="box-container">
        <div class="box">Box1</div>
        <div class="box">Box2</div>
        <div class="box">Box3</div>
        <div class="box">Box4</div>
    </div>
</body>
</html>
```

CSS

```css
.box{
    background-color: orange;
    height: 7rem;
    border: 2px solid black;
    display:grid;
    align-items: center;
    justify-content: center;
}
.box-container{
    display: grid;
    grid-template-columns: 1fr 1fr 1fr 1fr;
    gap: 10px;
}

@media only screen and (max-width: 600px) {
   .box{
    background-color: red;
   }
   .box-container{
    display: grid;
    grid-template-columns: 1fr;
   }
}


@media only screen and (min-width: 601px){
    .box{
        background-color: blueviolet;
    }
    .box-container{
        display: grid;
        grid-template-columns: 1fr;
    }
}

@media only screen and (min-width: 601px){
}


@media only screen and (min-width: 768px){
    .box{
        background-color: yellowgreen;
    }
    .box-container{
        display: grid;
        grid-template-columns: 1fr 1fr;
    }
}
@media only screen and (min-width: 992px){
    .box{
        background-color: pink;
    }
    .box-container{
        display: grid;
        grid-template-columns: 1fr 1fr;
    }
}
@media only screen and (min-width: 1200px){
    .box{
        background-color: burlywood;
    }
    .box-container{
        display: grid;
        grid-template-columns: 1fr 1fr;
    }
}
```

Output format:

@media only screen and (min-width: 1200px)



@media only screen and (min-width: 601px)



Week_9

HTML

Desktop Approach Responsiveness > Responsive.html > ...

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
  <title>Responsive Layout</title>
  <link rel="stylesheet" href="Responsive.css" />
</head>
<body>
  <header>Header</header>
  <nav>Navigation</nav>
  <section class="container">
    <div class="content">
      <h2>Main Content</h2>
      <p>This is the main content area. On desktop, it appears beside the sidebar.</p>
    </div>
    <div class="sidebar">
      <h3>Sidebar</h3>
      <ul>
        <li>Quick Link 1</li>
        <li>Quick Link 2</li>
        <li>Quick Link 3</li>
      </ul>
    </div>
  </section>
  <footer>Footer</footer>
</body>
</html>

```

CSS

Desktop Approach Responsiveness > # Responsive.css > ...

```css
/* Default styles (Desktop ≥ 1280px) */
body {
  margin: 0;
  font-family: Arial, sans-serif;
  background-color: #f8f9fa;
}

.container {
  display: flex;
  justify-content: space-between;
  padding: 20px;
  flex-wrap: wrap;
}

header {
  background-color: #4B0082;
  color: white;
  text-align: center;
  padding: 30px 0;
  font-size: 2em;
}

nav {
  background-color: orange;
  color: white;
  text-align: center;
  font-weight: bold;
  padding: 15px 0;
}

.content {
  background-color: white;
  padding: 20px;
  border-radius: 10px;
  flex: 3;
  box-shadow: 0 4px 8px rgba(0,0,0,0.1);
}
```

Desktop Approach Responsiveness > # Responsive.css > ...

```css
}

.sidebar {
  background-color: darkcyan;
  color: white;
  padding: 20px;
  margin-left: 20px;
  border-radius: 10px;
  flex: 1;
  box-shadow: 0 4px 8px rgba(0,0,0,0.1);
}

.sidebar h3 {
  margin-top: 0;
  border-bottom: 1px solid #ccc;
  padding-bottom: 5px;
}

footer {
  background-color: #2d3e50;
  color: white;
  text-align: center;
  padding: 15px;
  margin-top: 10px;
}

/* Medium screens: 992px - 1279px */
@media (max-width: 1279px) and (min-width: 992px) {
  header {
    background-color: #2196f3;
  }
  nav {
    background-color: #ff7043;
  }
  body {
    background-color: #ffffcc;
  }
```

Desktop Approach Responsiveness > # Responsive.css > ...

```css
@media (max-width: 1279px) and (min-width: 992px) {
  }
  .content {
    background-color: #e3f2fd;
  }
  .sidebar {
    background-color: #d0f0c0;
    color: black;
  }
  footer {
    background-color: #1b5e20;
  }
}

/* Small screens: 769px - 991px */
@media (max-width: 991px) and (min-width: 769px) {
  header {
    background-color: #303f9f;
    color: white;
  }
  nav {
    background-color: #03a9f4;
    color: white;
  }
  body {
    background-color: #fff8b3;
  }
  .container {
    display: flex;
    flex-direction: row;
    justify-content: space-between;
    padding: 20px;
  }
  .content {
    background-color: #f0f0f0;
    color: black;
    flex: 3;
```

Desktop Approach Responsiveness > # Responsive.css > {} @media (max-width

```css
@media (max-width: 991px) and (min-width: 769px) {
  .content {
    flex: 3;
    margin-right: 20px;
    border-radius: 10px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);
  }
  .sidebar {
    background-color: #a5d6a7;
    color: black;
    flex: 1;
    border-radius: 10px;
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);
  }
  footer {
    background-color: #424242;
    color: white;
    text-align: center;
    padding: 15px;
    margin-top: 10px;
  }
}


/* Extra small: 481px - 768px */
@media (max-width: 768px) and (min-width: 481px) {
  header {
    background-color: #e91e63;
    color: white;
  }
  nav {
    background-color: #8e24aa;
    color: white;
  }
  body {
    background-color: #ffebcd;
  }
```


```css
  }
  .container {
    flex-direction: column;
    align-items: center;
  }
  .content, .sidebar {
    width: 95%;
    margin: 10px 0;
  }
  .content {
    background-color: #ffe4b5;
    color: black;
  }
  .sidebar {
    background-color: #f8a8c6;
    color: black;
  }
  footer {
    display: none;
  }
}

@media (max-width: 480px) {
  header {
    background-color: #00695c;
    color: white;
  }
  nav {
    background-color: #00796b;
    color: white;
  }
```


```css
  }
  body {
    background-color: #e0f7fa;
  }
  .container {
    flex-direction: column;
    align-items: center;
  }
  .content, .sidebar {
    width: 95%;
    margin: 10px 0;
  }
  .content {
    background-color: white;
    color: black;
  }
  .sidebar {
    background-color: #b2ebf2;
    color: black;
  }
  footer {
    display: block;
    background-color: #004d40;
    color: white;
    padding: 15px;
    text-align: center;
    margin-top: 10px;
    border-top: 3px solid orange;
  }
}
```

Output format:

• 0-480px



• 992px–1280px



Week_10


HTML


alert.html > ...

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Window Object Method</title>
</head>
<body>
<script>
alert("This is an alert box");
var result = confirm("Do you want to continue?");
var name = prompt("Enter your name:");
window.print(); // Opens the print dialog
</script>
</body>
</html>
```

Output format:







Week_11

HTML and JavaScript

background.html > html > body > script > updateBackgroundAndText

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Exercise 3</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h1 id="greeting"></h1>
  <p id="datetime"></p>

  <script>
    function formatTime(date) {
      let hours = String(date.getHours()).padStart(2, '0');
      let minutes = String(date.getMinutes()).padStart(2, '0');
      let seconds = String(date.getSeconds()).padStart(2, '0');
      return `${hours}:${minutes}:${seconds}`;
    }

    function updateBackgroundAndText() {
      let now = new Date();
      let hour = now.getHours();
      let greeting = "";
      let image = "";

      if (hour >= 6 && hour <= 11) {
        greeting = "Good Morning!";
        image = "morning.jpg";
      } else if (hour >= 12 && hour <= 18) {
        greeting = "Good Afternoon!";
        image = "afternoon.jpg";
      } else {
        greeting = "Good Evening!";
        image = "night.jpg";
      }
```

background.html > ...

```
<html lang="en">
<body>
  <script>
    function updateBackgroundAndText() {
      image = "afternoon.jpg";
    } else {
      greeting = "Good Evening!";
      image = "night.jpg";
    }

    document.body.style.backgroundImage = `url('${image}')`;
    document.getElementById("greeting").textContent = greeting;

    let options = { day: 'numeric', month: 'long', year:
    'numeric' };
    let datePart = now.toLocaleDateString('en-GB', options);
    let timePart = formatTime(now);
    document.getElementById("datetime").textContent = `$
    {datePart} | ${timePart}`;
  }

  updateBackgroundAndText();
  setInterval(updateBackgroundAndText, 1000);
</script>
</body>
</html>
```

CSS

style.css > ...


```css
body {
  margin: 0;
  padding: 0;
  height: 100vh;
  background-size: cover;
  background-position: center;
  font-family: Arial, sans-serif;
  color: white;
  text-align: center;
  display: flex;
  flex-direction: column;
  justify-content: center;
}

h1 {
  font-size: 2.5em;
}

p {
  font-size: 1.5em;
}
```

Output format:




Good Afternoon!
17 August 2025 | 12:06:59

Week_12

HTML

content.html > html > body

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Tab Content Layout</title>
    <link rel="stylesheet" href="content.css" />
</head>
<body>
  <div class="content">
    <button class="content1" onclick="Color1()">Content 1</button>
    <button class="content2" onclick="Color2()">Content 2</button>
    <button class="content3" onclick="Color3()">Content 3</button>
  </div>

      <div id="pageContent" style="width: 1500px; height: 1500px;"></div>

<script>
        function Color1() {
            document.getElementById("pageContent").innerHTML="This is content 1"
            document.getElementById("pageContent").style.backgroundColor = "yellow";
        }
        function Color2() {
            document.getElementById("pageContent").innerHTML="This is content 2"
            document.getElementById("pageContent").style.backgroundColor="green";
        }
        function Color3() {
            document.getElementById("pageContent").innerHTML="This is content 3"
            document.getElementById("pageContent").style.backgroundColor="pink";
        }
    </script>
</body>
```

CSS

content.css > .content2

```css
body {
  margin: 0;
  font-family: Arial, sans-serif;
}

.content {
  height: 50px;
  display: flex;
}

.content1, .content2, .content3 {
  height: 100%;
  width: 150px;
  display: flex;
  justify-content: center;
  align-items: center;
  cursor: pointer;
  font-weight: bold;
}
```



content.css > .content2

```css
}

.content1 {
  background-color: yellow;
}

.content2 {
  background-color: green;

}

.content3 {
  background-color: pink;
}
```

Output format:

