

How to Make a Poster Presentation

CENG416 Seminar

Işıl Öz
12.05.2026


What is a Research Poster?

A summary of research/work

A visual display

Widely used in the academic community

A way to share ideas and generate discussion



Why Present a Research Poster?

Great experience for first time presenters

Experience presenting your work in a formal setting

Standard format used at many professional meetings

Get feedback from peers, faculty, and other experts

Share ideas and learn from others

Network in your area of study

Goals of a Research Poster

- Summarize every part of your work and your entire thesis to get an AA
- + Teach as many people as possible something you learned and a key result in your research

Poster Design

Meet the guidelines for the specific event

Match the audience knowledge base and interests

Focus your message – what is the one thing you want people to remember?

Convey your message visually

Be readable from about 1 - 2 meters away

Be clearly organized

Software

Microsoft PowerPoint

Latex

Adobe Illustrator, Photoshop

Fonts

Use large text (your text should be at least 18-24 pt; headings 30-60 pt; title >72pt.)

Do not use more than 2-3 font styles total

Use fonts that are easy to read (such as Times New Roman, Garamond, and Arial)

Text

Avoid jagged edges: left-justify text within text boxes or fully justify blocks of text

Avoid too much text (no more than 800 words max) and undefined technical jargon (depending upon your potential audience)

Organize and align your content with columns, sections, headings, and blocks of text

Layout/Graphics

White space is important to increase visual appeal and readability (this is the “empty” space between sections, columns, headings, blocks of text, and graphics)

Selectively incorporate charts, graphs, photographs, key quotations from primary sources, maps, and other graphics that support the theme of your poster. It is best to avoid using tables of data

Avoid fuzzy images; make sure all graphics are high-resolution (at least 300ppi) and easily visible

Content

What is the most important/interesting/surprising finding from your research project?

How can you visually share your research with attendees? Should you use charts, graphs, photos, images?

What kind of information can you convey during your talk that will complement your poster?

Content

Title (Use Big font, 10 words or less if possible) and Authors

Abstract/Summary

Background/Literature Review

Research Questions/Description of the Work

Materials, Approach, Process, or Methods

Results

Acknowledgements and References

Poster Presentation Examples

Detection and Mitigation of Anomalous Behavior in Embedded Automotive Networks

Sekar Kulandaivel, Jackson Schmandt, Matthew Fertig, Dr. Nilanjan Banerjee

Department of Computer Science and Electrical Engineering, University of Maryland, Baltimore County, Baltimore, MD 21250

sekar.k@umbc.edu
240-205-1955

11024 Trumpet Place
Silver Spring, MD 20904

ABSTRACT

Safety and security for drivers becomes crucial to the future of the automotive industry as advanced electronics permeate a vehicle's control systems. Electronic and wireless components within an embedded automotive network expose vulnerabilities to malicious attacks from internal and external sources. In order to combat a malicious attack on a vehicle's network, this work focused on using physical sensors embedded in a vehicle to classify normal driver behavior versus behavior resulting from an infiltration by an external agent. To investigate this method of intrusion detection, we accessed the raw communication data between various electronic control units (ECUs) and gathered pedal depression and steering wheel angle data from textile-based capacitive sensors. Our model for typical driver behavior includes comparison of the physical sensor readings of the steering wheel, brake pedal, and accelerator pedal to the data received from the ECUs. The resulting deployable attachment for an automobile's on-board diagnostics port detects and mitigates a variety of infiltrations from external agents, which serves to protect drivers from dangerous attempts to disrupt or disable electronic systems within their vehicles.

Introduction

State of Automotive Security

Consumers demand additional functionality. Automakers and government demand safety for their customers.

- Additional functionality includes Wi-Fi hotspot, GPS, Bluetooth, Internet applications, remote keyless entry, etc.
- Customer safety includes a variety of cyber-physical systems, such as Intelligent Parking Assist and Adaptive Cruise Control

Table of possible attack vectors due to safety-related cyber-physical systems

	Steering Wheel	Brake Pedal	Accelerator Pedal
Intelligent Parking Assist	X	X	X
Lane Keeping Assist	X	X	
Emergency Brake Assist		X	
Adaptive Cruise Control	X	X	X
Forward Collision Mitigation		X	

Previous Research



Vehicles used in previous research are 2010 Toyota Prius (left) and 2010 Ford Escape (right)

Advances in Automotive Networks and Control Units [1]


- Similar vehicles to previous research allows replication of attacks
- 2010 Toyota Prius → Dr. Nilanjan Banerjee's 2010 Toyota Prius
- 2010 Ford Escape → Sekar Kulandaivel's 2008 Ford Escape

INTRUSION DETECTION SYSTEM

Steering Wheel Position and Pedal Depression ECU Network



Physical Sensors for True Position and Depression Values



Analyzing CAN Bus Traffic on Prius and Escape

Message IDs Found in Miller & Valasek Paper and in Our Vehicles

- Messages for 2010 Toyota Prius
 - CAN ID 0025 → Steering Wheel Angle
 - CAN ID 0224 → Brake Pedal Position Sensor
 - CAN ID 0320 → Brake Sensor
 - CAN ID 0245 → Accelerator Pedal Sensor
- Messages for 2008 Ford Escape
 - CAN ID 0080 → Steering Wheel Angle
 - CAN ID 0200 → Brake and Accelerator Pedal Sensor

DISCUSSION

CAN ID 0224 Byte-Field Description for 2010 Toyota Prius [1]

CAN ID	0024
Description	Brake pedal position sensor
Length	08
Design1	00
Design2	00
Design3	00
Design4	00
Design5	00
Design6	00
Design7	00
Design8	00
Design9	00
Design10	00
Design11	00
Design12	00
Design13	00
Design14	00
Design15	00
Design16	00
Design17	00
Design18	00
Design19	00
Design20	00
Design21	00
Design22	00
Design23	00
Design24	00
Design25	00
Design26	00
Design27	00
Design28	00
Design29	00
Design30	00
Design31	00
Design32	00
Design33	00
Design34	00
Design35	00
Design36	00
Design37	00
Design38	00
Design39	00
Design40	00
Design41	00
Design42	00
Design43	00
Design44	00
Design45	00
Design46	00
Design47	00
Design48	00
Design49	00
Design50	00
Design51	00
Design52	00
Design53	00
Design54	00
Design55	00
Design56	00
Design57	00
Design58	00
Design59	00
Design60	00
Design61	00
Design62	00
Design63	00
Design64	00
Design65	00
Design66	00
Design67	00
Design68	00
Design69	00
Design70	00
Design71	00
Design72	00
Design73	00
Design74	00
Design75	00
Design76	00
Design77	00
Design78	00
Design79	00
Design80	00
Design81	00
Design82	00
Design83	00
Design84	00
Design85	00
Design86	00
Design87	00
Design88	00
Design89	00
Design90	00
Design91	00
Design92	00
Design93	00
Design94	00
Design95	00
Design96	00
Design97	00
Design98	00
Design99	00
Design100	00

Example of CAN ID 0224 Data

TS	-->	ID	(L)	AA	BB	CC	DD	EE	FF	GG	HH
33953	-->	224	(8)	20	00	00	00	01	97	00	08
35937	-->	224	(8)	20	00	00	00	01	35	00	08
38212	-->	224	(8)	20	00	00	00	00	16	00	08
40564	-->	224	(8)	20	00	00	00	00	23	00	08
44410	-->	224	(8)	00	00	00	00	00	00	00	08

Analysis of the CAN Bus Traffic

- Search for changes in CAN bus data that correspond to changes in steering wheel position and pedal depression
- Compare received CAN bus data to data from physical sensors for steering wheel and pedals
- Detect differences between virtual and physical data and indicate if an intruder accessed the automotive network
- Mitigate attack by alerting driver of situation

STATUS

- Refining CAN data collection system to include a remote cellular component for performing remote attacks
- Developing integrated physical sensor network, which will include two capacitive array sensors for foot pedals and an IMU and capacitive touch sensor for steering wheel
- Planning system for comparing virtual CAN data to physical sensor data

CONCLUSION

- Development of this intrusion detection system may provide a solution to ensuring that safety-critical components of a vehicle remain unaffected by a malicious intruder

REFERENCES

- [1] C. Miller and C. Valasek, "Adventures in automotive networks and control units," *DIAP CON '21* (2021), 240-244.

ACKNOWLEDGEMENTS

Many thanks to the UMBC Office of Undergraduate Education for funding this work through an Undergraduate Research Award and to Dr. Nilanjan Banerjee, Jackson Schmandt and Matthew Fertig for our collaboration on working on one of my favorite research projects.

Poster Presentation Examples

Practical Considerations in designing High-Inductance, High-Voltage IGBT Circuits

*Julian Lolocono, Professor Fow-Sen Choa;
University of Maryland, Baltimore County, Baltimore, MD

Introduction

Insulated-gate bipolar transistors (IGBTs) are high-power switches with application in

- Electric vehicles
- Multi-phase inverters
- Induction ovens
- Transcranial Magnetic Stimulation (TMS)

Our project involves the latter, TMS, which is the science of stimulating the deep brain with high-power electromagnets. Early in the project, we ran into a major problem.

WHY DO OUR IGBTs KEEP DYING?

To determine the reason, we reviewed the papers of our model project, *Peterchev et. al* [1], and eventually implemented these distinct circuit elements: the snubber, the gate driver, and Litz wire. Equivalent implementations of Peterchev's work were developed by economical means.

Methodology

Circuit elements from the circuit depicted in Fig. 1 were removed one at a time to test the individual effectiveness of each on the related para-meter. Because of time and usage constraints, the Litz wire was only partially re-placed by solid doorbell wire. Snubber values were initially determined from Eqn. 1 and 2 [2].




Figure 1

$$C_{sn} = \frac{L_s I_{ce}^2}{(V_{ce} - V_{ce0})^2} \quad R_{sn} = \frac{1}{6 C_{sn} f_{sw}}$$

Equation 1 Equation 2

Results

Gate Driver Effect Over Entire Pulse




Figure 2a

Gate Driver Effect at Turn-On




Figure 2b

Gate Driver Effect at Turn-Off




Figure 2c

Snubber Effect Over Entire Pulse




Figure 3

Litz Wire Effect at Turn-Off




Figure 4

The Elements




Figure 5




Figure 6



Figure 7

Conclusions

The following can be inferred from the results column:

- The gate driver (Fig. 5) effectively reduces both turn-on and turn-off time (Fig. 2).
- The snubber (Fig. 6) effectively reduces the kick-back voltage spike over the IGBT (Fig. 3).
- The Litz wire (Fig. 7) has a small effect on the oscillation speed of V_{ce} at turn-off (Fig. 4).

Further study would involve a more rigorous testing of the effect of the Litz wire with higher power, in which all stray wire is replaced by doorbell wire. Furthermore, study into the efficacy of our custom Litz wire versus commercially available equivalents would be very valuable

Acknowledgments

This research has been funded in part by a University of Maryland, Baltimore County Undergraduate Research Award, and by the Maryland Psychiatric Research Center



Sources:
[1] A.V. Peterchev et al., "A Transcranial Magnetic Stimulator Inducing Near-Rectangular Pulses With Controllable Pulse Width (of TMS)", IEEE Transactions on Biomedical Engineering, Vol. 55, No. 1, January 2008
[2] Y. Zhang et al., "Snubber Considerations for IGBT Applications", International Rectifier Corporation, Application Note 94-001

Poster Presentation Examples



A Data Management Planning Tool for
Understanding and Reporting Data about Data
Joshua E. Massey and Dr. Kimberly A. Tryka
National Institute of Standards and Technology



Introduction

When conducting a research project, it is essential to have a method for collection, maintenance and preservation, and publication of all associated data. Many research scientists compile this information in the form of a data management plan.

A data management plan (DMP) is a document that describes all aspects of a research project including a description of the project, methods used, how the project's data will be recorded, and how the results will be preserved and made available for future reference. Many funding sources and all federally-funded research projects require a DMP.

Components of a NIST DMP



Figure 1. This figure depicts the four major sections of a NIST data management plan: 1) The Summary of Activities details the steps taken throughout the project; 2) The Preservation Plan explains how data will be collected and maintained for future use; 3) The Public Access Plan states how the data will be released to the public; 4) Data Types and Data Classification provide information about formats. Additionally, the MML collects information about instrumentation and equipment used and a specific Description of Data Set information (such as the creation date and title of the data set).

The MML Data Management Planning Tool
In Spring 2015, the Office of Data and Informatics (ODI) of the NIST Material Measurement Laboratory (MML) created a data management planning tool to be used for the laboratory. It was established as a centralized location where MML researchers could enter details about all of their projects and research activities. The tool also serves as a way for MML management to monitor the activity of the divisions and groups. In fall 2015, the tool was given the permanent name *Mimir*.

Project Goals:

1. Develop a reporting tool to better understand content of the MML Data Management Plans.
2. Analyze and interpret results to understand how researchers interact with the DMP tool so that it can be improved upon.

Reports

The main aspect of the project was to create an algorithm that output query results in a format from which reports could easily be generated. Two of the reports that were generated include a divisional summary and an employee summary.


Employee ID	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Name	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Employee Division	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62																																						

Poster Presentation Examples



Work Description

Novel approximate computing techniques by considering architecture-specific features of GPUs and develop a compiler framework to perform those techniques automatically for the target CUDA program. Optimum Pareto solutions using a systematic design space exploration methodology to choose the approximate computing techniques. Parallel metaheuristic techniques which generate better results in reasonable times by considering energy consumption, performance, and accuracy rates of the approximate CUDA programs.




Main Objectives

1. Approximate computation methods specific to GPU architectures considering GPGPU applications
2. Developing a compiler tool applying the developed approximate computation methods
3. Evaluation of the performance, energy, and accuracy values by running candidate program versions
4. Metaheuristic method that performs design space exploration by evaluating the approximate calculation methods and different parameters

Approximation for CUDA Programs

1. Kernel-aware loop perforation
 - Kernel launch/perforation
 - Kernel launch configuration perforation
 - Inner-kernel loop perforation
2. Related synchronization
 - Partition-level synchronization
 - Block-level atomic operations
3. Warp divergence diminution


Source-to-Source Compiler Transformation



Design Space Exploration

- Multiobjective optimization
 - High performance
 - Low energy consumption
 - Acceptable accuracy
- Solution representation for target programs
- Problem-specific variation operators

Preliminary Results



References

- [1] S. K. S. "Bringing CUDA-aware approximate computing techniques to RISP-24: The 1st workshop on Resource-Awareness of Systems and Security (RASP-24)", March 2024.
- [2] B. K. T. and S. K. S. "GPUs: A GPU system energy performance and power management tool for RASP-24: Parallel Processing Workshops: Euro-Par 2023 International Workshops, Lecture Notes in Computer Science, 14249", The work is partially supported by CERIC/AS COST Action CA1910 funded by COST Association.

Acknowledgements

The work was supported by the Scientific and Technological Research Council of Turkey (TUBITAK) Grant No. 122Y001. The work is partially supported by CERIC/AS COST Action CA1910 funded by COST Association.

CENG416 Poster Tips

Poster size: A0 vertical

Poster templates: Examples to be given

Poster printing: In campus or any other print centers

June 16 in our department

Multiple stands in open spaces

Timing and further details to be announced

How to Present Poster?

Put your posters on provided boards; hardware demos or laptops may sit nearby

Stand by the poster display while other participants can come and view the presentation and interact with the team

30-second talk to anyone who stops

2-3 minute walkthrough, pointing to visuals, answering questions

How to Present Poster?

Prepare and practice for common open-ended questions

Tell me about your research

How does this relate to the field?

How will this research impact your future research?

Be enthusiastic about your work

Practice projecting your voice (Have water)

Dress so you feel confident

References

<https://www.youtube.com/watch?v=WCKhmKeAXY0>

https://www.youtube.com/watch?v=kD_zCBT3GUk

<https://onurferhat.com/ismailari.com/blog/akademik-poster-hazirlama-2/index.html>

<https://ur.umbc.edu/poster-presentation-examples/>