

Air Quality in Ukraine post Ukraine-Russia Dispute

Web address for GitHub repository

Curly Girlyes: Shirley Fontanié, Rachel Gordon, and Julia Weinberg

Contents

1	Rationale and Research Questions	5
2	Dataset Information	6
3	Exploratory Analysis	7
4	Analysis	11
4.1	Question 1: Are there significant differences in air quality levels between affected Ukrainian cities during the Russian invasion?	11
4.2	Question 2: Are there significant differences in air quality levels in affected Ukrainian cities before and during the Russian attacks?	11
5	Summary and Conclusions	15
5.1	Question 1: Are there significant differences in air quality levels between affected Ukrainian cities during the Russian invasion?	15
5.2	Question 2: Are there significant differences in air quality levels in affected Ukrainian cities before and during the Russian attacks?	15
6	References	16

List of Tables

2	PM2.5 Levels by City	7
3	PM10 Levels by City	7

List of Figures

1 Air Pollution Heat Map 7

1 Rationale and Research Questions

Research question: How does air quality in various Ukrainian cities differ before and after the Ukraine-Russia dispute?

***** Rationale: On February 24, 2022, Russia attacked Ukraine. The first city attacked was Lviv and Dnipro. Kyiv was hit February 24th.

2 Dataset Information

Describe sources of data here (input Julia paragraph)

Explain data wrangling process here (shirley do this)

Data File Name	Description
UkraineData	(Raw) Ukraine air quality data
Ukraine_Processed	(Processed) Ukraine air quality data, w/o na's
Dnipro_2021	Dnipro PM2.5 + PM10, Mar 2021
Dnipro_2022	Dnipro PM2.5+ PM10, Mar 2022
Lviv_2021	Lviv PM 2.5 + PM10, Mar 2021
Lviv_2022	Lviv PM 2.5 + PM10, Mar 2022
FULL_DNIPRO	Lviv_2021 + Lviv_2022 combined
FULL_LVIV	Dnipro_2021 + Dnipro_2022 combined

3 Exploratory Analysis

#I'm confused if we need to upload a shapefile of ukraine so that we can make a map bu
#https://simplemaps.com/data/ua-cities
#we can download a csv of all the cities with lat and long from this link and we could




Figure 1: Air Pollution Heat Map


Table 2: PM2.5 Levels by City

City	Mean	Min	Max	Std Dev
Dnipro	49.41546	4	160	25.91608
Lviv	60.51086	8	518	34.79405


Table 3: PM10 Levels by City

City	Mean	Min	Max	Std Dev
Dnipro	24.73309	2	120	15.82186
Lviv	30.29246	4	606	26.78330


Observing PM2.5 Values in Dnipro, Ukraine



Observing PM2.5 Values in Lviv, Ukraine




Observing PM10 Values in Dnipro, Ukraine




«««< HEAD


Observing PM10 Values in Lviv, Ukraine



Observing PM2.5 Values in Dnipro and Lviv, Ukraine



Observing PM10 Values in Dnipro and Lviv, Ukraine



4 Analysis

4.1 Question 1: Are there significant differences in air quality levels between affected Ukrainian cities during the Russian invasion?

[insert text about how we analyzed]

4.2 Question 2: Are there significant differences in air quality levels in affected Ukrainian cities before and during the Russian attacks?

[insert text about how we analyzed]

```
lviv.25.lm <- lm(data = FULL_LVIV, pm25 ~ Year)
summary(lviv.25.lm)
```

```
##
## Call:
## lm(formula = pm25 ~ Year, data = FULL_LVIV)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -57.387 -18.887  -4.745  16.147  66.613
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   79.387      5.071   15.66  <2e-16 ***
## Year2022     -10.284      7.294   -1.41   0.164
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 28.23 on 58 degrees of freedom
## Multiple R-squared:  0.03314,    Adjusted R-squared:  0.01647
## F-statistic: 1.988 on 1 and 58 DF,  p-value: 0.1639
```

```
lviv.10.lm <- lm(data = FULL_LVIV, pm10 ~ Year)
summary(lviv.10.lm)
```

```
##
## Call:
## lm(formula = pm10 ~ Year, data = FULL_LVIV)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -25.742 -11.069  -3.242   8.013  36.258
```

```
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)   38.742      2.611   14.84  <2e-16 ***
## Year2022      -5.673      3.756   -1.51    0.136
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 14.54 on 58 degrees of freedom
## Multiple R-squared:  0.03784,    Adjusted R-squared:  0.02125
## F-statistic: 2.281 on 1 and 58 DF,  p-value: 0.1364

dnipro.25.lm <- lm(data = FULL_DNIPRO, pm25 ~ Year)
summary(dnipro.25.lm)
```

```
##
## Call:
## lm(formula = pm25 ~ Year, data = FULL_DNIPRO)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -35.968  -9.841  -4.714   8.159  55.032
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)   57.968      2.971  19.510  < 2e-16 ***
## Year2022      -32.253      4.313  -7.478 5.07e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 16.54 on 57 degrees of freedom
## Multiple R-squared:  0.4952, Adjusted R-squared:  0.4864
## F-statistic: 55.93 on 1 and 57 DF,  p-value: 5.074e-10

dnipro.10.lm <- lm(data = FULL_DNIPRO, pm10 ~ Year)
summary(dnipro.10.lm)
```

```
##
## Call:
## lm(formula = pm10 ~ Year, data = FULL_DNIPRO)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -19.677  -6.677  -1.677   3.661  39.323
##
## Coefficients:
```

```
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    29.677      1.893  15.681 < 2e-16 ***
## Year2022      -15.677      2.747  -5.707 4.33e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 10.54 on 57 degrees of freedom
## Multiple R-squared:  0.3636, Adjusted R-squared:  0.3524
## F-statistic: 32.57 on 1 and 57 DF,  p-value: 4.325e-07

dnipro.lviv.pm25.lm <- lm(data = FULL_Air_quality, pm25 ~ City)
summary(dnipro.lviv.pm25.lm)
```

```
##
## Call:
## lm(formula = pm25 ~ City, data = FULL_Air_quality)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -49.103 -11.714  -3.103   11.286   64.897
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    25.714      3.791   6.783 8.54e-09 ***
## CityLviv       43.389      5.315   8.164 4.72e-11 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 20.06 on 55 degrees of freedom
## Multiple R-squared:  0.5479, Adjusted R-squared:  0.5397
## F-statistic: 66.65 on 1 and 55 DF,  p-value: 4.715e-11

dnipro.lviv.pm10.lm <- lm(data = FULL_Air_quality, pm10 ~ City)
summary(dnipro.lviv.pm10.lm)
```

```
##
## Call:
## lm(formula = pm10 ~ City, data = FULL_Air_quality)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -22.069  -6.000  -1.069   5.931  29.931
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    14.000      1.895   7.388 8.72e-10 ***
```

```
## CityLviv      19.069      2.657    7.178 1.93e-09 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 10.03 on 55 degrees of freedom
## Multiple R-squared:  0.4837, Adjusted R-squared:  0.4743
## F-statistic: 51.52 on 1 and 55 DF,  p-value: 1.929e-09
```

5 Summary and Conclusions

5.1 Question 1: Are there significant differences in air quality levels between affected Ukrainian cities during the Russian invasion?

[insert text about summary]

5.2 Question 2: Are there significant differences in air quality levels in affected Ukrainian cities before and during the Russian attacks?

[insert text about summary]

6 References

<add references here if relevant, otherwise delete this section>