

Air Quality in Ukraine post Ukraine-Russia Dispute

Web address for GitHub repository

Shirley Fontanié, Rachel Gordon, and Julia Weinberg

Contents

1	Rationale and Research Questions	5
2	Dataset Information	6
3	Exploratory Analysis	7
4	Analysis	11
4.1	Question 1: Are there significant differences in air quality levels between affected Ukrainian cities during the Russian invasion?	11
4.2	Question 2: Are there significant differences in air quality levels in affected Ukrainian cities before and during the Russian attacks?	13
5	Summary and Conclusions	18
5.1	Question 1: Are there significant differences in air quality levels between affected Ukrainian cities during the Russian invasion?	18
5.2	Question 2: Are there significant differences in air quality levels in affected Ukrainian cities before and during the Russian attacks?	18
6	References	19

List of Tables

2	PM2.5 Levels by City	7
3	PM10 Levels by City	10

List of Figures

1	Air Pollution Heat Map	7
2	Air Pollution Heat Map	8
3	Air Pollution Heat Map	9
4	PM2.5 Levels in Dnipro	14
5	PM2.5 Levels in Lviv	15
6	PM10 Levels in Dnipro	16
7	PM10 Levels in Lviv	17

1 Rationale and Research Questions

Rachel input written section

2 Dataset Information

Describe sources of data here (input Julia paragraph)

Explain data wrangling process here (shirley do this)

Data File Name	Description
UkraineData	(Raw) Ukraine air quality data
Ukraine_Processed	(Processed) Ukraine air quality data, w/o na's
Dnipro_2021	Dnipro PM2.5 + PM10, Mar 2021
Dnipro_2022	Dnipro PM2.5+ PM10, Mar 2022
Lviv_2021	Lviv PM 2.5 + PM10, Mar 2021
Lviv_2022	Lviv PM 2.5 + PM10, Mar 2022
FULL_DNIPRO	Lviv_2021 + Lviv_2022 combined
FULL_LVIV	Dnipro_2021 + Dnipro_2022 combined
FULL_Air_quality	
Full-air_quality_21_22	

3 Exploratory Analysis

INSERT COMMENTARY ABOUT EXPLORATORY ANALYSIS COMPONENTS

#I'm confused if we need to upload a shapefile of ukraine so that we can make a map bu
#https://simplemaps.com/data/ua-cities
#we can download a csv of all the cities with lat and long from this link and we could




Figure 1: Air Pollution Heat Map

`## Bin width defaults to 1/30 of the range of the data. Pick better value with `binwidth``
`## Bin width defaults to 1/30 of the range of the data. Pick better value with `binwidth``

Table 2: PM2.5 Levels by City

City	Mean	Min	Max	Std Dev
Dnipro	49.41546	4	160	25.91608
Lviv	60.51086	8	518	34.79405




Figure 2: Air Pollution Heat Map




Figure 3: Air Pollution Heat Map

Table 3: PM10 Levels by City


City	Mean	Min	Max	Std Dev
Dnipro	24.73309	2	120	15.82186
Lviv	30.29246	4	606	26.78330

4 Analysis


4.1 Question 1: Are there significant differences in air quality levels between affected Ukrainian cities during the Russian invasion?

[Shirley insert text about how we analyzed - visualizations and statistical tests]

Observing PM2.5 Values in Dnipro and Lviv, Ukrair



Observing PM10 Values in Dnipro and Lviv, Ukraine



```
##
## Call:
## lm(formula = pm25 ~ City, data = FULL_Air_quality)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -49.103 -11.714  -3.103  11.286  64.897
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   25.714     3.791    6.783 8.54e-09 ***
## CityLviv      43.389     5.315    8.164 4.72e-11 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 20.06 on 55 degrees of freedom
## Multiple R-squared:  0.5479, Adjusted R-squared:  0.5397
## F-statistic: 66.65 on 1 and 55 DF,  p-value: 4.715e-11
##
## Call:
## lm(formula = pm10 ~ City, data = FULL_Air_quality)
##
```

```
## Residuals:
##      Min       1Q   Median       3Q      Max
## -22.069  -6.000  -1.069   5.931  29.931
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    14.000      1.895   7.388 8.72e-10 ***
## CityLviv       19.069      2.657   7.178 1.93e-09 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 10.03 on 55 degrees of freedom
## Multiple R-squared:  0.4837, Adjusted R-squared:  0.4743
## F-statistic: 51.52 on 1 and 55 DF,  p-value: 1.929e-09
```

4.2 Question 2: Are there significant differences in air quality levels in affected Ukrainian cities before and during the Russian attacks?

Similar to our first research question, we conducted a visual analysis of PM2.5 and PM10 levels within Dnipro and Lviv for years 2021 and 2022. For each of our visualizations, we created line plots that showed the air pollution levels within the city, comparing 2021 to 2022. As we needed to visualize the levels of both PM2.5 and PM10, we created four different plots - “PM2.5 Levels in Dnipro”, “PM2.5 Levels in Lviv”, “PM10 Levels in Dnipro”, and “PM10 Levels in Lviv”. Within each of these plots, we also created annotations to indicate the specific dates of the missile attacks within the cities to see if there were any PM2.5 or PM10 increases or decreases around those dates. Additionally, we conducted a linear regression analysis for each of these charts to understand if there is a significant difference in PM2.5 levels and PM10 levels within Dnipro and Lviv in March of 2021 compared to March of 2022.

PM2.5 in Dnipro

When plotting PM2.5 levels in Dnipro in 2021 compared to 2022, it is evident that overall, PM2.5 levels were higher in 2021 than 2022. It is also interesting to note that around March 11 in 2022, when the missile attack occurred, there appears to be an uptick in PM2.5 levels and then sharply decreases shortly after. Overall in both years, there seems to be a variety of fluctuation in PM2.5 levels and they are not consistent within each year. Additionally, within most of 2022, PM2.5 levels stayed within “good” to “moderate” levels, with an exception of reaching a level of “unhealthy for sensitive groups” at the end of March 2022. In March 2021, however, the PM2.5 levels were mainly in the “unhealthy for sensitive groups” or “unhealthy” category, with only a few days throughout that month in “moderate” levels.

For the statistical analysis, we ran a linear regression model of pm2.5 levels by year within Dnipro, to understand if there are significant differences in PM2.5 levels within the city in March 2021 compared to March 2022. The linear regression showed the slope was negative (-32.253), meaning that PM2.5 levels decreased in 2022 compared to 2021. Additionally, the linear regression showed that the relationship between PM2.5 levels and year in Dnipro is significant ($p = 5.074e-10$), meaning that there is a significant difference in PM2.5 levels in Dnipro in 2022 compared to 2021.




Figure 4: PM2.5 Levels in Dnipro

PM2.5 in Lviv

When plotting PM2.5 levels in Lviv in 2021 compared to 2022, there is no clear difference in levels between years. It is interesting to note that before the March 18 attack, PM2.5 levels were increasing, and after the March 18, 2022 missile attack, it appears levels sharply decreased. Overall in both years, it appears that there seems to be a variety of fluctuation in PM2.5 in Lviv. Additionally, within both 2021 and 2022, it is very rare that levels are within the “good” range of PM2.5 (<15.4) and are typically within “moderate” to “unhealthy” levels.

For the statistical analysis, we ran a linear regression model of PM2.5 levels by year within Lviv, to understand if there are significant differences in levels within the city in March 2021 compared to March 2022. Through the analysis, we found that the slope was negative (-10.284), meaning that PM2.5 levels decreased in 2022 compared to 2021. However, the linear regression showed that the negative relationship between PM2.5 levels and year in Lviv is not significant ($p=0.1639$).




Figure 5: PM2.5 Levels in Lviv

PM10 in Dnipro

When plotting PM10 levels in Dnipro in 2021 compared to 2022, it is evident that overall, PM10 levels were higher in 2021 compared to 2022. When looking at the PM10 levels around the March 11 attack in 2022, there does not appear to be a significant increase. Additionally, in March 2022, PM10 levels seemed to stay within or below “moderate” levels, whereas 2021 levels ranged from “moderate” to “unhealthy for sensitive groups”.

For the statistical analysis, we ran a linear regression of PM10 levels by year within Dnipro, to understand if there are significant differences in levels within the city in March 2021 compared to March 2022. Through the analysis, we found that the slope was negative (-15.677), meaning that PM10 levels decreased in 2022 compared to 2021. Additionally, the linear regression showed that these results are statistically significant ($p=4.325e-07$), meaning there is a significant difference in PM10 levels in Dnipro in 2022 compared to 2021.




Figure 6: PM10 Levels in Dnipro

PM10 in Lviv

When plotting PM10 levels in Lviv in 2021 compared to 2022, there is no clear difference observed in PM10 levels between the years. It is also interesting to note that there does not seem to be a significant change in PM10 levels after the March 18 attack, and PM10 levels appear to sharply drop after the March 26 attack. Additionally, PM10 levels in both years stay mainly within “unhealthy for sensitive groups” to “good” levels, but at some points in 2021, levels reach into the “unhealthy” level.

For the statistical analysis, we ran a linear regression of PM10 levels by year within Lviv, to understand if there are significant differences in levels within the city in March 2021 compared to March 2022. Through the analysis, we found that the slope was negative (-5.673), meaning that PM10 levels decreased in 2022 compared to 2021 in Lviv. However, the linear regression showed that these results are not statistically significant ($p=0.1364$), meaning that there is not a significant difference in PM10 levels in Lviv in 2022 compared to 2021.




Figure 7: PM10 Levels in Lviv

5 Summary and Conclusions

5.1 Question 1: Are there significant differences in air quality levels between affected Ukrainian cities during the Russian invasion?

[insert results from our analysis]

5.2 Question 2: Are there significant differences in air quality levels in affected Ukrainian cities before and during the Russian attacks?

[insert text about summary]

insert text about what may have affected our results, limitations of our data, and what we would do next if we could

6 References

<add references here if relevant, otherwise delete this section>