turn(

turn.js 4 release

www.turnjs.com © 01 Emmanuel Garcia All rights reserved

The **turn.js** API was conveniently built as a jQuery plugin, it provides access o a set of fe atures and allows you to define the user interaction.

The API includes properties, methods and events. Most setter and getter functions h2.96l (t 0.2 (.c) -0.2 s)0.2 (g) -0.1 -109.2 mhms

Preparing the HTML

Performance

Turn.js can work with very long flipbooks. That is, there s no limit regarding the amount of pages that it can contain. This is because turn.js only keeps in DOM the last 6 pages no matter how long the boo

List of classes

1. even

This class describes even pages

5. own-size

Customizes the size of a page. directly to the page selector or using the style parameter. For example:

Notice that the width of the page is half

Description:

tl: Top Left.

```
alert('the current page is ' + page);
}
```

Methods

Syntax:

```
$('#flipbook').turn('method name'[, argument1, argument2]);
```

The above code is equivalent to:

```
element = $('<div />');
$
```

```
if (!$('#flipbook').turn('is')) {
    // Create a new flipbook
    $('#flipbook').turn();
```

peel

Shows a peeling corner.

Parameter

resize

Recalculate the position of all the pages.

```
$('#flipbook').turn(turn(
```

Parameter	Type	Description

\$('#flipbook').bind('start',