


TODO

[✓] Java 17+

```
wangyuxuan@wangyuxuandebijibendiannao /Users/wangyuxuan java -version  
openjdk version "26.0.1" 2026-04-21  
OpenJDK Runtime Environment (build 26.0.1+8-34)  
OpenJDK 64-Bit Server VM (build 26.0.1+8-34, mixed mode, sharing)
```

[✓] IntelliJ License -> Ultimate



[✓] Docker -> local DB


[✓] PostgreSQL (docker)

[✓] MongoDB (docker)


[✓] Redis (docker)

[✓] Cassandra (docker)


[✓] Elasticsearch (docker)




[✓] AWS account -> S3 bucket




[✓] Install OBS recording



[✓] Git / GitHub account



[✓] LinkedIn account + 20 connections



[✓] Maven

```
wangyuxuan@wangyuxuandebijibendiannao /Users/wangyuxuan mvn -v
Apache Maven 3.9.16 (2bdd9fddda4b155ebf8000e807eb73fd829a51d5)
Maven home: /opt/homebrew/Cellar/maven/3.9.16/libexec
Java version: 26.0.1, vendor: Homebrew, runtime: /opt/homebrew/Cellar/openjdk/26.0.1/libexec/openjdk.jdk/Contents/Home
Default locale: en_US, platform encoding: UTF-8
OS name: "mac os x", version: "26.5", arch: "aarch64", family: "mac"
wangyuxuan@wangyuxuandebijibendiannao /Users/wangyuxuan
```

[✓] Gradle

```
wangyuxuan@wangyuxuandebijibendiannao /Users/wangyuxuan gradle -v
```

```
-----
Gradle 9.5.1
-----
```

```
Build time: 2026-05-12 13:19:42 UTC
Revision: fd78213f09782e62ca4957f9cfd3d90c6c3f1767

Kotlin: 2.3.20
Groovy: 4.0.29
Ant: Apache Ant(TM) version 1.10.15 compiled on August 25 2024
Launcher JVM: 26.0.1 (Homebrew 26.0.1)
Daemon JVM: /opt/homebrew/Cellar/openjdk/26.0.1/libexec/openjdk.jdk/Contents/Home (no Daemon JVM specified, using current Java home)
OS: Mac OS X 26.5 aarch64
```

[✓] Codex CLI (any tools you prefer to)

```
Last login: Tue May 26 09:24:25 on ttys000
wangyuxuan@wangyuxuandebijibendianna0 /Users/wangyuxuan: codex
Welcome to Codex, OpenAI's command-line coding agent
```

✓ Signed in with your ChatGPT account

> You are in /Users/wangyuxuan

Do you trust the contents of this directory? Working with untrusted contents comes with higher risk of prompt injection. Trusting the directory allows project-local config, hooks, and exec policies to load.

- > 1. Yes, continue
2. No, quit

```

      +-----+
      |             |
      |  .==||*+*   | | | | |
      | //|==\|*+*| |
      | /'  //'.---| |
      | ||==\||/''*+| |
      | \|-||//|  *  | |
      | |  |||)'---| |
      | |/~|+|||  '-| |
      | |*,*|||_-.:| |
      |_|:/|\*+*.  -| |
      |//|||_|  ;   | |
      |**.*+|\~  =   | |
      | \,  //'^  ;   | |
      |*||\|.+.+|/    | |
      | \*+*---/      | |
      |             |
      +-----+

```

Welcome to Codex, OpenAI's command-line coding agent

✓ Signed in with your ChatGPT account

> You are in /Users/wangyuxuan

Do you trust the contents of this directory? Working with untrusted contents comes with higher risk of prompt injection. Trusting the directory allows project-local config, hooks, and exec policies to load.

- > 1. Yes, continue
2. No, quit

Press enter to continue