PRACTICAL-14

AIM: Build the admin dashboard with role-based access, dynamic menu, live statistics and an audit log of important actions.


SOURCE CODE :

https://github.com/rachhadiyabrind-del/WDF_B/tree/main/Practical(1-4)(Studenthub)/Practical-14


PREVIEW:




Admin dashboard: statistics from the database, registrations-by-month chart, latest users and registrations, recent audit rows




User management with active / inactive toggle



Toggling a user shows a message and is recorded in the audit log



Audit log page



Audit log search filter

TEST CASES :

#	Input / action	Expected result	Result
1	Guest opens admin_dashboard.php	Redirect to login	Pass
2	Student opens dashboard / users / audit log	Access denied, redirected	Pass
3	Admin opens dashboard	Numbers equal the database: 5 users, 22 students, 18 events, 34 registrations	Pass
4	Admin deactivates another user	Status inactive; user cannot log in; audit row user_deactivated	Pass
5	Admin deactivates himself	Refused: "You cannot deactivate your own account"	Pass
6	Activate again	Status active; audit row user_activated	Pass
7	POST toggle without CSRF token	Refused, nothing changes	Pass
8	Audit log search "user_"	Only matching actions shown, newest first	Pass
9	Create / update / delete student or event, login failures, timeouts	Each creates an audit_logs row (user, action, entity, details, IP, time)	Pass
10	Menu as guest / student / admin	Different links for each role	Pass

KEY QUESTIONS :

1. Are dashboard values loaded dynamically?

Yes. Every number is a COUNT(*) query run on each page load (users, active users, students, events, open events, registrations). The bar chart is built from GROUP BY DATE_FORMAT(registered_at, '%Y-%m') for the last six months, and the latest users, registrations and audit rows come from JOIN queries. Nothing is hard-coded.

```
$res = $conn->query("SELECT DATE_FORMAT(registered_at,'%Y-%m') m, COUNT(*) c FROM
registrations
                    WHERE registered_at >= DATE_SUB(DATE_FORMAT(CURDATE(),'%Y-%m-01'),
INTERVAL 5 MONTH) GROUP BY m");
```

2. Is access restricted to admin?

Yes. Every page in Practical 14 begins with require_role('admin'). The check is on the server for each request, so hiding the menu link is only cosmetic.

3. Do role-based menus work?

Yes. sh_menu() in layout.php returns a different list of links for a guest (Home, Events, Register, Login, Contact), a student (Dashboard, Events, Directory, Profile, Logout) and an admin (Admin Dashboard, Students, Events, AJAX Students, Users, Audit Log, Logout). The active page is marked with aria-current="page".

4. Are important admin actions recorded in audit_logs?

Yes. audit_log($conn, $userId, $action, $entity, $entityId, $details) stores the user, action, entity, details, IP address and time with a prepared INSERT. It is called for registration, login success / failure / blocked / timeout, student and event create / update / delete (forms and API), user activate / deactivate and dashboard views. audit_logs.php lets the admin search and filter the entries.

```
audit_log($conn, $admin['id'], $new === 'active' ? 'user_activated' : 'user_deactivated',
'users', $uid, $u['fullname']);
```

5. Intermediate and advanced extensions

Active / inactive toggle in users.php (not for your own account; the user's remember-me tokens are removed when deactivated). Registrations-by-month bar chart, drawn with CSS and an aria-label that lists the values for screen readers.